

Women's Health: Reproductive Health Rule

ECA Rule: Conceptual Structure

**Contract: VA118-16-D-1008, Task Order
(TO): VA-118-16-F-1008-0007, CLIN0007CA**

Departm



irs (VA)

**Knowledge Based Systems (KBS)
Office of Informatics and Information Governance (OIIG)
Clinical Decision Support (CDS)**

Publication date 06/14/2018

Version: 1.0

Women's Health: Reproductive Health Rule: Rule: Conceptual Structure

by Knowledge Based Systems (KBS), Office of Informatics and Information Governance (OIIG), and Clinical Decision Support (CDS)

Publication date 06/14/2018

Copyright © 2018 B3 Group, Inc.

Copyright © 2018 Cognitive Medical Systems, Inc.

B3 Group, Inc.

NOTICE OF GOVERNMENT COPYRIGHT LICENSE AND UNLIMITED RIGHTS LICENSE

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Portions of this content are derivative works from content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0.

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0.

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright.

See: <https://www.usa.gov/government-works>

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008, Task Order VA11817F10080007.

Cognitive Medical Systems, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This and related content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0 is available at: <https://bitbucket.org/cogmedsys/hl7-kas-examples>

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0. <https://bitbucket.org/cogmedsys/kas-source-material>

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright. See: <https://www.usa.gov/government-works>

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008-0007.

Table of Contents

Preface	v
Artifact Applicability	vi
Models	vii
1. External Data Definitions	1
Definitions	1
Triggers	1
2. Expression Definitions	2
3. Actions	3
4. Tabular List	4
5. Behavior Symbols	6
A. References	8

List of Tables

1. Revision History	v
2. Clinical White Paper Contributors	v
3. Artifact Identifier	v
4. Applicability Foci, Description and Codes	vi
5. Model References	vii
1.1. PatientAge	1
1.2. Disqualifications	1
1.3. AccessOfPatientRecordEvent	1
2.1. PatientGender	2
4.1. Terminology Versions	4
4.2. Terminology References	4
5.1. Group Organizational Behavior	6
5.2. Group Selection Behavior	6
5.3. Required Behavior	6
5.4. Precheck Behavior	7
5.5. Cardinality Behavior	7
5.6. Item Flags	7
5.7. Read Only Behavior	7

Preface

Table 1. Revision History

Date	Life Cycle Event
June 14, 2018	Published
April 17, 2018	Published
April 17, 2018	Reviewed
March 21, 2018	Created

Table 2. Clinical White Paper Contributors

Name	Role	Affiliation
C. Yvette Williams-Harris, MD MPH	Author	Physician, 1670 Clairmont Rd Atlanta, GA 30033
Megan Geber, MD MPH	Author	Physician, VA Boston HealthCare System, 150 South Huntington Ave Boston, MA 02130
Caitlin M. Cusack, MD MPH	Author	Contractor - Physician Informaticist, Office of Women's Health Services, 8455 Colesville Rd, 12th Floor Silver Spring, MD 20910

Table 3. Artifact Identifier

Domain	Artifact ID	Name
urn:va.gov:kbs:knart:artifact:r1	a0c57533-3619-50f5-b680-524986bbaafd	O10

Artifact Applicability

Table 4. Applicability Foci, Description and Codes

Focus	Description	Code System	Code	Value Set	Value Set Version
PatientAgeGroup	>=13 years and <52 years of age.			N/A	N/A
PatientGender	Female			N/A	N/A
ClinicalVenue	Outpatient			N/A	N/A
TargetUser	Primary Care, designated women's health providers, or obstetrician/gynecologist			N/A	N/A

Models

Table 5. Model References

Referenced Model	Description
urn:solor.io:anf-model:1.0	VA Analysis Normal Form Model

Chapter 1. External Data Definitions

Definitions

Table 1.1. PatientAge

Expression: type=elm:SingletonFrom Annotation: Codes: elm:value[elm:Code]: [398166005 Performed (qualifier value)]elm:value[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[105726004 Age AND/OR growth finding (finding)]]
--

Table 1.2. Disqualifications

Expression: type=elm:Retrieve , dataType=anf:ClinicalStatement, codeProperty=topic Annotation: Codes: elm:element[elm:Code]: [236886002 Hysterectomy (procedure)]elm:element[elm:Code]: [76876009 Bilateral oophorectomy (procedure)]elm:element[elm:Code]: [77543007 Ligation of fallopian tube (procedure)]elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[76498008 Postmenopausal state (finding)]elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))-d5d1c4f4-5d27-4e48-94b9-866c5c08f163 Failure to conceive (finding)]]

Triggers

Table 1.3. AccessOfPatientRecordEvent

Trigger: type=DataEventTrigger, DataElementAccessed Expression: type=elm:Instance Annotation: Codes: elm:value[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[365873007 Gender finding (finding)]]

Chapter 2. Expression Definitions

Table 2.1. PatientGender

Expression: type=elm:SingletonFrom
Annotation:
Codes: elm:element[elm:Code]: [[a997cc03-3e99-40eb-833a-6374c7750a3a Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[248152002 Female (finding)]]

Chapter 3. Actions

```
# Notify the provider the patient is a candidate for a discussion regarding reproductive health.
actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]
    statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|
    topic: Precoordinated Expression 243064009 |Reproductive education (procedure)|

# Activate the Reproductive Health KNART Documentation Template.
actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]
    statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|
    topic: Precoordinated Expression TSR-NoCode

# Activate the Reproductive Health KNART Order Set.
actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]
    statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|
    topic: Precoordinated Expression TSR-NoCode
```

Chapter 4. Tabular List

Terminology Service Request (TSR) Mappings

Table 4.1. Terminology Versions

Name	Identifier	Version
SNOMED CT	2.16.840.1.113883.6.96	United States Edition 20180301

Table 4.2. Terminology References

System	Code	Display Text ^a	References ^b
SNOMED CT	236886002 Hysterectomy (procedure)	Precoordinated Expression	1
SNOMED CT	243064009 Reproductive education (procedure)	Precoordinated Expression	1
SNOMED CT	385644000 Requested (qualifier value)	Precoordinated Expression	3
SNOMED CT	398166005 Performed (qualifier value)	Precoordinated Expression	1
SNOMED CT	76876009 Bilateral oophorectomy (procedure)	Precoordinated Expression	1
SNOMED CT	77543007 Ligation of fallopian tube (procedure)	Precoordinated Expression	1
SNOMED CT	TSR-NoCode ^c	Precoordinated Expression	2
SNOMED CT	[a997cc03-3e99-40eb-833a-6374c07750a3 Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[105726004 Age AND/OR growth finding (finding)]	Precoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40eb-833a-6374c07750a3 Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[248152002 Female (finding)]	Precoordinated Expression	2
SNOMED CT	[a997cc03-3e99-40eb-833a-6374c07750a3 Observation procedure (procedure)] ->(363702006 Has focus (attribute))->[365873007 Gender finding (finding)]	Precoordinated Expression	1
SNOMED CT	[a997cc03-3e99-40eb-833a-6374c07750a3 Observation procedure (procedure)] ->(363702006 Has focus	Precoordinated Expression	1

Tabular List

System	Code	Display Text ^a	References ^b
	(attribute))->[76498008 Postmenopausal state (finding)]		
SNOMED CT	[a997cc03-3e99-40eb-833a-0374c7750324 Observation procedure (procedure)] ->(363702006 Has focus (attribute))- d5d1c4f4-5d27-4e48-94b9-866c5c08f163 Failure to conceive (finding)]	Observed Expression TSR-NoCode	1

^aIf a code is used multiple times in the KNART, only the display text of the first instance is shown.

^bCount of the number of times the given code system and code pair is used in the KNART.

^cTSR-NoCode is a placeholder indicating a code was requested, but was not provided.

Chapter 5. Behavior Symbols

Table 5.1. Group Organizational Behavior

Symbol	Name	Definition
#	Sentence Group	A group of related alternative actions is a sentence group if the item referenced by the action is the same in all the actions, and each action simply constitutes a different variation on how to specify the details for that item. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the item referenced by the action, and the two actions represent two different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne".
#	Logical Group	A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so.
►	Visual Group	Any group marked with this behavior should be displayed as a visual group to the end user.

Table 5.2. Group Selection Behavior

Symbol	Name	Definition
#	Any	Any number of the items in the group may be chosen, from zero to all.
#	All	All the items in the group must be selected as a single unit.
#	AllOrNone	All the items in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected.
#	ExactlyOne	The end user must choose one and only one of the selectable items in the group. The user may not choose none of the items in the group.
★	AtMostOne	The end user may choose zero or at most one of the items in the group.
✱	OneOrMore	The end user must choose a minimum of one, and as many additional as desired.

Table 5.3. Required Behavior

Symbol	Name	Definition
◆	Must	An action with this behavior must be included in the actions processed by the end user; the end user may not choose not to include this action.
◇	Could	An action with this behavior may be included in the set of actions processed by the end user.

Symbol	Name	Definition
➤	MustUnlessDocumented	An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included.

Table 5.4. Precheck Behavior

Symbol	Name	Definition
▲	Yes	An action with this behavior is one of the most frequent actions that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "pre-checking" such an action as a convenience for the user.
#	No	An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action.

Table 5.5. Cardinality Behavior

Symbol	Name	Definition
◆	Single	An action with this behavior may only be completed once.
❖	Multiple	An action with this behavior may be repeated multiple times.

Table 5.6. Item Flags

Symbol	Name	Definition
☞	fillIn	This item, in a list entry, allows the user to enter a fill in value that is not present in the set of presented choices.

Table 5.7. Read Only Behavior

Symbol	Name	Definition
#	true	For a particular action or action group, specifies whether the elements are read only.

Appendix A. References

This appendix contains the list of related resources and supporting documents used in creating this KNART.

List of References

Related Resources

[CCWP] *Women's Health: Reproductive Health Clinical Content White Paper*

[CSD] *Women's Health: Reproductive Health Rule Conceptual Structure Document*

[KVRpt] *Women's Health: Reproductive Health Rule KNART Validation Report*

Supporting Evidence

[ACOG 2017] *American College of Obstetricians and Gynecologists Committee on Adolescent Health Care. Committee Opinion No 699: Adolescent Pregnancy, Contraception, and Sexual Activity. Obstet Gynecol. 2017;129(5):e142-e149* (link [<https://doi.org/10.1097/AOG.0000000000002045>])

[ACOG 2014] *American College of Obstetricians and Gynecologists. ACOG Committee Opinion no. 598: Committee on Adolescent Health Care: The initial reproductive health visit. 2014;123(5):1143-1147* (link [<https://doi.org/10.1097/01.AOG.0000446826.46833.c0>])

[Bayer 2002] *Bayer Pharma AG. Berlin. Essure: Permanent Birth Control. Germany: 2002.* (link [<https://doi.org/10.1016/j.nwh.2017.07.006>])

[NLM 2014] *U.S. National Library of Medicine. BREVICON- norethindrone and ethinyl estradiol; NORINYL- norethindrone and ethinyl estradiol; NORINYL- norethindrone and mestranol [Actavis Pharma, Inc.]. August 2014* (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=aaaf32ea-045b-436c-b125-767f95f4cf0e>])

[NLM 2017-1] *U.S. National Library of Medicine. IMPLANON- etonogestrel implant [Organon USA Inc.]. May 2017.* (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=50ed7e31-b9b7-4f0a-8e36-91ed5af86b81>])

[NLM 2012-1] *U.S. National Library of Medicine. LUTERA- levonorgestrel and ethinyl estradiol [Watson Pharma, Inc.]. March 2012.* (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=435f565c-771d-44ff-88b7-4e089767c25f>])

[NLM 2017-2] *U.S. National Library of Medicine. MEDROXYPROGESTERONE ACETATE- medroxyprogesterone acetate injection, suspension [Teva Parenteral Medicines, Inc.]. January 2017.* (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=d279981c-e9e4-4989-bafb-1e184a6d3dd2>])

[NLM 2013-1] *U.S. National Library of Medicine. MIRENA- levonorgestrel intrauterine device [Bayer HealthCare Pharmaceuticals Inc.]. February 2013.* (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=92231d6f-f4d8-43b0-aa95-f7cec1cc18c5>])

[NLM 2015-1] *U.S. National Library of Medicine. MONONESSA- norgestimate and ethinyl estradiol; TRINESSA- norgestimate and ethinyl estradiol [Actavis Pharma, Inc.]. December 2015.* (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=704ba4ae-edd0-4298-a399-03a49f8411c7>])

-
- [NLM 2013-2] U.S. National Library of Medicine. *NECON 777- norethindrone and ethinyl estradiol [Watson Pharma Inc].* November 2013. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=db3b28a4-15d3-43e0-bb65-e625300c452c>])
- [NLM 2012-2] U.S. National Library of Medicine. *NOR QD- norethindrone tablet [Watson Pharma, Inc.].* June 2012. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=aa34bfca-06c3-4916-bb51-4bfbfc0ee371>])
- [NLM 2017-3] U.S. National Library of Medicine. *NUVARING- etonogestrel and ethinyl estradiol insert, extended release [Organon USA Inc.].* May 2017. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=017343fb-86c4-45ab-9c47-52cc5b9f3a02>])
- [NLM 2015-2] U.S. National Library of Medicine. *PARAGARD T 380A- copper intrauterine device [Teva Women's Health, Inc.].* August 2015. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=2b009ddb-378e-40d8-a8d8-00211f10e06c>])
- [NLM 2012-3] U.S. National Library of Medicine. *PLAN B - levonorgestrel tablet [Physicians Total Care, Inc.].* April 2012. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=fffebd01-3815-425f-8293-1ad909d0d0ab>])
- [NLM 2016-1] U.S. National Library of Medicine. *PLAN B ONE-STEP- levonorgestrel tablet [Teva Women's Health, Inc.].* May 2016. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=0ce3ccc4-23f2-4e0a-9650-856cf026c72c>])
- [NLM 2017-4] U.S. National Library of Medicine. *RECLIPSEN 28 DAY- desogestrel and ethinyl estradiol [Teva Pharmaceuticals USA, Inc.].* May 2017. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=a1e00bc6-7487-4057-9dcc-d0e2327d1d12>])
- [NLM 2016-2] U.S. National Library of Medicine. *SEASONIQUE- levonorgestrel / ethinyl estradiol and ethinyl estradiol [Teva Women's Health, Inc.].* November 2016. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=95e06935-8788-420c-b4a4-dc6ea339c7d0>])
- [NLM 2017-5] U.S. National Library of Medicine. *SKYLA- levonorgestrel intrauterine device [Bayer HealthCare Pharmaceuticals Inc.].* March 2017. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=9f44ff35-e052-49cd-a1c2-0bfd87d49309>])
- [NLM 2010] U.S. National Library of Medicine. *TRIVORA- levonogestrel and ethinyl estradiol [Watson Pharma, Inc.].* February 2010. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ae220f22-24b0-41a8-a10d-28839b300fe1>])
- [CDC 2017] Center for Disease Control, *US Medical Eligibility Criteria (US MEC) for Contraceptive Use.* July 2017. (link [https://www.cdc.gov/reproductivehealth/unintendedpregnancy/pdf/legal_summary-chart_english_final_tag508.pdf])
- [Curtis 2016] Curtis KM, Jatlaoui TC, Tepper NK, et al. *U.S. Selected Practice Recommendations for Contraceptive Use, 2016. MMWR Recomm Rep 2016;65(No. RR-4):1–66.* (link [<http://dx.doi.org/10.15585/mmwr.rr6504a1>])
- [Bellanca 2013] Bellanca Helen K., Hunter Michele Stranger. *ONE KEY QUESTION®: preventive reproductive health is part of high quality primary care. Contraceptive 88.1. 2013;;3-6* (link [<https://doi.org/10.1016/j.contraception.2013.05.003>])
-