

Clinical Decision Support (CDS) Content and Health Level 7 (HL7)-Compliant Knowledge Artifacts (KNARTs)

Women's Health: Osteoporosis Screening Age 45 to under 65 Clinical Content White Paper

Department of Veterans Affairs (VA)



**Knowledge Based Systems (KBS)
Office of Informatics and Information Governance (OIIG)
Clinical Decision Support (CDS)**

Clinical Decision Support (CDS) Content and Health Level 7 (HL7)-Compliant Knowledge Artifacts (KNARTs): Women's Health: Osteoporosis Screening Age 45 to under 65 Clinical Content White Paper

by Department of Veterans Affairs (VA), , , , and

Publication date April 2018

Contract: VA118-16-D-1008, Task Order (TO): VA-118-16-F-1008-0007

Table 1. Relevant KNART Information: Women's Health: Osteoporosis Screening Age 45 to under 65

Women's Health KNART	Associated CLIN
Osteoporosis Screening Age 45 to under 65 - Event-Condition-Action (ECA) Rule	CLIN0007BA
Osteoporosis Screening Age 45 to under 65 - Documentation Template	CLIN0005AB
Osteoporosis Screening Age 45 to under 65 - Order Set	CLIN0008CA

Table of Contents

VA Subject Matter Expert (<i>SME</i>) Panel	vi
Introduction	vii
Conventions Used	viii
1. Women's Health: Osteoporosis Screening Age 45 to Under 65	1
1.1 Clinical Context	1
1.2 Knowledge Artifacts	1
2. Event Condition Action (ECA) Rule: Osteoporosis Screening Age 45 to Under 65	3
2.1 Knowledge Narrative	3
2.3 Outpatient Visit, 45 to Under 65 Years of Age, No Prior Dual-Energy X-ray Absorptiometry (DEXA)	3
3. Documentation Template: Osteoporosis Screening Age 45 to Under 65	5
3.1 Knowledge Narrative	5
3.2 Pertinent Medical History	5
3.4 Risk Factors	5
3.4 Patient Preference	7
4. Order Set: Osteoporosis Screening Age 45 to Under 65	8
4.1 Knowledge Narrative	8
4.3 Imaging Studies	8
4.4 Patient and Caregiver Education	8
4.5 Consults and Referrals	8
Bibliography/Evidence	10
A. Existing Sample VA Artifacts	11

List of Figures

A.1. Reminder Resolution: Osteoporosis Screen	11
A.2. Reminder Resolution: Osteoporosis Education	12

List of Tables

1. Relevant KNART Information: Women's Health: Osteoporosis Screening Age 45 to under 65 ii

1.1. Clinical Context Domains 1

VA Subject Matter Expert (*SME*) Panel

Name	Title	Project Role
C. Yvette Williams-Harris, MD, MPH	Physician, Atlanta VA Healthcare System, 1670 Clairmont Rd, Atlanta, GA 30033	SME, Primary
Megan Gerber, MD, MPH	Physician, VA Boston Health Care System, 150 South Huntington Ave, Boston, MA 02130	SME, Secondary
Caitlin M. Cusack, MD, MPH	Contractor-Physician Informaticist, Office of Women's Health Services, 810 Vermont Avenue, Washington DC 20420	SME

Introduction

The VA is committed to improving the ability of clinicians to provide care for patients while increasing quality, safety, and efficiency. Recognizing the importance of standardizing clinical knowledge in support of this goal, VA is implementing the Health Level 7 (*HL7*) Knowledge Artifact Specification for a wide range of VA clinical use cases. Knowledge Artifacts, referred to as (*KNARTs*), enable the structuring and encoding of clinical knowledge so the knowledge can be integrated with electronic health records to enable clinical decision support.

The purpose of this Clinical Content White Paper (*CCWP*) is to capture the clinical context and intent of *KNART* use cases in sufficient detail to provide the *KNART* authoring team with the clinical source material to construct the corresponding knowledge artifacts using the HL7 Knowledge Artifact Specification. This paper has been developed using material from a variety of sources: VA artifacts, clinical practice guidelines, evidence in the body of medical literature, and clinical expertise. After reviewing these sources, the material has been synthesized and harmonized under the guidance of VA subject matter experts to reflect clinical intent for this use case.

Unless otherwise noted, items within this white paper (e.g., documentation template fields, orderable items, etc.) are chosen to reflect the clinical intent at the time of creation. To provide an exhaustive list of all possible items and their variations is beyond the scope of this work.

Conventions Used

Conventions used within the knowledge artifact descriptions include:

<obtain>: Indicates a prompt to obtain the information listed

- If possible, the requested information should be obtained from the underlying system(s). Otherwise, prompting the user for information may be required
- Default Values: Unless otherwise noted, <obtain> indicates to obtain the most recent observation. It is recognized that this default time-frame value may be altered by future implementations

[...]: Square brackets enclose explanatory text that indicates some action on the part of the clinical user, or general guidance to the clinical or technical teams. Examples include, but are not limited to:

[Begin ...], [End ...]: Indicates the start and end of specific areas to clearly delineate them for technical purposes.

[Activate ...]: Initiates another knowledge artifact or knowledge artifact section.

[Section Prompt: ...]: If this section is applicable, then the following prompt should be displayed to the user.

[Section Behavior: ...]: Indicates technical constraints or considerations for the selection of items outlined in the section prompt.

[Attach: ...]: Indicates that the specified item (e.g. procedure or result interpretation) should be attached to the documentation template if available.

[Link: ...]: Indicates that rather than attaching an item (e.g. image), a link should be included in the documentation template.

[Clinical Comment: ...]: Indicates technical considerations or notes to be utilized for KNART authoring and at time of implementation planning.

[Technical Note: ...]: Indicates technical considerations or notes to be utilized for KNART authoring and at time of implementation planning.

[If ...]: Indicates the beginning of a conditional section.

[Else, ...]: Indicates the beginning of the alternative branch of a conditional section.

[End if ...]: Indicates the end of a conditional section.

#[Check box]: Indicates items that should be selected based upon the section selection behavior.

Chapter 1. Women's Health: Osteoporosis Screening Age 45 to Under 65

1.1 Clinical Context

[Begin Clinical Context.]

Osteoporosis is a highly prevalent condition with significant attendant morbidity. As osteoporosis is generally silent until a fracture occurs, it is imperative that patients who are at risk be screened according to evidence-based guidelines. Such screening is consistent with public health initiatives and is highly cost-effective, as the cost of care for preventable osteoporosis-related fractures is considerable [American College of Obstetricians and Gynecologists (*ACOG*) 2012; US Preventive Services Task Force (*USPSTF*) 2015]. Fostering adherence across the VA to guideline-recommended screening for osteoporosis could improve resource utilization and promote good patient care.

The latest guidelines chosen by the VA will be used for these knowledge artifacts. In addition, these artifacts are constrained to apply to:

Women aged ≥ 45 <65 years, with no documented history of osteopenia/osteoporosis, who are outpatients.

Clinical context is summarized in the table below.

Table 1.1. Clinical Context Domains

Target User	To include primary care and designated women's health providers.
Patient	Females aged ≥ 45 <65 years
Priority	Routine
Specialty	Primary Care and Gynecology
Location	Outpatient

[End Clinical Context.]

1.2 Knowledge Artifacts

[Begin Knowledge Artifacts.]

This section describes the CDS knowledge artifacts intended for clinical providers, and include:

- An (*ECA*) Rule: Women's Health: Osteoporosis Screening Age 45 to Under 65 KNART
 - Rule logic for activation of the documentation template
 - Actions that may include activating documentation templates
- A Documentation Template: Women's Health: Osteoporosis Screening Age 45 to Under 65 KNART
 - Documents a patient's risk for osteoporosis
 - Logic for opening order set
 - Includes logic for appropriate display of documentation sections

- An Order Set: Women's Health: Osteoporosis Screening Age 45 to Under 65 KNART
 - Orderable items associated with osteoporosis screening
 - Includes logic for appropriate display of the order set

[End Knowledge Artifacts.]

Chapter 2. Event Condition Action (ECA) Rule: Osteoporosis Screening Age 45 to Under 65

[Begin ECA Rule.]

2.1 Knowledge Narrative

[Begin Knowledge Narrative.]

[See Clinical Context in Chapter 1.]

[End Knowledge Narrative.]

2.3 Outpatient Visit, 45 to Under 65 Years of Age, No Prior Dual-Energy X-ray Absorptiometry (DEXA)

[Begin Outpatient Visit, 45 to Under 65 Years of Age, No Prior Dual-Energy X-ray Absorptiometry (DEXA).]

Event

[Begin Event.]

- Access of the patient record in a preventive care encounter at a primary care clinic or in an *OB/GYN* or women's health outpatient department.

[End Event.]

Conditions

[Begin Conditions.]

- Patient is aged ≥ 45 <65 years; and
- Patient is postmenopausal; and
- Patient has not been diagnosed with osteoporosis or osteopenia; and
- Patient has not had Prior Dual-Energy X-ray Absorptiometry (DEXA)

[End Conditions.]

Actions

[Begin Actions.]

- Identify the patient as a potential osteoporosis screening candidate; and
- Open Documentation Template: Osteoporosis Screening Age 45 to Under 65 KNART; and
- Make screening guideline recommendations available for review.

Event Condition Action
(ECA) Rule: Osteoporosis
Screening Age 45 to Under 65

[End Actions.]

[End Outpatient Visit, 45 to Under 65 Years of Age, No Prior Dual-Energy X-ray Absorptiometry (DEXA).]

Chapter 3. Documentation Template: Osteoporosis Screening Age 45 to Under 65

[Begin Documentation Template.]

3.1 Knowledge Narrative

[Begin Knowledge Narrative.]

[See Clinical Context in Chapter 1.]

[Clinical Comment: The Osteoporosis Screening Documentation Template provides a mechanism for documenting a patient's risk for osteoporosis and screening preferences. Although the template is a series of questions and answers, any information that can be obtained from the system should be pre-filled in a manner that is displayed to the user. Users should revise the information provided in the documentation template form as needed during the evaluation.]

[End Knowledge Narrative.]

3.2 Pertinent Medical History

[Begin Pertinent Medical History]

[Section Prompt: Postmenopausal?]

[Section Selection Behavior: Select only one. Required.]

Yes

No

[Section Prompt: Previously diagnosed with osteoporosis?]

[Section Selection Behavior: Select only one. Required.]

Yes

No

[Section Prompt: Previously diagnosed with osteopenia?]

[Section Selection Behavior: Select only one. Required.]

Yes

No

End Pertinent Medical History.]

3.4 Risk Factors

[Begin Risk Factors]

[Technical Note: This section should be presented for patients aged $\geq 45 < 65$ years who are postmenopausal.]

Documentation Template:
Osteoporosis Screening
Age 45 to Under 65

[Section Prompt: Risk Factors for osteoporosis]

[Section Prompt: History of fragility fracture (due to falls from standing height or lower)?]

[Section Selection Behavior: Select only one. Required.]

Yes

No

[Section Prompt: BMI (Body Mass Index) <21?]

<obtain> BMI

Yes

No

[Section Prompt: Potential causes of bone loss?]

[Section Selection Behavior: Select all applicable. Optional.]

Glucocorticoid therapy (5 mg per day for longer than 3 months)

Anticonvulsant therapy greater than 2 years

Hypogonadism

History of gastrectomy

History of malabsorption

History of celiac disease

History of metabolic surgery

Rheumatoid arthritis

Other

<obtain> Details

[Section Prompt: Parental hip fracture?]

[Section Selection Behavior: Select one. Required.]

Yes

No

[Section Prompt: Tobacco use history and advice to quit]

[Technical note: activate chapter 2.2, "Tobacco Use History", and chapter 2.3, "Advising users to quit" in the "Tobacco Assessment and Cessation Counseling" documentation template KNART. Pull the following data from that KNART into this one]

[Section Prompt: Do you currently use tobacco?]

Every day

Some days

Not at all

[Section Prompt: Have you ever used tobacco?]

[Technical Note: Display the following only if current tobacco use is “not at all”.]

Yes

No

[Section Prompt: Daily alcohol use/Alcoholism?]

[Section Selection Behavior: Select one. Required.]

Yes

No

[End Risk Factors]

3.4 Patient Preference

[Begin Patient Preference]

[Section Prompt: Patient declines DEXA scanning?]

[Section Selection Behavior: Select only one. Required.]

Yes

No

[End Patient Preference]

[Technical Note: Open Order Set: Osteoporosis Screening Age 45 to under 65 KNART when documentation template is complete, but only if patient is post-menopausal and indicates presence of any of the risk factors in section 3.4, and if she answers "no" in section 3.4,]

[End Documentation Template.]

Chapter 4. Order Set: Osteoporosis Screening Age 45 to Under 65

[Begin Order Set.]

4.1 Knowledge Narrative

[Begin Knowledge Narrative.]

[See Clinical Context in Chapter 1.]

[This order set applies to any patient for whom osteoporosis screening is recommended. All orders are routine unless otherwise specified.]

[End Knowledge Narrative.]

4.3 Imaging Studies

[Begin Imaging Studies.]

[Section Prompt: Imaging Studies - indicated for women age ≥ 45 <65 who are post-menopausal, have one or more risk factors, and have not had a prior DEXA,]

[Section Selection Behavior: Select one. Optional.]

Dual-energy x-ray absorptiometry screen for osteoporosis

[End Imaging Studies.]

4.4 Patient and Caregiver Education

[Begin Patient and Caregiver Educations.]

[Section Prompt: Patient and Caregiver Education.]

[Section Selection Behavior: Select one. Optional.]

Osteoporosis education

[End Patient and Caregiver Education.]

4.5 Consults and Referrals

[Begin Consults and Referrals.]

[Section Prompt: Radiology consult for osteoporosis screening.]

[Section Prompt: A radiology consult order would be used to refer a patient to radiology outside the VA]

[Section Selection Behavior: Optional.]

Consult Specialty: Radiology

Reason for Consult: Osteoporosis Screening

Priority: Routine

Order Set: Osteoporosis
Screening Age 45 to Under 65

[Section Prompt: Referring Physician Information]

<obtain> Referring Physician Name

<obtain> Referring Physician Contact Information

[End Consults and Referrals.]

[End Order Set.]

Bibliography/Evidence

Committee on Practice Bulletins-Gynecology and ACOG. "AGOG Practice Bulletin N. 129. Osteoporosis". *Obstet Gynecol.* 2012. 120. 3. 718-734.

[Cosman, 2014] F Cosman, S.J. de Beur, M.S. LeBoff, E.M. Lewiecki, B Tanner, S Randall, and R Lindsay. "Clinician's Guide to Prevention and Treatment of Osteoporosis". *Osteoporosis International.* 2014. 25. 10. 2359-2381. <http://doi.org/10.1007/s00198-014-2794-2>.

[Gourlay, 2012] ML Gourlay, JP Fine, JS Preisser, RC May, C Li, LY Lui, DF Ransohoff, JA Cauley, and KE Ensrud. "Bone-density testing interval and transition to osteoporosis in older women". *New England Journal of Medicine.* 2012 Jan. 19. 366. 225-33.

National Institutes of Health. *Calcium Fact Sheet for Health Professionals.* <https://ods.od.nih.gov/factsheets/Calcium-HealthProfessional/>. Accessed August 2017.

USPSTF. *Final Update Summary: Osteoporosis: U.S. Preventive Services Task Force website.* <https://www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/osteoporosis-screening>. Reviewed July 2015.

Appendix A. Existing Sample VA Artifacts

Figure A.1. Reminder Resolution: Osteoporosis Screen

Reminder Resolution: Osteoporosis Screen

Osteoporosis Screen

- ☒ Order a bone density screening study
- ☐ Historical entry of outside Bone Density Screening results.
- ☐ Life Expectancy is less than 6 Months - screening for osteoporosis is not indicated.
- ☐ Patient declines bone density screening. Patient was educated on the risk of delayed screening.

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

<No encounter information entered>

* Indicates a Required Field

Figure A.2. Reminder Resolution: Osteoporosis Education

Reminder Resolution: Osteoporosis Education

- ☐ Patient was educated on factors that might reduce risk for osteoporosis.
- ☐ Patient received osteoporosis education previously at another facility.
- ☐ Patient declined osteoporosis education at this encounter.
- ☐ Learning Needs Assessment

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

<No encounter information entered>