

Clinical Decision Support (CDS) Content and Health Level 7 (HL7)-Compliant Knowledge Artifacts (KNARTs)

Cardiology: Electrophysiology (*EP*) Implanted Cardiac Devices Clinical Content White Paper

Department of Veterans Affairs (*VA*)



**Knowledge Based Systems (*KBS*)
Office of Informatics and Information Governance (*OIG*)
Clinical Decision Support (*CDS*)**

Clinical Decision Support (CDS) Content and Health Level 7 (HL7)-Compliant Knowledge Artifacts (KNARTs): Cardiology: Electrophysiology (EP) Implanted Cardiac Devices Clinical Content White Paper

by Department of Veterans Affairs (VA), , , , and

Publication date April 2018

Copyright © March, 2018 B3 Group, Inc.

Copyright © 2018 Cognitive Medical Systems, Inc.

Contract: VA118-16-D-1008, Task Order (TO): VA-118-16-F-1008-0007

Table 1. Relevant KNART Information: Cardiology: Electrophysiology (EP) Implanted Cardiac Devices

KNARTName	Associated CLIN
EP Primary Prevention Implantable cardioverter-defibrillator (ICD) Implant - Order Set	CLIN0004AB
EP Pacemaker/ICD Follow Up - Order Set	CLIN0004AB
EP Pacemaker/ICD Generator Change - Order Set	CLIN0004AB

B3 Group, Inc.

NOTICE OF GOVERNMENT COPYRIGHT LICENSE AND UNLIMITED RIGHTS LICENSE

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Portions of this content are derivative works from content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0.

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0.

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright.

See: <https://www.usa.gov/government-works>

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008, Task Order VA11817F10080007.

Cognitive Medical Systems, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This and related content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0 is available at: <https://bitbucket.org/cogmedsys/hl7-kas-examples>

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0. <https://bitbucket.org/cogmedsys/kas-source-material>

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright. See: <https://www.usa.gov/government-works>

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008-0007.

Table of Contents

VA Subject Matter Expert (SME) Panel	vii
Introduction	viii
Conventions Used	ix
1. Cardiology: Electrophysiology (EP): Implanted Cardiac Devices	1
Clinical Context	1
Knowledge Artifacts	1
2. Order Set: Electrophysiology (EP) Primary Prevention Implantable Cardioverter-defibrillator (ICD)	2
Knowledge Narrative	2
Applicability	2
Consults and Referrals	2
Imaging and Electrocardiogram (ECG)	3
Laboratory Tests	3
3. Order Set: Electrophysiology (EP) Pacemaker/Implantable Cardioverter-defibrillator (ICD) Follow Up	5
Knowledge Narrative	5
Applicability	5
Consults and Referrals	5
Imaging and Electrocardiogram (ECG)	6
Laboratory Tests	6
4. Order Set: Electrophysiology (EP) Pacemaker/Implantable Cardioverter-defibrillator (ICD) Generator Change	8
Knowledge Narrative	8
Applicability	8
Consults and Referrals	8
Imaging and Electrocardiogram (ECG)	9
Laboratory Tests	9
Bibliography/Evidence	10
A. Existing Sample VA Artifacts	11
B. Basic Laboratory Panel Definition	16
C. Acronyms	17

List of Figures

A.1. Cardiology Electrophysiology Guideline Links	11
A.2. Pacemaker/Implantable cardioverter-defibrillator (<i>ICD</i>) Follow Up Consult Order	12
A.3. Template: Cardiology Consult for Arrhythmia (image 1 of 2)	13
A.4. Template: Cardiology Consult for Arrhythmia (image 2 of 2)	14
A.5. Cardiology Consult Order for Implantable cardioverter-defibrillator (<i>ICD</i>)/Pacemaker Follow Up	15

List of Tables

1. Relevant KNART Information: Cardiology: Electrophysiology (<i>EP</i>) Implanted Cardiac Devices	ii
1.1. Clinical Context Domains	1

VA Subject Matter Expert (*SME*) Panel

Name	Title	Project Role
Bruce Bray, MD	Professor, Cardiovascular Medicine, University of Utah School of Medicine; Staff Cardiologist, Salt Lake City VA Medical Center (<i>VAMC</i>), 500 Foothill Drive, Salt Lake City, Utah 84148	<i>SME</i> , Primary
Scott Wall, MD	Assistant Professor, Cardiovascular Medicine, University of Utah; School of Medicine Staff Cardiologist, Electrophysiology, Salt Lake City <i>VAMC</i> , 500 Foothill Drive, Salt Lake City, Utah 84148	<i>SME</i> , Secondary
Aiden Abidov, MD, PhD	Professor of Medicine, Wayne State University; Section Chief, Cardiology, John Dingell <i>VAMC</i>	<i>SME</i>

Introduction

The *VA* is committed to improving the ability of clinicians to provide care for patients while increasing quality, safety, and efficiency. Recognizing the importance of standardizing clinical knowledge in support of this goal, *VA* is implementing the Health Level 7 (*HL7*) Knowledge Artifact Specification for a wide range of *VA* clinical use cases. Knowledge Artifacts, referred to as *KNARTs*, enable the structuring and encoding of clinical knowledge so the knowledge can be integrated with electronic health records to enable clinical decision support.

The purpose of this Clinical Content White Paper (*CCWP*) is to capture the clinical context and intent of *KNART* use cases in sufficient detail to provide the *KNART* authoring team with the clinical source material to construct the corresponding knowledge artifacts using the *HL7* Knowledge Artifact Specification. This paper has been developed using material from a variety of sources: *VA* artifacts, clinical practice guidelines, evidence in the body of medical literature, and clinical expertise. After reviewing these sources, the material has been synthesized and harmonized under the guidance of *VA SMEs* to reflect clinical intent for this use case.

Unless otherwise noted, items within this white paper (e.g., documentation template fields, orderable items, etc.) are chosen to reflect the clinical intent at the time of creation. To provide an exhaustive list of all possible items and their variations is beyond the scope of this work.

Conventions Used

Conventions used within the knowledge artifact descriptions include:

<obtain>: Indicates a prompt to obtain the information listed

- If possible, the requested information should be obtained from the underlying system(s). Otherwise, prompting the user for information may be required
- The technical and clinical notes associated with a section should be consulted for specific constraints on the information (e.g., time-frame, patient interview, etc.)
- Default Values: Unless otherwise noted, *<obtain>* indicates to obtain the most recent observation. It is recognized that this default time-frame value may be altered by future implementations

[...]: Square brackets enclose explanatory text that indicates some action on the part of the clinical user, or general guidance to the clinical or technical teams. Examples include, but are not limited to:

[Begin ...], [End ...]: Indicates the start and end of specific areas to clearly delineate them for technical purposes.

[Activate ...]: Initiates another knowledge artifact or knowledge artifact section.

[Section Prompt: ...]: If this section is applicable, then the following prompt should be displayed to the user.

[Section Selection Behavior: ...]: Indicates technical constraints or considerations for the selection of items within the section.

[Attach: ...]: Indicates that the specified item should be attached to the documentation template if available.

[Link: ...]: Indicates that rather than attaching an item, a link should be included in the documentation template.

[Clinical Comment: ...]: Indicates clinical rationale or guidance.

[Technical Note: ...]: Indicates technical considerations or notes.

[If ...]: Indicates the beginning of a conditional section.

[Else, ...]: Indicates the beginning of the alternative branch of a conditional section.

[End if ...]: Indicates the end of a conditional section.

- ☐ *[Check box]*: Indicates items that should be selected based upon the section selection behavior.

Chapter 1. Cardiology: Electrophysiology (*EP*): Implanted Cardiac Devices

Clinical Context

[Begin Clinical Context.]

The Cardiology *EP*: Implanted Cardiac Devices order set KNARTs are intended for clinical providers caring for adult outpatients in the context of implanted cardiac devices [e.g., pacemakers, implantable cardioverter-defibrillators (*ICD*), cardiac resynchronization therapy (*CRT*) devices, etc.]. Specific constraints for these artifacts are that they apply to:

- Outpatients with existing pacemaker/*CRT/ICD* implants
- Outpatients being considered for *ICD/CRT* implants for primary prevention

These context domains are summarized in the table below.

Table 1.1. Clinical Context Domains

Target User	Provider in a Primary Care Clinic or General Cardiology
Patient	Adult patient with a Pacemaker/ <i>CRT/ICD</i> implant or adult patient being considered for an <i>ICD/CRT</i> implant for primary prevention
Priority	Routine
Specialty	Primary Care/Cardiology
Location	Outpatient

[End Clinical Context.]

Knowledge Artifacts

[Begin Knowledge Artifacts.]

This section describes the *CDS* knowledge artifacts that are part of the Cardiology *EP*: Implanted Cardiac Device group. They include:

- Order Sets: Cardiology: *EP* Primary Prevention *ICD* Implant, *EP* Pacemaker/*ICD* Follow Up, and *EP* Pacemaker/*ICD* Generator Change KNARTs
 - Orderable items
 - Includes logic for appropriate display of the order set

[End Knowledge Artifacts.]

Chapter 2. Order Set: Electrophysiology (EP) Primary Prevention Implantable Cardioverter- defibrillator (ICD)

[Begin Order Set: Electrophysiology (EP) Primary Prevention Implantable Cardioverter-defibrillator (ICD).]

Knowledge Narrative

[Begin Knowledge Narrative.]

[See Clinical Context in Chapter 1.]

Implantable cardioverter-defibrillator (ICD) placement for primary prevention of sudden death is recommended for high-risk patients with cardiomyopathy, even in the absence of a prior life-threatening arrhythmia event. ICD placement for secondary prevention of sudden cardiac death is appropriate after a cardiac arrest event (Epstein 2008, Russo 2013). While ICD placement is a proven, life-saving therapy (Epstein 2008), evidence suggests ICDs are often placed in patients who do not meet guideline criteria (Al-Khatib 2011). Conversely, many patients who meet criteria are not receiving ICDs (Hess 2016; Hess 2013). At a cost of roughly \$30,000 to \$50,000 per procedure (Owens 2011) and with potential for serious complications (Al-Khatib 2011), the financial and human costs of misallocation are considerable.

[End Knowledge Narrative.]

Applicability

[Begin Applicability.]

[Section Prompt: This order set is applicable for adult outpatients at increased risk of sudden cardiac death and under consideration for:

- ICD [e.g., ejection fraction (EF) <35%, hypertrophic cardiomyopathy, etc.]
- CRT (including patients that meet criteria for upgrade of their currently implanted device).]

[Technical Note: clinical providers should be directed to review the American College of Cardiology (ACC)/Heart Rhythm Society (HRS)/American Heart Association (AHA)/American Society of Echocardiography (ASE)/Heart Failure Society of America (HFSA)/Society for Cardiovascular Angiography and Interventions (SCAI)/Society of Cardiovascular Computed Tomography (SCCT)/Society for Cardiovascular Magnetic Resonance (SCMR) 2013 Appropriate Use Criteria for Implantable Cardioverter-Defibrillators and Cardiac Resynchronization Therapy. The criteria can be accessed at https://www.clinicalkey.com/service/content/pdf/watermarked/1-s2.0-S073510971206041X.pdf?locale=en_US.]

[End Applicability.]

Consults and Referrals

[Begin Consults and Referrals.]

Device Placement Referral

[Section Prompt: Electrophysiology device placement referral.]

[Technical Note: Display link to e-Consult if available.]

[Section Selection Behavior: Select only one.]

- ☐ Referral electrophysiology placement of *ICD* device
- ☐ Referral electrophysiology placement of *CRT* device

Consultation Goal

[Section Prompt: Specific goal of the electrophysiology consultation (e.g., electrophysiology to manage patient, cardiology to evaluate and recommend management, etc.).]

[Section Prompt: Goal of Consult.]

[Section Selection Behavior: Select one. Required.]

- ☐ Provide recommendation and return to Referring Physician for therapy
- ☐ Start treatment and return to Referring Physician for follow up and maintenance
- ☐ Start treatment, monitor for effect and when on stable therapy return to Referring Physician
- ☐ Provide recommendations and treat as long as necessary (or indefinitely)

Consult Specialty: Electrophysiology

Priority: Routine

[Section Prompt: Referring Physician Information]

<obtain> Referring Physician Name

<obtain> Referring Physician Contact Information

<obtain> Information required by receiving facility

[End Consults and Referrals.]

Imaging and Electrocardiogram (ECG)

[Begin Imaging and Electrocardiogram (ECG).]

[Section Prompt: Consider ordering prior to the electrophysiology consultation. Resting 12-lead electrocardiogram is required if it has not been obtained within the past two months. Resting echocardiogram and chest x-ray are required if they have not been obtained within the past six months.]

[Section Selection Behavior: More than one may be selected. Optional.]

- ☐ Electrocardiogram to evaluate for potential *ICD/CRT* device implantation
- ☐ Echocardiogram to evaluate for potential *ICD/CRT* device implantation
- ☐ X-ray chest to evaluate for potential *ICD/CRT* device implantation

[End Imaging and Electrocardiogram (ECG).]

Laboratory Tests

[Begin Laboratory Tests.]

Order Set: Electrophysiology (*EP*)
Primary Prevention Implantable
Cardioverter-defibrillator (*ICD*)

[Section Prompt: Consider the following tests to be completed prior to the electrophysiology consultation.]

[Section Selection Behavior: More than one may be selected. Optional. Tests are routine unless otherwise specified.]

- ☐ Comprehensive metabolic panel
- ☐ Complete blood count
- ☐ Brain natriuretic peptide
- ☐ Prothrombin Time/International Normalized Ratio (*INR*)

[End Laboratory Tests.]

[End Order Set: Electrophysiology (*EP*) Primary Prevention Implantable Cardioverter-defibrillator (*ICD*).]

Chapter 3. Order Set: Electrophysiology (*EP*) Pacemaker/ Implantable Cardioverter-defibrillator (*ICD*) Follow Up

[Begin Order Set: Electrophysiology (*EP*) Pacemaker/Implantable Cardioverter-defibrillator (*ICD*) Follow Up.]

Knowledge Narrative

[Begin Knowledge Narrative.]

[See Clinical Context in Chapter 1.]

All patients with implanted cardiac devices require periodic and meticulous follow-up to ensure safety and optimal device performance. The goals of *ICD* follow-up include monitoring device system function, optimizing performance for maximal clinical effectiveness and system longevity, minimizing complications, anticipating replacement of system components, ensuring timely intervention for clinical problems, patient tracking, education, and support, and maintenance of *ICD* system records.

[End Knowledge Narrative.]

Applicability

[Begin Applicability.]

[Section Prompt: This order set is applicable to adult outpatients who have previously received an *ICD*, *CRT*, or a similar device, and who are not currently followed by electrophysiology.]

[End Applicability.]

Consults and Referrals

[Begin Consults and Referrals.]

EP Follow-up Referral

[Section Prompt: Electrophysiology follow-up consult order.]

☐ Referral to Electrophysiology

Reason for Consultation

[Section Prompt: Reason for Electrophysiology consultation.]

[Section Selection Behavior: Only one may be selected. At least one must be selected.]

☐ Follow-up for *ICD*

☐ Follow-up for *CRT* device

☐ Follow-up for pacer device

<obtain> Procedure report for device placement

Consultation Goal

[Section Prompt: Specific goal of the electrophysiology consultation (e.g., electrophysiology to manage patient, cardiology to evaluate and recommend management, etc.).]

[Section Prompt: Goal of Consult.]

[Section Selection Behavior: Select one. Required.]

- ☐ Provide recommendation and return to Referring Physician for therapy
- ☐ Start treatment and return to Referring Physician for follow up and maintenance
- ☐ Start treatment, monitor for effect and when on stable therapy return to Referring Physician
- ☐ Provide recommendations and treat as long as necessary (or indefinitely)

Consult Specialty: Electrophysiology

Priority: Routine

[Section Prompt: Referring Physician Information]

<obtain> Referring Physician Name

<obtain> Referring Physician Contact Information

<obtain> Information required by receiving facility

[End Consults and Referrals.]

Imaging and Electrocardiogram (ECG)

[Begin Imaging and Electrocardiogram (ECG).]

[Section Prompt: Consider ordering prior to the electrophysiology consultation. Resting 12-lead electrocardiogram is required if it has not been obtained within the past two months. Resting echocardiogram and chest x-ray are required if they have not been obtained within the past six months.]

[Section Selection Behavior: More than one may be selected. Optional.]

- ☐ Resting 12-lead electrocardiogram to evaluate for antiarrhythmic benefit of previously implanted ICD/pacer/CRT device
- ☐ Echocardiogram to evaluate for antiarrhythmic benefit of previously implanted ICD/pacer/CRT device
- ☐ X-ray chest to evaluate for antiarrhythmic benefit of previously implanted ICD/CRT/pacer device

[End Imaging and Electrocardiogram (ECG).]

Laboratory Tests

[Begin Laboratory Tests.]

[Section Prompt: Consider the following tests to be completed prior to the electrophysiology consultation.]

[Section Selection Behavior: More than one may be selected. Optional. Tests are routine unless otherwise specified.]

- ☐ Comprehensive metabolic panel

Order Set: Electrophysiology
(*EP*) Pacemaker/
Implantable Cardioverter-
defibrillator (*ICD*) Follow Up

☐ Complete blood count

☐ Brain natriuretic peptide

☐ Digoxin level

[End Laboratory Tests.]

[End Order Set: Electrophysiology (*EP*) Pacemaker/Implantable Cardioverter-defibrillator (*ICD*) Follow Up.]

Chapter 4. Order Set: Electrophysiology (*EP*) Pacemaker/ Implantable Cardioverter-defibrillator (*ICD*) Generator Change

[Begin Order Set: Electrophysiology (*EP*) Pacemaker/Implantable Cardioverter-defibrillator (*ICD*) Generator Change.]

Knowledge Narrative

[Begin Knowledge Narrative.]

[See Clinical Context in Chapter 1.]

Patients who have previously received an *ICD*, cardiac resynchronization therapy plus *ICD* (*CRT*), or similar device, may be identified as candidates for a generator change. If this identification occurs outside of a routine electrophysiology follow-up, this order set provides a standard framework for referring the patient to electrophysiology.

[End Knowledge Narrative.]

Applicability

[Begin Applicability.]

[Section Prompt: This order set is applicable to an adult outpatient who has previously received an *ICD*, cardiac resynchronization therapy plus *ICD* (*CRT*), or similar device, and has been identified as a candidate for a generator change based upon the patient's records or history.]

[End Applicability.]

Consults and Referrals

[Begin Consults and Referrals.]

[Section Prompt: Electrophysiology generator change consult order.]

☐ Referral to electrophysiology for generator change

<obtain> Operative report for device placement

<obtain> Currently implanted device interrogation report

[Section Prompt: Specific goal of the electrophysiology consultation (e.g., electrophysiology to manage patient, cardiology to evaluate and recommend management, etc.).]

[Section Prompt: Goal of Consult.]

[Section Selection Behavior: Select one. Required.]

☐ Provide recommendation and return to Referring Physician for therapy

☐ Start treatment and return to Referring Physician for follow up and maintenance

Order Set: Electrophysiology
(EP) Pacemaker/Implantable
Cardioverter-defibrillator

☐ Start treatment, monitor for effect and ~~ICD by Generator Change~~ return to Referring Physician

☐ Provide recommendations and treat as long as necessary (or indefinitely)

Consult Specialty: Electrophysiology

Priority: Routine

[Section Prompt: Referring Physician Information]

<obtain> Referring Physician Name

<obtain> Referring Physician Contact Information

<obtain> Information required by receiving facility

[End Consults and Referrals.]

Imaging and Electrocardiogram (ECG)

[Begin Imaging and Electrocardiogram (ECG).]

[Section Prompt: Consider ordering prior to the electrophysiology consultation. Resting 12-lead electrocardiogram is required if it has not been obtained within the past two months. Resting echocardiogram and chest x-ray are required if they have not been obtained within the past six months.]

[Section Selection Behavior: More than one may be selected. Optional.]

- ☐ Resting 12-lead electrocardiogram to evaluate for antiarrhythmic benefit of previously implanted ICD/pacer/CRT device
- ☐ Echocardiogram to evaluate for antiarrhythmic benefit of previously implanted ICD/pacer/CRT device
- ☐ X-ray chest to evaluate for antiarrhythmic benefit of previously implanted ICD/CRT/pacer device

[End Imaging and Electrocardiogram (ECG).]

Laboratory Tests

[Begin Laboratory Tests.]

[Section Prompt: Consider completing the following tests prior to the electrophysiology consultation.]

[Section Selection Behavior: More than one may be selected. Optional. Tests are routine unless otherwise specified.]

- ☐ Comprehensive metabolic panel
- ☐ Complete blood count
- ☐ Brain natriuretic peptide
- ☐ Digoxin level

[End Laboratory Tests.]

[End Order Set: Electrophysiology (EP) Pacemaker/Implantable Cardioverter-defibrillator (ICD) Generator Change.]

Bibliography/Evidence

- [Al-Khatib, 2011] SM Al-Khatib, A Hellkamp, J Curtis, and et al. “Non–Evidence-Based ICD Implantations in the United States”. *JAMA*. 2011. 305. 1. 43-49.
- [Epstein, 2008] AE Epstein, JP DiMarco, KA Ellenbogen, and et al. “ACC/AHA/HRS 2008 Guidelines for Device-Based Therapy of Cardiac Rhythm Abnormalities: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines [Writing Committee to Revise the ACC/AHA/National Association for Sport and Physical Education (NASPE) 2002 Guideline Update for Implantation of Cardiac Pacemakers and Antiarrhythmia Devices]: developed in collaboration with the American Association for Thoracic Surgery and Society of Thoracic Surgeons”. *Circulation*. 2008. 117. 21. e350-e408.
- [Hess, 2013] PL Hess, MV Grau-Sepulveda, AF Hernandez, and et al. “Get with The Guidelines Steering Committee and Hospitals. Age differences in the use of implantable cardioverter-defibrillators among older patients hospitalized with heart failure”. *J Cardiovasc Electrophysiol*. 2013. 24. 6. 664-671.
- [Hess, 2016] PL Hess, AF Hernandez, DL Bhatt, and et al. “Sex and Race/Ethnicity Differences in Implantable Cardioverter-Defibrillator Counseling and Use Among Patients Hospitalized with Heart Failure: Findings from the Get with The Guidelines-Heart Failure Program”. *Circulation*. 2016. 134. 7. 517-526.
- [Owens, 2011] DK Owens, A Qaseem, R Chou, P Shekelle, and Clinical Guidelines Committee of the American College of Physicians. “AHigh-value, cost-conscious health care: concepts for clinicians to evaluate the benefits, harms, and costs of medical interventions”. *Ann Intern Med*. 2011. 154. 3. 174-180.
- [Russo, 2013] AM Russo, RF Stainback, and SR, et al. Bailey. “American College of Cardiology Foundation (ACCF)/HRS/AHA/ASE/HFSA/SCAI/SCCT/SCMR 2013 appropriate use criteria for implantable cardioverter-defibrillators and cardiac resynchronization therapy: a report of the American College of Cardiology Foundation appropriate use criteria task force, Heart Rhythm Society, American Heart Association, American Society of Echocardiography, Heart Failure Society of America, Society for Cardiovascular Angiography and Interventions, Society of Cardiovascular Computed Tomography, and Society for Cardiovascular Magnetic Resonance”. *J Am Coll Cardiol*. 2013. 61. 12. 1318-1368.

Appendix A. Existing Sample VA Artifacts

Figure A.1. Cardiology Electrophysiology Guideline Links




Figure A.2. Pacemaker/Implantable cardioverter-defibrillator (ICD) Follow Up Consult Order




Figure A.3. Template: Cardiology Consult for Arrhythmia (image 1 of 2)

Template: Cardiology - Arrhythmia 2013

☒ <-----CLICK HERE TO BEGIN

This request is for an *

☐ E-Consult.

☒ in clinic consult (face to face).

Choose the topic(s) of your consult request below and provide supplemental information as requested including what your specific request or question is.

☐ ATRIAL FIBRILLATION / ATRIAL FLUTTER:

☐ PRIMARY PREVENTION ICD IMPLANT (INCLUDING BIVENTRICULAR ICD IMPLANT)

☐ SYNCOPE / BRADYCARDIA

☒ ICD / PACEMAKER FOLLOW-UP

☒ HISTORY

Age: 66

Please choose what needs to be addressed below:

☒ This is just a request for device follow-up.

☐ There is a specific clinical problem that needs to be addressed. (Please describe in detail.)

Would the patient like to have long term follow-up in our device clinic. * ☒ Yes ☐ No

The patient has * ☒ a pacemaker ☐ an ICD ☐ neither a pacemaker nor an ICD.

The brand of device is:

☒ Medtronic

☐ St. Jude

☐ Boston Scientific

☐ Guidant

☐ Biotronik

☐ Ela

☐ Unknown

☐ Other please specify:

Active Medications:

All None * Indicates a Required Field Preview OK Cancel

Figure A.4. Template: Cardiology Consult for Arrhythmia (image 2 of 2)

Template: Cardiology - Arrhythmia 2013

☒ Medtronic
☐ St. Jude
☐ Boston Scientific
☐ Guidant
☐ Biotronik
☐ Ela
☐ Unknown
☐ Other please specify: _____

Active Medications:

1) Acetaminophen 325mg tab take one tablet by mouth every 4 to 6 hours as needed *patients without liver disease, maximum dose is 4000 mg/day of acetaminophen. active

2) Nicotine 4mg gum chew 1 piece in mouth every hour as needed as directed on package. chew slowly until tingle felt, then park between cheek and gum. when tingle fades, repeat until tingle gone. do not use more than 24 pieces/day. for breakthrough cravings. active

active non-va medications status

1) Non-va aspirin 81mg (baby chewable) 81mg mouth every day

2) Non-va barrier,ostomy,new image h#15603 barrier item as needed

3) Non-va fluticasone/salmeterol inh1,oral by mouth twice a day

4) Non-va hydrophilic (eqv aquaphor) top oint thin film topically to affected area at noon as needed

5) Non-va lisinopril 20mg tab 20mg mouth every day

7 total medications)

☐ ICD / PACEMAKER GENERATOR CHANGE
☐ SUPRAVENTRICULAR TACHYCARDIA
☐ OTHER

All None * Indicates a Required Field Preview OK Cancel

Figure A.5. Cardiology Consult Order for Implantable cardioverter-defibrillator (ICD)/Pacemaker Follow Up

Order a Consult

Consult to Service/Specialty
Cardiology - Arrhythmia Outpt
Cardiology - Arrhythmia Outpt

Urgency: ROUTINE
Attention:
Clinically indicated date:
Patient will be seen as an: ☐ Inpatient ☒ Outpatient
Place of Consultation: CONSULTANT'S CHOICE
Provisional Diagnosis:
Lexicon

Reason for Request

This request is for an in clinic consult (face to face) .

ICD / PACEMAKER FOLLOW-UP
HISTORY
Age: 66

This is just a request for device follow-up.
Would the patient like to have long term follow-up in our device clinic. Yes

The patient has a pacemaker

Cardiology - Arrhythmia Outpt Cons CONSULTANT'S CHOICE

Accept Order Quit

Appendix B. Basic Laboratory Panel Definition

- Blood Urea Nitrogen
- Calcium
- Chloride
- CO_2 (Carbon Dioxide, Bicarbonate)
- Creatinine
- Glucose
- Potassium
- Sodium

Appendix C. Acronyms

ACC	American College of Cardiology
ACCF	American College of Cardiology Foundation
AHA	American Heart Association
ASE	American Society of Echocardiography
CCWP	Clinical Content White Paper
CDS	Clinical Decision Support
CO2	Carbon Dioxide
CRT	Cardiac Resynchronization Therapy
ECG	Electrocardiogram
EF	Ejection Fraction
EP	Electrophysiology
HFSA	Heart Failure Society of America
HL7	Health Level 7
HRS	Heart Rhythm Society
ICD	Implantable Cardioverter-Defibrillator
INR	International Normalized Ratio
KBS	Knowledge Based Systems
KNART	Knowledge Artifact
KNARTs	Knowledge Artifacts
NASPE	National Association for Sport and Physical Education
OIIG	Office of Informatics and Information Governance
PCP	Primary Care Provider
SCAI	Society for Cardiovascular Angiography and Interventions
SCCT	Society of Cardiovascular Computed Tomography
SCMR	Society for Cardiovascular Magnetic Resonance
SME	Subject Matter Expert
TO	Task Order
VA	Department of Veteran Affairs
VAMC	VA Medical Center