

# **Cardiology: Electrophysiology (EP): Supraventricular Tachycardia (SVT) Order Set**

## **Order Set: Conceptual Structure**

**Contract: VA118-16-D-1008, Task Order  
(TO): VA-118-16-F-1008-0007, CLIN0004AE**

**Department of Veterans Affairs (VA)**



**Knowledge Based Systems (KBS)  
Office of Informatics and Information Governance (OIIG)  
Clinical Decision Support (CDS)**

**Publication date 06/11/2018**

**Version: 1.0**

---

# Cardiology: Electrophysiology (EP): Supraventricular Tachycardia (SVT) Order Set: Order Set: Conceptual Structure

by Knowledge Based Systems (KBS), Office of Informatics and Information Governance (OIIG), and Clinical Decision Support (CDS)

Publication date 06/11/2018

Copyright © 2018 B3 Group, Inc.

Copyright © 2018 Cognitive Medical Systems, Inc.

## B3 Group, Inc.

### NOTICE OF GOVERNMENT COPYRIGHT LICENSE AND UNLIMITED RIGHTS LICENSE

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Portions of this content are derivative works from content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0.

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0.

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright.

See: <https://www.usa.gov/government-works>

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008, Task Order VA11817F10080007.

## Cognitive Medical Systems, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This and related content produced by Cognitive Medical Systems, Inc. licensed under the Apache License, Version 2.0 is available at: <https://bitbucket.org/cogmedsys/hl7-kas-examples>

Additional portions of this content are derivative works from content contributed by Motive Medical Intelligence Inc., under Creative Commons Attribution-ShareAlike 4.0. <https://bitbucket.org/cogmedsys/kas-source-material>

Contributions from 2013-2018 were performed either by US Government employees, or under US Veterans Health Administration contracts.

US Veterans Health Administration contributions by government employees are work of the U.S. Government and are not subject to copyright protection in the United States. Portions contributed by government employees are USGovWork (17USC §105). Not subject to copyright. See: <https://www.usa.gov/government-works>

Contribution by contractors to the US Veterans Health Administration during this period are contractually contributed under the Apache License, Version 2.0 and US Government sponsorship is acknowledged under Contract VA118-16-D-1008-0007.

---

---

# Table of Contents

Preface .....	v
Artifact Applicability .....	vi
Models .....	vii
1. External Data Definitions .....	1
2. Expression Definitions .....	2
3. Consults and Referrals .....	3
4. Imaging and ECG .....	4
5. Laboratory Tests .....	6
6. Medications .....	8
7. Patient and Caregiver Education .....	11
8. Tabular List .....	12
9. Behavior Symbols .....	16
A. References .....	18

---

## List of Tables

1. Revision History .....	v
2. Clinical White Paper Contributors .....	v
3. Artifact Identifier .....	v
4. Applicability Foci, Description and Codes .....	vi
5. Model References .....	vii
2.1. 12LeadElectrocardiogram .....	2
2.2. 12LeadElectrocardiogramPerformance .....	2
8.1. Terminology Versions .....	12
8.2. Terminology References .....	12
9.1. Group Organizational Behavior .....	16
9.2. Group Selection Behavior .....	16
9.3. Required Behavior .....	16
9.4. Precheck Behavior .....	17
9.5. Cardinality Behavior .....	17
9.6. Item Flags .....	17
9.7. Read Only Behavior .....	17

---

# Preface

**Table 1. Revision History**

Date	Life Cycle Event
June 11, 2018	Published
April 2, 2018	Published
April 2, 2018	Reviewed
February 25, 2018	Reviewed
January 22, 2018	Created

**Table 2. Clinical White Paper Contributors**

Name	Role	Affiliation
Bray Bruce, MD	Author	Professor, Cardiovascular Medicine, University of Utah School of Medicine; Staff Cardiologist, Salt Lake City VA Medical Center (VAMC), 500 Foothill Drive, Salt Lake City, Utah 84148
Wall Scott, MD	Author	Assistant Professor, Cardiovascular Medicine, University of Utah; School of Medicine Staff Cardiologist, Salt Lake City VAMC, 500 Foothill Drive, Salt Lake City, Utah 84148
Abidov Aiden, PhD	Author	Professor of Medicine, Wayne State University; Section Chief, Cardiology, John Dingell VAMC

**Table 3. Artifact Identifier**

Domain	Artifact ID	Name
urn:va.gov:kbs:knart:artifact:r1	5eea1cce-d8bb-5bc7-aafa-fb1904bf5231	B7

---

# Artifact Applicability

**Table 4. Applicability Foci, Description and Codes**

Focus	Description	Code System	Code	Value Set	Value Set Version
PatientAgeGroup	Adult outpatient needing Cardiology consult for arrhythmia evaluation			N/A	N/A
ClinicalVenue	Primary Care Clinic			N/A	N/A
TargetUser	Clinical Providers in Primary Care Clinic			N/A	N/A
WorkflowSetting	Cardiology Consultation			N/A	N/A
WorkflowTask	Ensure a minimum workup is initiated prior to a Cardiology Consultation for adult patients who present to a Primary Care Clinic for evaluation of SVT			N/A	N/A

---

# Models

**Table 5. Model References**

Referenced Model	Description
urn:solor.io:anf-model:1.0	VA Analysis Normal Form Model

---

# Chapter 1. External Data Definitions

No externalData expression definitions and no trigger definitions are present.



---

# Chapter 2. Expression Definitions

**Table 2.1. 12LeadElectrocardiogram**

Expression: type=elm:Retrieve , dataType=anf:ClinicalStatement, codeProperty=topic, dateProperty=dateTime
Annotation:
Codes: elm:element[elm:Code]: [447113005  12 lead electrocardiogram at rest (procedure)]
dateRange[elm:Interval] low: elm:Add( elm:Today() elm:Quantity(-2 Month))
high: elm:Today()

**Table 2.2. 12LeadElectrocardiogramPerformance**

Expression: type=elm:Query
Annotation: Resting 12-lead electrocardiogram to evaluate for arrhythmia
Codes: elm:operand[elm:Code]: [398166005  Performed (qualifier value)]

---

## Chapter 3. Consults and Referrals

Cardiology consult order

Consider other consult modalities which may be available (e.g., e-consult or other rapidly iterative consult method. A simple consult is included here as the overarching clinical intent.

---

# Referral to cardiology to evaluate supraventricular tachycardia

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 183519002 |Referral to cardiology service (procedure)|

purpose[0][0]: Postcoordinated Expression [386053000 |Evaluation procedure (procedure)] ->(363702006 |Has focus (attribute))->[6456007 |Supraventricular tachycardia (disorder)]

# Specific goal of the cardiology consultation (e.g., cardiology to manage patient, cardiology to risk stratify and recommend management, etc.).

---

# prompt: Goal of cardiology consultation

response: String (Single)

---

# Chapter 4. Imaging and ECG

Consider ordering prior to the cardiology consultation. Resting 12-lead electrocardiogram is required if it has not been obtained within the past 2 months.

**Condition:**elm:Not (elm:Exists( 12LeadElectrocardiogramPerformance ))

# Resting 12-lead electrocardiogram to evaluate for arrhythmia now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 447113005 |12 lead electrocardiogram at rest (procedure)|

purpose[0]: Postcoordinated Expression [386053000 |Evaluation procedure (procedure)] -(363702006 |Has focus (attribute))-[698247007 |Cardiac arrhythmia (disorder)]

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# Echocardiogram to evaluate for left ventricular function now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 40701008 |Echocardiography (procedure)|

purpose[0]: Postcoordinated Expression [386053000 |Evaluation procedure (procedure)] -(363702006 |Has focus (attribute))-[366188009 |Finding of left ventricular function (finding)]

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# X-ray chest to evaluate for heart failure now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 399208008 |Plain chest X-ray (procedure)|

purpose[0]: Postcoordinated Expression [386053000 |Evaluation procedure (procedure)] -(363702006 |Has focus (attribute))-[84114007 |Heart failure (disorder)]

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# Study for possible ablation

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 252425004 |Cardiac electrophysiology (procedure)|

purpose[0]: Postcoordinated Expression [386053000  Evaluation procedure (procedure)] ->(363702006  Has focus (attribute))->233159005  Ablation operation for arrhythmia (procedure)]
--

---

# Chapter 5. Laboratory Tests

Consider ordering the following tests to be completed prior to the cardiology consultation.

# Basic metabolic panel now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

topic: Precoordinated Expression bd01faa8-443c-4ad6-9cb6-ea50b4d7a093 |Basic metabolic profile (procedure)

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# Complete blood count now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 26604007 |Complete blood count (procedure)|

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# Lipid panel now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 16254007 |Lipid panel (procedure)|

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# Thyroid function testing now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 35650009 |Thyroid panel (procedure)|

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# Troponin now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Precoordinated Expression 105000003 |Troponin measurement (procedure)|

priority: Precoordinated Expression 49499008 |Stat (qualifier value)|

# Brain natriuretic peptide now

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

	statementType: Precoordinated Expression 385644000  Requested (qualifier value)
	topic: Precoordinated Expression 390917008  Brain natriuretic peptide measurement (procedure)
	priority: Precoordinated Expression 49499008  Stat (qualifier value)
# D-dimer now	
actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]	
	statementType: Precoordinated Expression 385644000  Requested (qualifier value)
	topic: Precoordinated Expression 70648006  D-dimer assay (procedure)
	priority: Precoordinated Expression 49499008  Stat (qualifier value)
# Flecainide level	
actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]	
	statementType: Precoordinated Expression 385644000  Requested (qualifier value)
	topic: Precoordinated Expression 113086001  Flecainide measurement (procedure)

---

# Chapter 6. Medications

Based upon clinical judgement, consider initiating a new order for one or more of the following medications prior to the cardiology consultation, if not otherwise contraindicated. The clinical provider that orders the medication(s) should provide appropriate follow-up for medication management including titration as applicable and monitoring of adverse effects if any, until and unless the ordering provider establishes that the consultant specialist is going to provide ongoing medication management and surveillance.

---

## Medications to Control Rapid Heart Rate

### ✱ Metoprolol tartrate 50 mg tablet oral daily 2 times 60 tablets 2 refills

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Postcoordinated Expression [416118004 |Administration (procedure)] ->(260686004 |Method (attribute))>[129445006 |Administration - action (qualifier value)] ->(363701004 |Direct substance (attribute))>[Rx;866514 Metoprolol Tartrate 50 MG Oral Tablet] ->(410675002 |Route of administration (attribute))>[260548002 |Oral (qualifier value)]

requestedResult.lowerBound: 1

requestedResult.upperBound: 1

requestedResult.includeLowerBound: true

requestedResult.includeUpperBound: true

requestedResult.measureSemantic: Precoordinated Expression 421026006 |Oral tablet (qualifier value)|

repetition[0].eventFrequency.lowerBound: 2

repetition[0].eventFrequency.upperBound: 2

repetition[0].eventFrequency.includeLowerBound: true

repetition[0].eventFrequency.includeUpperBound: true

repetition[0].eventFrequency.measureSemantic: Precoordinated Expression 258703001 |day (qualifier value)|

### ✱ Metoprolol XL (succinate) 25 mg tablet oral daily 1 time 30 tablets 2 refills

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Postcoordinated Expression [416118004 |Administration (procedure)] ->(260686004 |Method (attribute))>[129445006 |Administration - action (qualifier value)] ->(363701004 |Direct substance (attribute))>[Rx;866427 24 HR metoprolol succinate 25 MG Extended Release Oral Tablet] ->(410675002 |Route of administration (attribute))>[260548002 |Oral (qualifier value)]

requestedResult.lowerBound: 1

requestedResult.upperBound: 1

requestedResult.includeLowerBound: true

requestedResult.includeUpperBound: true  
 requestedResult.measureSemantic: Precoordinated Expression  
 421026006 |Oral tablet (qualifier value)|  
 repetition[0].eventFrequency.lowerBound: 1  
 repetition[0].eventFrequency.upperBound: 1  
 repetition[0].eventFrequency.includeLowerBound: true  
 repetition[0].eventFrequency.includeUpperBound: true  
 repetition[0].eventFrequency.measureSemantic: Precoordinated  
 Expression 258703001 |day (qualifier value)|

⊕ Diltiazem 30 mg tablet oral daily 4 times 120 tablets 2 refills

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Re-  
 requested (qualifier value)|  
 topic: Postcoordinated Expression [416118004 |Administration  
 (procedure)] ->(260686004 |Method (attribute))->[129445006  
 |Administration - action (qualifier value)] ->(363701004 |Di-  
 rect substance (attribute))->[Rx;833217 Diltiazem Hydrochlo-  
 ride 30 MG Oral Tablet] ->(410675002 |Route of administra-  
 tion (attribute))->[260548002 |Oral (qualifier value)]  
 requestedResult.lowerBound: 1  
 requestedResult.upperBound: 1  
 requestedResult.includeLowerBound: true  
 requestedResult.includeUpperBound: true  
 requestedResult.measureSemantic: Precoordinated Expression  
 421026006 |Oral tablet (qualifier value)|  
 repetition[0].eventFrequency.lowerBound: 4  
 repetition[0].eventFrequency.upperBound: 4  
 repetition[0].eventFrequency.includeLowerBound: true  
 repetition[0].eventFrequency.includeUpperBound: true  
 repetition[0].eventFrequency.measureSemantic: Precoordinated  
 Expression 258703001 |day (qualifier value)|

⊕ Diltiazem ER 120 mg capsule oral daily 1 time 30 capsules 2 refills

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Re-  
 requested (qualifier value)|  
 topic: Postcoordinated Expression [416118004 |Administration  
 (procedure)] ->(260686004 |Method (attribute))->[129445006  
 |Administration - action (qualifier value)] ->(363701004  
 |Direct substance (attribute))->[Rx;830861 24 HR Dil-  
 tiazem Hydrochloride 120 MG Extended Release Oral  
 Capsule] ->(410675002 |Route of administration (at-  
 tribute))->[260548002 |Oral (qualifier value)]  
 requestedResult.lowerBound: 1  
 requestedResult.upperBound: 1



```

requestedResult.includeLowerBound: true
requestedResult.includeUpperBound: true
requestedResult.measureSemantic: Precoordinated Expression
420692007 |Conventional release oral capsule (dose form)|
repetition[0].eventFrequency.lowerBound: 1
repetition[0].eventFrequency.upperBound: 1
repetition[0].eventFrequency.includeLowerBound: true
repetition[0].eventFrequency.includeUpperBound: true
repetition[0].eventFrequency.measureSemantic: Precoordinated
Expression 258703001 |day (qualifier value)|

★ Verapamil SR 180 mg tablet oral daily 1 time 30 tablets 2 refills
actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]
statementType: Precoordinated Expression 385644000 |Re-
quested (qualifier value)|
topic: Postcoordinated Expression [416118004 |Administration
(procedure)] ->(260686004 |Method (attribute))>[129445006 |
Administration - action (qualifier value)] ->(363701004 |Direct
substance (attribute))>[Rx;897640 Verapamil hydrochloride
180 MG Extended Release Oral Tablet] ->(410675002 |Route
of administration (attribute))>[260548002 |Oral (qualifier val-
ue)]
requestedResult.lowerBound: 1
requestedResult.upperBound: 1
requestedResult.includeLowerBound: true
requestedResult.includeUpperBound: true
requestedResult.measureSemantic: Precoordinated Expression
421026006 |Oral tablet (qualifier value)|
repetition[0].eventFrequency.lowerBound: 1
repetition[0].eventFrequency.upperBound: 1
repetition[0].eventFrequency.includeLowerBound: true
repetition[0].eventFrequency.includeUpperBound: true
repetition[0].eventFrequency.measureSemantic: Precoordinated
Expression 258703001 |day (qualifier value)|

```

---

# Chapter 7. Patient and Caregiver Education

Consider the following patient education order.

# Provide vagal maneuver education

actionSentence[type=elm:Instance, classType=anf:ClinicalStatement]

statementType: Precoordinated Expression 385644000 |Requested (qualifier value)|

topic: Postcoordinated Expression [409073007 |Education (procedure)] ->(363702006 |Has focus (attribute))-[261039008 |Valsalva maneuver (qualifier value)]

([CCWP])

Cardiology: Electrophysiology (EP) Arrhythmias Clinical Content White Paper

---

# Chapter 8. Tabular List

## *Terminology Service Request (TSR) Mappings*

**Table 8.1. Terminology Versions**

Name	Identifier	Version
SNOMED CT	2.16.840.1.113883.6.96	United States Edition 20180301
RXNorm	2.16.840.1.113883.6.88	5-Mar-18

**Table 8.2. Terminology References**

System	Code	Display Text <sup>a</sup>	References <sup>b</sup>
SNOMED CT	105000003  Troponin measurement (procedure)	Precoordinated Expression	1
SNOMED CT	113086001  Flecainide measurement (procedure)	Precoordinated Expression	1
SNOMED CT	16254007  Lipid panel (procedure)	Precoordinated Expression	1
SNOMED CT	183519002  Referral to cardiology service (procedure)	Precoordinated Expression	1
SNOMED CT	252425004  Cardiac electrophysiology (procedure)	Precoordinated Expression	1
SNOMED CT	258703001  day (qualifier value)	Precoordinated Expression	5
SNOMED CT	26604007  Complete blood count (procedure)	Precoordinated Expression	1
SNOMED CT	35650009  Thyroid panel (procedure)	Precoordinated Expression	1
SNOMED CT	385644000  Requested (qualifier value)	Precoordinated Expression	18
SNOMED CT	390917008  Brain natriuretic peptide measurement (procedure)	Precoordinated Expression	1
SNOMED CT	398166005  Performed (qualifier value)	Precoordinated Expression	1
SNOMED CT	399208008  Plain chest X-ray (procedure)	Precoordinated Expression	1
SNOMED CT	40701008  Echocardiography (procedure)	Precoordinated Expression	1
SNOMED CT	420692007  Conventional release oral capsule (dose form)	Precoordinated Expression	1
SNOMED CT	421026006  Oral tablet (qualifier value)	Precoordinated Expression	4

System	Code	Display Text <sup>a</sup>	References <sup>b</sup>
SNOMED CT	447113005  12 lead electrocardiogram at rest (procedure)	Precoordinated Expression	2
SNOMED CT	49499008  Stat (qualifier value)	Precoordinated Expression	10
SNOMED CT	70648006  D-dimer assay (procedure)	Precoordinated Expression	1
SNOMED CT	[386053000  Evaluation procedure (procedure)] ->(363702006  Has focus (attribute))>233159005  Ablation operation for arrhythmia (procedure)]	Postcoordinated Expression	1
SNOMED CT	[386053000  Evaluation procedure (procedure)] ->(363702006  Has focus (attribute))>[366188009  Finding of left ventricular function (finding)]	Postcoordinated Expression	1
SNOMED CT	[386053000  Evaluation procedure (procedure)] ->(363702006  Has focus (attribute))>[6456007  Supraventricular tachycardia (disorder)]	Postcoordinated Expression	1
SNOMED CT	[386053000  Evaluation procedure (procedure)] ->(363702006  Has focus (attribute))>[698247007  Cardiac arrhythmia (disorder)]	Postcoordinated Expression	1
SNOMED CT	[386053000  Evaluation procedure (procedure)] ->(363702006  Has focus (attribute))>[84114007  Heart failure (disorder)]	Postcoordinated Expression	1
SNOMED CT	[409073007  Education (procedure)] ->(363702006  Has focus (attribute))>[261039008  Valsalva maneuver (qualifier value)]	Postcoordinated Expression	1
SNOMED CT	[416118004  Administration (procedure)] ->(260686004  Method (attribute))>[129445006  Administration - action (qualifier value)] ->(363701004	Postcoordinated Expression	1

System	Code	Display Text <sup>a</sup>	References <sup>b</sup>
	Direct substance (attribute))->[Rx;830861 24 HR Diltiazem Hydrochloride 120 MG Extended Release Oral Capsule] ->(410675002  Route of administration (attribute))->[260548002   Oral (qualifier value)]		
SNOMED CT	[416118004  Administration (procedure)] ->(260686004  Method (attribute))->[129445006  Administration - action (qualifier value)] ->(363701004   Direct substance (attribute))->[Rx;833217 Diltiazem Hydrochloride 30 MG Oral Tablet] ->(410675002  Route of administration (attribute))->[260548002   Oral (qualifier value)]	Postcoordinated Expression	1
SNOMED CT	[416118004  Administration (procedure)] ->(260686004  Method (attribute))->[129445006  Administration - action (qualifier value)] ->(363701004   Direct substance (attribute))->[Rx;866427 24 HR metoprolol succinate 25 MG Extended Release Oral Tablet] ->(410675002  Route of administration (attribute))->[260548002   Oral (qualifier value)]	Postcoordinated Expression	1
SNOMED CT	[416118004  Administration (procedure)] ->(260686004  Method (attribute))->[129445006  Administration - action (qualifier value)] ->(363701004   Direct substance (attribute))->[Rx;866514 Metoprolol Tartrate 50 MG Oral Tablet] ->(410675002  Route	Postcoordinated Expression	1

System	Code	Display Text <sup>a</sup>	References <sup>b</sup>
	of administration (attribute))->[260548002   Oral (qualifier value)]		
SNOMED CT	[416118004  Administration (procedure)] ->(260686004  Method (attribute))->[129445006  Administration - action (qualifier value)] ->(363701004  Direct substance (attribute))->[Rx;897640 Verapamil hydrochloride 180 MG Extended Release Oral Tablet] ->(410675002  Route of administration (attribute))->[260548002  Oral (qualifier value)]	Postcoordinated Expression	1
SNOMED CT	bd01faa8-443c-4ad6-9cb6-ea50b4d7a093  Basic metabolic profile (procedure)	Precoordinated Expression	1

<sup>a</sup>If a code is used multiple times in the KNART, only the display text of the first instance is shown.

<sup>b</sup>Count of the number of times the given code system and code pair is used in the KNART.

---

# Chapter 9. Behavior Symbols

**Table 9.1. Group Organizational Behavior**

Sym- bol	Name	Definition
#	Sentence Group	A group of related alternative actions is a sentence group if the item referenced by the action is the same in all the actions, and each action simply constitutes a different variation on how to specify the details for that item. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the item referenced by the action, and the two actions represent two different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne".
#	Logical Group	A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so.
➤	Visual Group	Any group marked with this behavior should be displayed as a visual group to the end user.

**Table 9.2. Group Selection Behavior**

Sym- bol	Name	Definition
#	Any	Any number of the items in the group may be chosen, from zero to all.
#	All	All the items in the group must be selected as a single unit.
#	AllOrNone	All the items in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected.
#	ExactlyOne	The end user must choose one and only one of the selectable items in the group. The user may not choose none of the items in the group.
★	AtMostOne	The end user may choose zero or at most one of the items in the group.
✱	OneOrMore	The end user must choose a minimum of one, and as many additional as desired.

**Table 9.3. Required Behavior**

Sym- bol	Name	Definition
◆	Must	An action with this behavior must be included in the actions processed by the end user; the end user may not choose not to include this action.

Sym- bol	Name	Definition
◇	Could	An action with this behavior may be included in the set of actions processed by the end user.
➤	MustUnlessDocumented	An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included.

**Table 9.4. Precheck Behavior**

Sym- bol	Name	Definition
▲	Yes	An action with this behavior is one of the most frequent actions that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "pre-checking" such an action as a convenience for the user.
#	No	An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action.

**Table 9.5. Cardinality Behavior**

Sym- bol	Name	Definition
◆	Single	An action with this behavior may only be completed once.
❖	Multiple	An action with this behavior may be repeated multiple times.

**Table 9.6. Item Flags**

Sym- bol	Name	Definition
☞	fillIn	This item, in a list entry, allows the user to enter a fill in value that is not present in the set of presented choices.

**Table 9.7. Read Only Behavior**

Sym- bol	Name	Definition
#	true	For a particular action or action group, specifies whether the elements are read only.



---

# Appendix A. References

This appendix contains the list of related resources and supporting documents used in creating this KNART.

## List of References

## Related Resources

[CCWP] *Cardiology: Electrophysiology (EP) Arrhythmias Clinical Content White Paper*

[CSD] *Cardiology: Electrophysiology (EP): Supraventricular Tachycardia (SVT) Order Set Conceptual Structure Document*

[KVRpt] *Cardiology: Electrophysiology (EP): Supraventricular Tachycardia (SVT) Order Set KNART Validation Report*

[Wolters Kluwer 2017] *Wolters Kluwer. (2017). Vagal maneuvers and their responses / patient handouts / 5Minute-Consult Retrieved Feb 13, 2018, from <http://5minuteconsult.com/collectioncontent/3-197921/patient-handouts/vagal-maneuvers-and-their-responses> (link [<http://5minuteconsult.com/collectioncontent/3-197921/patient-handouts/vagal-maneuvers-and-their-responses>])*

## Supporting Evidence

[Heidenreich 2016] *Heidenreich, P., Solis, P., Estes, M., Fonarow, G., Jurgens, C., Marine, J., McManus, D., McNamara, R. 2016 ACC/AHA Clinical Performance and Quality Measures for Adults With Atrial Fibrillation or Atrial Flutter. A Report of the American College of Cardiology/American Heart Association Task Force on Performance Measures (link [<https://doi.org/10.1161/HCQ.0000000000000018>])*

[Holbrook 2012] *Holbrook, A., Schulman, S., Witt, D., Vandvik, P., Fish, J., Kovacs, M., Svensson, P., Veenstra, D., Crowther, M., Guyatt, G., et al. Evidence-Based Management of Anticoagulant Therapy. Official Publication of the American College of Chest Physicians. 2012 February 12;141(2):e152S-e184S (link [<http://dx.doi.org/10.1378/chest.11-2295>])*

[January 2014] *January, C. T., Wann, L. S., Alpert, J. S., Calkins, H., Cigarroa, J. E., Cleveland, J. C., ... Yancy, C. W. (2014). 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: Executive summary: A report of the American College of cardiology/American heart association task force on practice guidelines and the heart rhythm society. Circulation, 130(23), 2071-2104 (link [<https://doi.org/10.1161/CIR.0000000000000040>])*

[Kearon 2016] *Kearon, C., Aki, E., Ornelas, J., Blaivas, A., Jimenez, D., Bounameaux, H., et al. Antithrombotic therapy for VTE disease: CHEST guideline and expert panel report. CHEST Journal, Official Publication of the College of Chest Physicians 2016 February 149(2) 315–352 (link [<http://dx.doi.org/10.1016/j.chest.2015.11.026>])*

[Page 2016] *Page, R., Joglar, J., Caldwell, M., Calkins, H., Conti, J., Deal, B., Estes, M., Field, M., Goldberger, Z., Hammill, S., Indik, J., Lindsay, B., et al. 2015 ACC/AHA/HRS Guideline for the Management of Adult Patients With Supraventricular Tachycardia. Journal of the American College of Cardiology Volume 67, Issue 13, April 2016 (link [[http://www.onlinejacc.org/content/67/13/e27?\\_ga=1.87330320.984974867.1480494374](http://www.onlinejacc.org/content/67/13/e27?_ga=1.87330320.984974867.1480494374)])*

[Shen 2017] *Shen, W.K., Sheldon, R., Benditt, D., Cohen, M., Forman, D., Goldberger, Z., Grubb, B., Field, M., Goldberger, Z., Hamdan, M., Krahn, A., Link, M., Olshansky, B., et al. 2017 ACC/AHA/HRS Guideline for*

- the Evaluation and Management of Patients With Syncope: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines, and the Heart Rhythm Society. August 2017 Volume 14, Issue 8, Pages e155–e21* (link [<http://dx.doi.org/10.1016/j.hrthm.2017.03.004>])
- [NLM 2017a] LABEL: AMIODARONE HCL- amiodarone hydrochloride tablet [Internet].: National Library of Medicine; 2017. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=08641e51-abca-4c1c-ba19-d24435332018>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=08641e51-abca-4c1c-ba19-d24435332018>])
- [NLM 2017b] LABEL: ASPIRIN 81 MG- aspirin tablet, coated [Internet].: National Library of Medicine; 2017. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b4064039-2345-4227-b83d-54d-c13a838d3>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b4064039-2345-4227-b83d-54d-c13a838d3>])
- [NLM 2016a] LABEL: CARDIZEM- diltiazem hydrochloride tablet, coated [Internet].: National Library of Medicine; 2016. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=f3e7ecef-f360-4987-a4f5-933214130ab2>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=f3e7ecef-f360-4987-a4f5-933214130ab2>])
- [NLM 2017c] LABEL: CLOPIDOGREL- clopidogrel bisulfate tablet, film coated, [Internet].: National Library of Medicine; 2016. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=edae8df1-caf9-ff72-1304-5ae8b355f8e7>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=edae8df1-caf9-ff72-1304-5ae8b355f8e7>])
- [NLM 2017d] LABEL: COUMADIN- warfarin sodium tablet, [Internet].: National Library of Medicine; 2017. Available from: <https://dailymed.nlm.nih.gov/dailymed/lookup.cfm?setid=d91934a0-902e-c26c-23ca-d5acc4151b6>. (link [<https://dailymed.nlm.nih.gov/dailymed/lookup.cfm?setid=d91934a0-902e-c26c-23ca-d5acc4151b6>])
- [NLM 2016b] LABEL: DIGOXIN- digoxin tablet, [Internet].: National Library of Medicine; 2016. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=dfac7f13-28be-423d-9389-9089da29da17>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=dfac7f13-28be-423d-9389-9089da29da17>])
- [NLM 2016c] LABEL: DILTIAZEM HCL CD- diltiazem hydrochloride capsule, coated, extended release, [Internet].: National Library of Medicine; 2016. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=5e39be50-ea17-4077-a2dc-668267049f6a>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=5e39be50-ea17-4077-a2dc-668267049f6a>])
- [NLM 2017e] LABEL: ELIQUIS- apixaban tablet, film coated ELIQUIS 30-DAY STARTER PACK- apixaban, [Internet].: National Library of Medicine; 2017. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e9481622-7cc6-418a-acb6-c5450daae9b0>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e9481622-7cc6-418a-acb6-c5450daae9b0>])
- [NLM 2012] LABEL: FLECAINIDE ACETATE- flecainide tablet, [Internet].: National Library of Medicine; 2012. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=fa68b35e-9f50-408b-9e70-e84cecf3fd6e>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=fa68b35e-9f50-408b-9e70-e84cecf3fd6e>])
- [NLM 2008] LABEL: ISOPTIN SR- verapamil hydrochloride tablet, coated, [Internet].: National Library of Medicine; 2018. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=6ae13cb4-0316-40d1-9216-c7d5556aaed3>. (link [<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=6ae13cb4-0316-40d1-9216-c7d5556aaed3>])
- [NLM 2017f] LABEL: LOPRESSOR- metoprolol tartrate tablet, [Internet].: National Library of Medicine; 2017. Available from: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=6ae13cb4-0316-40d1-9216-c7d5556aaed3>

- fo.cfm?setid=0283bc9d-6998-493a-824a-d4c85f704111*. (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=0283bc9d-6998-493a-824a-d4c85f704111])
- [NLM 2017g] *LABEL: PRADAXA- dabigatran etexilate mesylate capsule, [Internet].: National Library of Medicine; 2017. Available from: https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ba74e3cd-b06f-4145-b284-5fd6b84ff3c9*. (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ba74e3cd-b06f-4145-b284-5fd6b84ff3c9])
- [NLM 2017h] *LABEL: PROPAFENONE HCL- propafenone hydrochloride tablet, film coated, [Internet].: National Library of Medicine; 2017. Available from: https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=a313c111-e539-47bc-9d57-c3767f74bcca*. (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=a313c111-e539-47bc-9d57-c3767f74bcca])
- [NLM 2017i] *LABEL: TOPROL XL- metoprolol succinate tablet, extended release, [Internet].: National Library of Medicine; 2017. Available from: https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=4a5762c6-d7a2-4e4c-10b7-8832b36fa5f4*. (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=4a5762c6-d7a2-4e4c-10b7-8832b36fa5f4])
- [NLM 2017j] *LABEL: XARELTO- rivaroxaban tablet, film coated XARELTO- rivaroxaban, [Internet].: National Library of Medicine; 2017. Available from: https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=10db92f9-2300-4a80-836b-673e1ae91610*. (link [https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=10db92f9-2300-4a80-836b-673e1ae91610])