```
with(LinearAlgebra):
interface(rtablesize = 40):
```

## Simplification of minimal system extend 8

We consider the following reactions:

$$KR + S <-> KR_S -> KR + Sp$$

$$KT + S <-> KT_S -> KT + Sp$$

$$Sp > S$$

$$KR <-> KT$$

$$KR_S <-> KT_S$$

$$K^R + S \rightleftharpoons K^RS \rightarrow K^R + S_p$$

$$K^T + S \rightleftharpoons K^TS \rightarrow K^T + S_p$$

$$S_p \rightarrow S$$

$$K^R \rightleftharpoons K^T$$

$$K^RS \rightleftharpoons K^TS$$

The species of the networ are (in parentesis the order in which I consider them)

There are a total of 11 reactions and 6 species.

I construct the mass-action ODE system by defining the stoichiometric matrix A, and the vector of rates "krates".

Then, the ODE system is

$$\frac{dx}{dt} = A \cdot k_{rs}$$

and hence steady states are given as  $A \cdot k_{rs} = 0$ .

Stoichiometric matrix:

I enter first the reactions as rows and then transpose the matrix

$$A[6, 4] := 1 : A[6, 2] := 1 : A[6, 6] := -1 :$$
 $A[7, 2] := -1 : A[7, 1] := 1 :$ 
 $A[8, 3] := -1 : A[8, 4] := 1 : A[9] := -A[8] :$ 
 $A[10, 5] := -1 : A[10, 6] := 1 : A[11] := -A[10] :$ 
 $A[10, 5] := -1 : A[10, 6] := 1 : A[11] := -A[10] :$ 

Vector of rates:

here  $x_i$  is the concentration of the i-th species

> 
$$ks := Vector([k_1 \cdot x_3 \cdot x_1, k_2 \cdot x_5, k_3 \cdot x_5, k_4 \cdot x_4 \cdot x_1, k_5 \cdot x_6, k_6 \cdot x_6, k_7 \cdot x_2, k_8 \cdot x_3, k_9 \cdot x_4, k_{10} \cdot x_5, k_{11} \cdot x_6])$$

$$\begin{bmatrix} k_1 x_3 x_1 \\ k_2 x_5 \\ k_3 x_5 \\ k_4 x_4 x_1 \\ k_5 x_6 \\ k_6 x_6 \\ k_7 x_2 \\ k_8 x_3 \\ k_9 x_4 \\ k_{10} x_5 \\ k_{11} x_6 \end{bmatrix}$$
(1)

Steady state equations:

> 
$$ssEqs := A.ks$$

$$ssEqs := \begin{cases}
-k_1 x_1 x_3 - k_4 x_1 x_4 + k_2 x_5 + k_5 x_6 + k_7 x_2 \\
k_3 x_5 + k_6 x_6 - k_7 x_2 \\
-k_1 x_1 x_3 + k_2 x_5 + k_3 x_5 - k_8 x_3 + k_9 x_4 \\
-k_4 x_1 x_4 + k_5 x_6 + k_6 x_6 + k_8 x_3 - k_9 x_4 \\
k_1 x_1 x_3 - k_2 x_5 - k_3 x_5 - k_{10} x_5 + k_{11} x_6 \\
k_4 x_1 x_4 - k_5 x_6 - k_6 x_6 + k_{10} x_5 - k_{11} x_6
\end{cases}$$
(2)

Conservation laws:

This system has total amount of kinase and total amount of substrate conserved:

> 
$$F := ReducedRowEchelonForm(Transpose(Matrix([op(NullSpace(Transpose(A)))])))$$

$$F := \begin{bmatrix} 1 & 1 & 0 & 0 & 1 & 1 \\ 0 & 0 & 1 & 1 & 1 & 1 \end{bmatrix}$$
(3)

the conservation laws are:

$$x_1 + x_2 + x_5 + x_6 - T_1, x_3 + x_4 + x_5 + x_6 - T_2$$

Therefore, the steady states constrained by the conservation laws are solutions to myeqs=0 (because there are two conservation laws, two of the equations in eqs can be disregarded).

> 
$$subsEqs := [ssEqs[2], ssEqs[4], ssEqs[5], ssEqs[6], x_1 + x_2 + x_5 + x_6 - T_1, x_3 + x_4 + x_5 + x_6 - T_2]$$
  
 $subsEqs := [k_3 x_5 + k_6 x_6 - k_7 x_2, -k_4 x_1 x_4 + k_5 x_6 + k_6 x_6 + k_8 x_3 - k_9 x_4, k_1 x_1 x_3 - k_2 x_5 + k_6 x_5 - k_{10} x_5 + k_{11} x_6, k_4 x_1 x_4 - k_5 x_6 - k_6 x_6 + k_{10} x_5 - k_{11} x_6, x_1 + x_2 + x_5 + x_6 - T_1, x_3 + x_4 + x_5 + x_6 - T_2]$ 

## Computations

The way to find different sets of parameters is highlighted in bold. These are two steps where there is a choice.

We compute the Jacobian of myeqs (steady state equations together with the conservation laws)

$$J := VectorCalculus[Jacobian](subsEqs, [seq(x_i, i = 1..6)])$$

(1.1)

$$J := \begin{bmatrix} 0 & -k_7 & 0 & 0 & k_3 & k_6 \\ -k_4 x_4 & 0 & k_8 & -k_4 x_1 - k_9 & 0 & k_5 + k_6 \\ k_1 x_3 & 0 & k_1 x_1 & 0 & -k_2 - k_3 - k_{10} & k_{11} \\ k_4 x_4 & 0 & 0 & k_4 x_1 & k_{10} & -k_5 - k_6 - k_{11} \\ 1 & 1 & 0 & 0 & 1 & 1 \\ 0 & 0 & 1 & 1 & 1 & 1 \end{bmatrix}$$
 (1.1)

 $\triangleright$  Determinant(J):

> 
$$detJ := collect(\%, \{seg(x_i, i=1..6)\}, 'distributed')$$
  
 $detJ := (-k_1 k_4 k_7 k_{10} - k_1 k_4 k_7 k_{11}) x_1^2 + (-k_1 k_3 k_4 k_8 - k_1 k_3 k_4 k_{11} + k_1 k_4 k_6 k_8)$   
 $-k_1 k_4 k_6 k_{10} - k_1 k_4 k_7 k_{10} - k_1 k_4 k_7 k_{11}) x_1 x_3 + (k_1 k_3 k_4 k_9 - k_1 k_3 k_4 k_{11})$   
 $-k_1 k_4 k_6 k_9 - k_1 k_4 k_6 k_{10} - k_1 k_4 k_7 k_{10} - k_1 k_4 k_7 k_{11}) x_1 x_4 + (-k_1 k_5 k_7 k_9)$   
 $-k_1 k_5 k_7 k_{10} - k_1 k_6 k_7 k_9 - k_1 k_6 k_7 k_{10} - k_1 k_7 k_9 k_{10} - k_1 k_7 k_9 k_{11} - k_2 k_4 k_7 k_8$   
 $-k_2 k_4 k_7 k_{11} - k_3 k_4 k_7 k_8 - k_3 k_4 k_7 k_{11} - k_4 k_7 k_8 k_{10} - k_4 k_7 k_8 k_{11}) x_1 + ($   
 $-k_1 k_3 k_5 k_8 - k_1 k_3 k_5 k_9 - k_1 k_6 k_7 k_8 - k_1 k_3 k_6 k_9 - k_1 k_3 k_8 k_{11} - k_1 k_3 k_9 k_{11}$   
 $-k_1 k_5 k_7 k_8 - k_1 k_5 k_7 k_9 - k_1 k_6 k_7 k_8 - k_1 k_6 k_7 k_9 - k_1 k_6 k_8 k_{10} - k_1 k_6 k_9 k_{10}$   
 $-k_1 k_7 k_8 k_{10} - k_1 k_7 k_8 k_{11} - k_1 k_7 k_9 k_{10} - k_1 k_7 k_9 k_{11}) x_3 + (-k_2 k_4 k_6 k_8$   
 $-k_2 k_4 k_6 k_9 - k_2 k_4 k_7 k_8 - k_2 k_4 k_7 k_9 - k_3 k_4 k_6 k_8 - k_3 k_4 k_6 k_9 - k_3 k_4 k_7 k_8$   
 $-k_3 k_4 k_7 k_9 - k_3 k_4 k_8 k_{11} - k_3 k_4 k_9 k_{11} - k_4 k_6 k_8 k_{10} - k_4 k_6 k_9 k_{10} - k_4 k_7 k_8 k_{10}$   
 $-k_4 k_7 k_8 k_{11} - k_4 k_7 k_9 k_{10} - k_4 k_7 k_9 k_{11}) x_4 - k_2 k_5 k_7 k_9 - k_2 k_6 k_7 k_8$   
 $-k_2 k_6 k_7 k_9 - k_2 k_7 k_8 k_{11} - k_2 k_7 k_9 k_{11} - k_3 k_5 k_7 k_8 - k_3 k_5 k_7 k_9 - k_3 k_6 k_7 k_8$   
 $-k_2 k_6 k_7 k_9 - k_3 k_7 k_8 k_{11} - k_2 k_7 k_9 k_{11} - k_5 k_7 k_8 k_{10} - k_5 k_7 k_9 k_{10} - k_6 k_7 k_8 k_{10}$   
 $-k_6 k_7 k_9 k_{10}$ 

We parameterise the steady states as functions of x1 and x3, using the four steady state equations: When x1 and x3 are positive, then so are the rest.

> solution := solve([subsEqs[2], subsEqs[3], subsEqs[4], subsEqs[1]], [
$$x_2$$
,  $x_4$ ,  $x_5$ ,  $x_6$ ])

solution := [ $x_2$  = (( $x_1$ ,  $x_3$ ,  $x_4$ ,  $x_{11}$ ,  $x_1$ ,  $x_1$ ,  $x_4$ ,  $x_6$ ,  $x_1$ ,  $x_1$ ,  $x_2$ ,  $x_4$ ,  $x_5$ ,  $x_6$ ])

+  $x_1$ ,  $x_3$ ,  $x_4$ ,  $x_1$ ,  $x_1$ ,  $x_1$ ,  $x_2$ ,  $x_4$ ,  $x_6$ ,  $x_1$ ,  $x_2$ ,  $x_4$ ,  $x_5$ ,  $x_6$ ])

+  $x_1$ ,  $x_3$ ,  $x_4$ ,  $x_1$ ,  $x_1$ ,  $x_2$ ,  $x_4$ ,  $x_6$ ,  $x_1$ ,  $x_2$ ,  $x_4$ ,  $x_5$ ,  $x_6$ ])

+  $x_1$ ,  $x_2$ ,  $x_4$ ,  $x_5$ ,  $x_6$ ])

+  $x_1$ ,  $x_2$ ,  $x_4$ ,  $x_5$ ,  $x_6$ ])

$$x_{1} x_{3}) / (k_{7} (k_{2} k_{4} k_{11} x_{1} + k_{3} k_{4} k_{11} x_{1} + k_{2} k_{5} k_{9} + k_{2} k_{6} k_{9} + k_{2} k_{9} k_{11} + k_{3} k_{5} k_{9} + k_{3} k_{6} k_{9} + k_{2} k_{9} k_{11} + k_{3} k_{5} k_{9} + k_{3} k_{6} k_{9} + k_{3} k_{9} k_{11} + k_{5} k_{9} k_{10} + k_{6} k_{9} k_{10})), x_{4} = (x_{3} (k_{1} k_{5} k_{10} x_{1} + k_{1} k_{6} k_{10} x_{1} + k_{2} k_{5} k_{8} + k_{2} k_{6} k_{8} + k_{2} k_{8} k_{11} + k_{3} k_{5} k_{8} + k_{3} k_{6} k_{8} + k_{3} k_{8} k_{11} + k_{1} k_{5} k_{8} k_{10} + k_{6} k_{8} k_{10})) / (k_{2} k_{4} k_{11} x_{1} + k_{3} k_{4} k_{11} x_{1} + k_{2} k_{5} k_{9} + k_{2} k_{6} k_{9} + k_{2} k_{9} k_{11} + k_{5} k_{9} k_{10}), x_{5} = (x_{1} x_{3} (k_{1} k_{4} k_{11} x_{1} + k_{2} k_{5} k_{9} + k_{2} k_{6} k_{9} + k_{2} k_{5} k$$

We evaluate the determinant of the Jacobian at the parameterisation. We then write it as a polynomial in x1 and x3

> 
$$detSubs := subs(solution[1], detJ)$$
  
 $detSubs := (-k_1 k_4 k_7 k_{10} - k_1 k_4 k_7 k_{11}) x_1^2 + (-k_1 k_3 k_4 k_8 - k_1 k_3 k_4 k_{11} + k_1 k_4 k_6 k_8)$   
 $-k_1 k_4 k_6 k_{10} - k_1 k_4 k_7 k_{10} - k_1 k_4 k_7 k_{11}) x_1 x_3 + ((k_1 k_3 k_4 k_9 - k_1 k_3 k_4 k_{11} - k_1 k_4 k_6 k_9 - k_1 k_4 k_6 k_{10} - k_1 k_4 k_7 k_{10} - k_1 k_4 k_7 k_{11}) x_1 x_3 (k_1 k_5 k_{10} x_1 + k_1 k_6 k_{10} x_1 + k_2 k_5 k_8 + k_2 k_6 k_8 + k_2 k_8 k_{11} + k_3 k_5 k_8 + k_3 k_6 k_8 + k_3 k_8 k_{11} + k_5 k_8 k_{10} + k_6 k_8 k_{10})) / (k_2 k_4 k_{11} x_1 + k_3 k_4 k_{11} x_1 + k_2 k_5 k_9 + k_2 k_6 k_9 + k_2 k_9 k_{11} + k_3 k_5 k_9 + k_3 k_6 k_9 + k_3 k_9 k_{11} + k_5 k_9 k_{10} + k_6 k_9 k_{10}) + (-k_1 k_5 k_7 k_9 - k_1 k_6 k_7 k_9 - k_1 k_6 k_7 k_{10} - k_1 k_7 k_9 k_{10} - k_1 k_7 k_9 k_{11} - k_2 k_4 k_7 k_8 - k_2 k_4 k_7 k_8 - k_3 k_4 k_7 k_{11} - k_4 k_7 k_8 k_{10} - k_4 k_7 k_8 k_{11}) x_1 + (-k_1 k_3 k_5 k_8 - k_1 k_3 k_5 k_9 - k_1 k_3 k_6 k_8 - k_1 k_3 k_6 k_9 - k_1 k_3 k_6 k_9 - k_1 k_6 k_7 k_9 - k_1 k_6 k_8 k_{10} - k_1 k_6 k_8 k_{10} - k_1 k_6 k_9 k_{10})$ 

```
-k_{2}k_{4}k_{6}k_{9}-k_{2}k_{4}k_{7}k_{8}-k_{2}k_{4}k_{7}k_{9}-k_{3}k_{4}k_{6}k_{8}-k_{3}k_{4}k_{6}k_{9}-k_{3}k_{4}k_{7}k_{8}
             -k_3 k_4 k_7 k_9 - k_3 k_4 k_8 k_{11} - k_3 k_4 k_9 k_{11} - k_4 k_6 k_8 k_{10} - k_4 k_6 k_9 k_{10} - k_4 k_7 k_8 k_{10}
             -k_4 k_7 k_8 k_{11} - k_4 k_7 k_9 k_{10} - k_4 k_7 k_9 k_{11} x_3 (k_1 k_5 k_{10} x_1 + k_1 k_6 k_{10} x_1 + k_2 k_5 k_8 k_{10} x_1 + k_2 k_5 k_8 k_{10} x_1 + k_3 k_5 k_{10} x_1 + k_4 k_7 k_9 k_{10} x_1 + k_5 k_5 k_8 k_{10} x_1 + k_5 k_5 k_8 k_{10} x_1 + k_5 k_5 k_{10} x_1 + k_5 
             +k_{2}k_{6}k_{8}+k_{2}k_{8}k_{11}+k_{3}k_{5}k_{8}+k_{3}k_{6}k_{8}+k_{3}k_{8}k_{11}+k_{5}k_{8}k_{10}+k_{6}k_{8}k_{10})
            (k_2 k_4 k_{11} x_1 + k_3 k_4 k_{11} x_1 + k_2 k_5 k_9 + k_2 k_6 k_9 + k_2 k_9 k_{11} + k_3 k_5 k_9 + k_3 k_6 k_9)
             +k_{3}k_{9}k_{11}+k_{5}k_{9}k_{10}+k_{6}k_{9}k_{10}) -k_{2}k_{5}k_{7}k_{8}-k_{2}k_{5}k_{7}k_{9}-k_{2}k_{6}k_{7}k_{8}
             -k_{2}k_{6}k_{7}k_{9}-k_{2}k_{7}k_{8}k_{11}-k_{2}k_{7}k_{9}k_{11}-k_{3}k_{5}k_{7}k_{8}-k_{3}k_{5}k_{7}k_{9}-k_{3}k_{6}k_{7}k_{8}
             -k_{3}k_{6}k_{7}k_{9}-k_{3}k_{7}k_{8}k_{11}-k_{3}k_{7}k_{9}k_{11}-k_{5}k_{7}k_{8}k_{10}-k_{5}k_{7}k_{9}k_{10}-k_{6}k_{7}k_{8}k_{10}
             -k_{6}k_{7}k_{0}k_{10}
\triangleright polSubs := numer(detSubs):
 > finalPol := collect(polSubs, \{x_1, x_3\},'distributed')
finalPol := \left(k_1^2 \, k_3 \, k_4 \, k_5 \, k_9 \, k_{10} - k_1^2 \, k_3 \, k_4 \, k_5 \, k_{10} \, k_{11} + k_1^2 \, k_3 \, k_4 \, k_6 \, k_9 \, k_{10} - k_1^2 \, k_3 \, k_4 \, k_6 \, k_{10} \, k_{11} \right)
                                                                                                                                                                                                                                      (1.5)
             -k_1^2 k_4 k_5 k_6 k_9 k_{10} - k_1^2 k_4 k_5 k_6 k_{10}^2 - k_1^2 k_4 k_5 k_7 k_{10}^2 - k_1^2 k_4 k_5 k_7 k_{10} k_{11} - k_1^2 k_4
           k_6^2 k_9 k_{10} - k_1^2 k_4 k_6^2 k_{10}^2 - k_1^2 k_4 k_6 k_7 k_{10}^2 - k_1^2 k_4 k_6 k_7 k_{10} k_{11} - k_1 k_2 k_3 k_4^2 k_8 k_{11}
             -k_1 k_2 k_3 k_4^2 k_{11}^2 + k_1 k_2 k_4^2 k_6 k_8 k_{11} - k_1 k_2 k_4^2 k_6 k_{10} k_{11} - k_1 k_2 k_4^2 k_7 k_{10} k_{11} - k_1 k_2
           k_4^2 k_7 k_{11}^2 - k_1 k_3^2 k_4^2 k_8 k_{11} - k_1 k_3^2 k_4^2 k_{11}^2 + k_1 k_3 k_4^2 k_6 k_8 k_{11} - k_1 k_3 k_4^2 k_6 k_{10} k_{11}
             -k_1 k_3 k_4^2 k_7 k_{10} k_{11} - k_1 k_3 k_4^2 k_7 k_{11}^2 x_1^2 x_3 + (-2 k_1 k_2 k_3 k_4 k_5 k_8 k_{11})
             -2k_1k_2k_3k_4k_5k_9k_{11}-2k_1k_2k_3k_4k_6k_8k_{11}-2k_1k_2k_3k_4k_6k_9k_{11}
             -2k_1k_2k_3k_4k_8k_{11}^2-2k_1k_2k_3k_4k_6k_{11}^2-2k_1k_2k_4k_5k_6k_8k_{10}
             -2k_{1}k_{2}k_{4}k_{5}k_{6}k_{9}k_{10}-2k_{1}k_{2}k_{4}k_{5}k_{7}k_{8}k_{10}-2k_{1}k_{2}k_{4}k_{5}k_{7}k_{8}k_{11}
             -2k_1k_2k_4k_5k_7k_9k_{10} - 2k_1k_2k_4k_5k_7k_9k_{11} - 2k_1k_2k_4k_6^2k_8k_{10} - 2k_1k_2k_4
           k_{6}^{2}\,k_{9}\,k_{10}-2\,k_{1}\,k_{2}\,k_{4}\,k_{6}\,k_{7}\,k_{8}\,k_{10}-2\,k_{1}\,k_{2}\,k_{4}\,k_{6}\,k_{7}\,k_{8}\,k_{11}-2\,k_{1}\,k_{2}\,k_{4}\,k_{6}\,k_{7}\,k_{9}\,k_{10}
             -2k_1k_2k_4k_6k_7k_9k_{11}-2k_1k_2k_4k_6k_8k_{10}k_{11}-2k_1k_2k_4k_6k_9k_{10}k_{11}
             -2k_1k_2k_4k_7k_8k_{10}k_{11}-2k_1k_2k_4k_7k_8k_{11}^2-2k_1k_2k_4k_7k_9k_{10}k_{11}
             -2k_1k_2k_4k_7k_0k_{11}^2 - 2k_1k_2^2k_4k_5k_0k_{11} - 2k_1k_2^2k_4k_5k_0k_{11} - 2k_1k_2^2k_4k_6k_0k_{11}
             -2k_1k_3^2k_4k_6k_9k_{11}-2k_1k_3^2k_4k_8k_{11}^2-2k_1k_3^2k_4k_9k_{11}^2-2k_1k_3k_4k_5k_6k_8k_{10}
             -2k_1k_3k_4k_5k_6k_9k_{10}-2k_1k_3k_4k_5k_7k_8k_{10}-2k_1k_3k_4k_5k_7k_8k_{11}
```

 $-2k_1k_2k_4k_5k_7k_9k_{10}-2k_1k_3k_4k_5k_7k_9k_{11}-2k_1k_3k_4k_5k_8k_{10}k_{11}$ 

```
-2k_1k_3k_4k_5k_9k_{10}k_{11}-2k_1k_3k_4k_6^2k_8k_{10}-2k_1k_3k_4k_6^2k_9k_{10}
 -2k_1k_3k_4k_6k_7k_8k_{10} - 2k_1k_3k_4k_6k_7k_8k_{11} - 2k_1k_3k_4k_6k_7k_9k_{10}
 -2k_1k_3k_4k_6k_7k_9k_{11}-4k_1k_3k_4k_6k_8k_{10}k_{11}-4k_1k_3k_4k_6k_9k_{10}k_{11}
 -2k_1k_2k_4k_7k_8k_{10}k_{11}-2k_1k_3k_4k_7k_8k_{11}^2-2k_1k_3k_4k_7k_9k_{10}k_{11}
 -2k_1k_3k_4k_7k_9k_{11}^2 - 2k_1k_4k_5k_6k_8k_{10}^2 - 2k_1k_4k_5k_6k_9k_{10}^2 - 2k_1k_4k_5k_7k_8k_{10}^2
 -2k_1k_4k_5k_7k_8k_{10}k_{11}-2k_1k_4k_5k_7k_9k_{10}^2-2k_1k_4k_5k_7k_9k_{10}k_{11}-2k_1k_4k_6^2k_9
k_{10}^2 - 2 k_1 k_4 k_6^2 k_9 k_{10}^2 - 2 k_1 k_4 k_6 k_7 k_8 k_{10}^2 - 2 k_1 k_4 k_6 k_7 k_8 k_{10} k_{11} - 2 k_1 k_4 k_6 k_7 k_9
k_{10}^2 - 2 k_1 k_4 k_6 k_7 k_9 k_{10} k_{11}  ) x_1 x_3 - k_2^2 k_5^2 k_7 k_9^2 - k_2^2 k_6^2 k_7 k_9^2 - k_2^2 k_7 k_9^2 k_{11} - k_2^2 k_5^2 k_7 k_9^2 + k_1^2 k_1^2 k_2^2 k_7 k_9^2 + k_2^2 k_1^2 k
k_0^2 - k_3^2 k_6^2 k_7 k_0^2 - k_3^2 k_7 k_0^2 k_{11}^2 - k_5^2 k_7 k_0^2 k_{10}^2 - k_6^2 k_7 k_0^2 k_{10}^2 - 4 k_2 k_3 k_5 k_6 k_7 k_8 k_0
 -4k_{2}k_{3}k_{5}k_{7}k_{8}k_{9}k_{11}-4k_{2}k_{3}k_{6}k_{7}k_{8}k_{9}k_{11}-4k_{2}k_{5}k_{6}k_{7}k_{8}k_{9}k_{10}
 -2k_2k_5k_7k_8k_9k_{10}k_{11}-2k_2k_6k_7k_8k_9k_{10}k_{11}-4k_3k_5k_6k_7k_8k_9k_{10}
 -2 k_3 k_5 k_7 k_8 k_9 k_{10} k_{11} - 2 k_3 k_6 k_7 k_8 k_9 k_{10} k_{11} + (-k_1 k_2 k_5^2 k_7 k_9^2 - k_1 k_2)
k_5^2 k_7 k_9 k_{10} - 2 k_1 k_2 k_5 k_6 k_7 k_9^2 - 2 k_1 k_2 k_5 k_6 k_7 k_9 k_{10} - k_1 k_2 k_5 k_7 k_9^2 k_{10}
 -2k_1k_2k_5k_7k_9^2k_{11}-k_1k_2k_5k_7k_9k_{10}k_{11}-k_1k_2k_6^2k_7k_9^2-k_1k_2k_6^2k_7k_9k_{10}
 -k_1 k_2 k_6 k_7 k_9^2 k_{10} - 2 k_1 k_2 k_6 k_7 k_9^2 k_{11} - k_1 k_2 k_6 k_7 k_9 k_{10} k_{11} - k_1 k_2 k_7 k_9^2 k_{10} k_{11}
 -k_1 k_2 k_3 k_6^2 k_{11}^2 - k_1 k_3 k_5^2 k_7 k_9^2 - k_1 k_3 k_5^2 k_7 k_9 k_{10} - 2 k_1 k_3 k_5 k_6 k_7 k_9^2
 -2k_1k_3k_5k_6k_7k_9k_{10}-k_1k_3k_5k_7k_9^2k_{10}-2k_1k_3k_5k_7k_9^2k_{11}
 -k_1 k_2 k_5 k_7 k_0 k_{10} k_{11} - k_1 k_2 k_6^2 k_7 k_9^2 - k_1 k_3 k_6^2 k_7 k_9 k_{10} - k_1 k_3 k_6 k_7 k_9^2 k_{10}
 -2k_1k_3k_6k_7k_9^2k_{11}-k_1k_3k_6k_7k_9k_{10}k_{11}-k_1k_3k_7k_9^2k_{10}k_{11}-k_1k_3k_7k_9^2k_{11}^2
 -k_1 k_5^2 k_7 k_9^2 k_{10} - k_1 k_5^2 k_7 k_9 k_{10}^2 - 2 k_1 k_5 k_6 k_7 k_9^2 k_{10} - 2 k_1 k_5 k_6 k_7 k_9 k_{10}^2
 -k_1 k_5 k_7 k_9^2 k_{10}^2 - k_1 k_5 k_7 k_9^2 k_{10} k_{11} - k_1 k_6^2 k_7 k_9^2 k_{10} - k_1 k_6^2 k_7 k_9 k_{10}^2 - k_1 k_6 k_7 k_9^2
k_{10}^2 - k_1 k_6 k_7 k_9^2 k_{10} k_{11} - k_2^2 k_4 k_5 k_7 k_8 k_9 - k_2^2 k_4 k_5 k_7 k_8 k_{11} - 2 k_2^2 k_4 k_5 k_7 k_9 k_{11} -
k_{2}^{2} k_{4} k_{6} k_{7} k_{8} k_{9} - k_{2}^{2} k_{4} k_{6} k_{7} k_{8} k_{11} - 2 k_{2}^{2} k_{4} k_{6} k_{7} k_{9} k_{11} - k_{2}^{2} k_{4} k_{7} k_{8} k_{9} k_{11} -
k_{2}^{2} k_{4} k_{7} k_{8} k_{11}^{2} - 2 k_{2}^{2} k_{4} k_{7} k_{9} k_{11}^{2} - 2 k_{2} k_{3} k_{4} k_{5} k_{7} k_{8} k_{9} - 2 k_{2} k_{3} k_{4} k_{5} k_{7} k_{8} k_{11}
 -4k_{2}k_{3}k_{4}k_{5}k_{7}k_{9}k_{11}-2k_{2}k_{3}k_{4}k_{6}k_{7}k_{8}k_{9}-2k_{2}k_{3}k_{4}k_{6}k_{7}k_{8}k_{11}
 -4k_{2}k_{3}k_{4}k_{6}k_{7}k_{9}k_{11}-2k_{2}k_{3}k_{4}k_{7}k_{8}k_{9}k_{11}-2k_{2}k_{3}k_{4}k_{7}k_{8}k_{11}^{2}
 -4k_{2}k_{3}k_{4}k_{7}k_{9}k_{11}^{2}-2k_{2}k_{4}k_{5}k_{7}k_{8}k_{9}k_{10}-k_{2}k_{4}k_{5}k_{7}k_{8}k_{9}k_{11}
```

```
-k_{2}k_{4}k_{5}k_{7}k_{8}k_{10}k_{11}-2k_{2}k_{4}k_{5}k_{7}k_{9}k_{10}k_{11}-2k_{2}k_{4}k_{6}k_{7}k_{8}k_{9}k_{10}
-k_2 k_4 k_6 k_7 k_8 k_0 k_{11} - k_2 k_4 k_6 k_7 k_8 k_{10} k_{11} - 2 k_2 k_4 k_6 k_7 k_0 k_{10} k_{11}
-k_{2}k_{4}k_{7}k_{8}k_{9}k_{10}k_{11}-k_{2}k_{4}k_{7}k_{8}k_{9}k_{11}^{2}-k_{3}^{2}k_{4}k_{5}k_{7}k_{8}k_{9}-k_{3}^{2}k_{4}k_{5}k_{7}k_{8}k_{11}-2
k_3^2 k_4 k_5 k_7 k_9 k_{11} - k_3^2 k_4 k_6 k_7 k_8 k_9 - k_3^2 k_4 k_6 k_7 k_8 k_{11} - 2 k_3^2 k_4 k_6 k_7 k_9 k_{11} -
k_3^2 k_4 k_7 k_8 k_9 k_{11} - k_3^2 k_4 k_7 k_8 k_{11}^2 - 2 k_3^2 k_4 k_7 k_9 k_{11}^2 - 2 k_3 k_4 k_5 k_7 k_8 k_9 k_{10}
-k_3 k_4 k_5 k_7 k_8 k_9 k_{11} - k_3 k_4 k_5 k_7 k_8 k_{10} k_{11} - 2 k_3 k_4 k_5 k_7 k_9 k_{10} k_{11}
-2k_{3}k_{4}k_{6}k_{7}k_{8}k_{0}k_{10}-k_{3}k_{4}k_{6}k_{7}k_{8}k_{0}k_{11}-k_{3}k_{4}k_{6}k_{7}k_{8}k_{10}k_{11}
-2 k_3 k_4 k_6 k_7 k_9 k_{10} k_{11} - k_3 k_4 k_7 k_8 k_9 k_{10} k_{11} - k_3 k_4 k_7 k_8 k_9 k_{11}^2 - k_4 k_5 k_7 k_8 k_9 k_{10}^2
k_5^2 k_8 k_9 - k_1 k_2 k_3 k_5^2 k_9^2 - 2 k_1 k_2 k_3 k_5 k_6 k_8 k_9 - 2 k_1 k_2 k_3 k_5 k_6 k_9^2
-2k_1k_2k_3k_5k_8k_9k_{11}-2k_1k_2k_3k_5k_9^2k_{11}-k_1k_2k_3k_6^2k_8k_9-k_1k_2k_3k_6^2k_9^2
-2k_1k_2k_3k_6k_8k_9k_{11}-2k_1k_2k_3k_6k_9^2k_{11}-k_1k_2k_3k_8k_9k_{11}^2-k_1k_2k_3k_8^2k_{11}^2
-k_1 k_2 k_5^2 k_7 k_8 k_9 - k_1 k_2 k_5^2 k_7 k_9^2 - 2 k_1 k_2 k_5 k_6 k_7 k_8 k_9 - 2 k_1 k_2 k_5 k_6 k_7 k_9^2
-k_1 k_2 k_5 k_6 k_8 k_9 k_{10} - k_1 k_2 k_5 k_6 k_9^2 k_{10} - k_1 k_2 k_5 k_7 k_8 k_9 k_{10}
-2k_1k_2k_5k_7k_8k_9k_{11}-k_1k_5k_5k_7k_9^2k_{10}-2k_1k_5k_5k_7k_9^2k_{11}-k_1k_2k_6^2k_7k_8k_9
-k_1 k_2 k_6^2 k_7 k_9^2 - k_1 k_2 k_6^2 k_8 k_9 k_{10} - k_1 k_2 k_6^2 k_9^2 k_{10} - k_1 k_2 k_6 k_7 k_8 k_9 k_{10}
-2k_1k_2k_6k_7k_8k_9k_{11}-k_1k_2k_6k_7k_9^2k_{10}-2k_1k_2k_6k_7k_9^2k_{11}
-k_1 k_2 k_6 k_8 k_9 k_{10} k_{11} - k_1 k_2 k_6 k_9^2 k_{10} k_{11} - k_1 k_2 k_7 k_8 k_9 k_{10} k_{11} - k_1 k_2 k_7 k_8 k_9 k_{11}^2
-k_{1} k_{2} k_{7} k_{9}^{2} k_{10} k_{11} - k_{1} k_{2} k_{7} k_{9}^{2} k_{11}^{2} - k_{1} k_{3}^{2} k_{5}^{2} k_{8} k_{0} - k_{1} k_{3}^{2} k_{5}^{2} k_{0}^{2} - 2 k_{1} k_{3}^{2} k_{5} k_{6} k_{0} k_{0}
-2k_1k_3^2k_5k_6k_9^2-2k_1k_3^2k_5k_8k_9k_{11}-2k_1k_3^2k_5k_9^2k_{11}-k_1k_3^2k_6^2k_8k_9-k_1k_3^2k_6^2k_9^2
-2k_1k_3^2k_6k_8k_9k_{11}-2k_1k_3^2k_6k_9^2k_{11}-k_1k_3^2k_8k_9k_{11}^2-k_1k_3^2k_9^2k_{11}^2-k_1k_3
k_{5}^{2} k_{7} k_{8} k_{0} - k_{1} k_{3} k_{5}^{2} k_{7} k_{0}^{2} - k_{1} k_{3} k_{5}^{2} k_{8} k_{0} k_{10} - k_{1} k_{3} k_{5}^{2} k_{0}^{2} k_{10} - 2 k_{1} k_{3} k_{5} k_{6} k_{7} k_{8} k_{0}
-2 k_1 k_3 k_5 k_6 k_7 k_9^2 - 3 k_1 k_3 k_5 k_6 k_8 k_9 k_{10} - 3 k_1 k_3 k_5 k_6 k_9^2 k_{10}
-k_1 k_3 k_5 k_7 k_8 k_0 k_{10} - 2 k_1 k_3 k_5 k_7 k_8 k_0 k_{11} - k_1 k_3 k_5 k_7 k_0^2 k_{10} - 2 k_1 k_3 k_5 k_7 k_0^2 k_{11}
-k_1 k_3 k_5 k_8 k_9 k_{10} k_{11} - k_1 k_3 k_5 k_9^2 k_{10} k_{11} - k_1 k_3 k_6^2 k_7 k_8 k_9 - k_1 k_3 k_6^2 k_7 k_9^2
-2k_1k_3k_6^2k_8k_9k_{10}-2k_1k_3k_6^2k_9^2k_{10}-k_1k_3k_6k_7k_8k_9k_{10}-2k_1k_3k_6k_7k_8k_9k_{11}
-k_1 k_3 k_6 k_7 k_9^2 k_{10} - 2 k_1 k_3 k_6 k_7 k_9^2 k_{11} - 2 k_1 k_3 k_6 k_8 k_9 k_{10} k_{11} - 2 k_1 k_3 k_6
```

```
k_9^2 k_{10} k_{11} - k_1 k_3 k_7 k_8 k_9 k_{10} k_{11} - k_1 k_3 k_7 k_8 k_9 k_{11}^2 - k_1 k_3 k_7 k_9^2 k_{10} k_{11} - k_1 k_3 k_7 k_9^2
k_{11}^2 - k_1 k_5^2 k_7 k_8 k_9 k_{10} - k_1 k_5^2 k_7 k_9^2 k_{10} - 2 k_1 k_5 k_6 k_7 k_8 k_9 k_{10} - 2 k_1 k_5 k_6 k_7 k_9^2 k_{10}
  -k_1 k_5 k_6 k_8 k_9 k_{10}^2 - k_1 k_5 k_6 k_9^2 k_{10}^2 - k_1 k_5 k_7 k_8 k_9 k_{10}^2 - k_1 k_5 k_7 k_8 k_9 k_{10} k_{11}
  -k_1 k_5 k_7 k_9^2 k_{10}^2 - k_1 k_5 k_7 k_9^2 k_{10} k_{11} - k_1 k_6^2 k_7 k_8 k_9 k_{10} - k_1 k_6^2 k_7 k_9^2 k_{10} - k_1
k_6^2 k_8 k_9 k_{10}^2 - k_1 k_6^2 k_9^2 k_{10}^2 - k_1 k_6 k_7 k_8 k_9 k_{10}^2 - k_1 k_6 k_7 k_8 k_9 k_{10} k_{11} - k_1 k_6 k_7 k_9^2 k_{10}^2
  -k_1 k_6 k_7 k_9^2 k_{10} k_{11} - k_2^2 k_4 k_5 k_6 k_8^2 - k_2^2 k_4 k_5 k_6 k_8 k_9 - k_2^2 k_4 k_5 k_7 k_8^2 -
k_{2}^{2} k_{4} k_{5} k_{7} k_{8} k_{9} - k_{2}^{2} k_{4} k_{6}^{2} k_{8}^{2} - k_{2}^{2} k_{4} k_{6}^{2} k_{8} k_{9} - k_{2}^{2} k_{4} k_{6} k_{7} k_{8}^{2} - k_{2}^{2} k_{4} k_{6} k_{7} k_{8} k_{9} - k_{2}^{2} k_{4} k_{6} k_{7} k_{8}^{2} - k_{2}^{2} k_{4} k_{6} k_{7} k_{8} k_{9} - k_{2}^{2} k_{4} k_{6} k_{7} k_{9} k_{9} - k_{2}^{2} k_{4} k_{6} k_{7} k_{9} k_{9} - k_{2}^{2} k_{4} k_{9} k_{9} - k_{2}^{2} k_{9} k_{9} k_{9} - k_{2}^{2} k_{9} k_{9} - k_{2}^{2} k_{9} k_{9} - k_{2}^{2} k_{9} k_{9} k_{9} - k_{2}^{2} k_{9} k_{9} - k_{2}^{2} k_{9} k_{9} k_{9} + k_{2}^{2} k_{9} k_{9
k_2^2 \, k_4 \, k_6 \, k_8^2 \, k_{11} - k_2^2 \, k_4 \, k_6 \, k_8 \, k_9 \, k_{11} - k_2^2 \, k_4 \, k_7 \, k_8^2 \, k_{11} - k_2^2 \, k_4 \, k_7 \, k_8 \, k_9 \, k_{11}
  -2k_{1}k_{3}k_{4}k_{5}k_{6}k_{8}^{2}-2k_{1}k_{3}k_{4}k_{5}k_{6}k_{8}k_{9}-2k_{1}k_{3}k_{4}k_{5}k_{7}k_{8}^{2}-2k_{1}k_{3}k_{4}k_{5}k_{7}k_{8}k_{9}
  -k_{2}k_{3}k_{4}k_{5}k_{8}^{2}k_{11}-k_{2}k_{3}k_{4}k_{5}k_{8}k_{9}k_{11}-2k_{2}k_{3}k_{4}k_{6}^{2}k_{8}^{2}-2k_{2}k_{3}k_{4}k_{6}^{2}k_{8}k_{9}
  -2k_{1}k_{3}k_{4}k_{6}k_{7}k_{8}^{2}-2k_{2}k_{3}k_{4}k_{6}k_{7}k_{8}k_{9}-3k_{1}k_{3}k_{4}k_{6}k_{8}^{2}k_{11}
  -3 k_2 k_3 k_4 k_6 k_8 k_9 k_{11} - 2 k_2 k_3 k_4 k_7 k_8^2 k_{11} - 2 k_2 k_3 k_4 k_7 k_8 k_9 k_{11} - k_2 k_3 k_4 k_8^2 k_{11}^2
  -k_2 k_3 k_4 k_8 k_9 k_{11}^2 - 2 k_2 k_4 k_5 k_6 k_8^2 k_{10} - 2 k_2 k_4 k_5 k_6 k_8 k_9 k_{10} - 2 k_2 k_4 k_5 k_7 k_8^2 k_{10}
  -k_2 k_4 k_5 k_7 k_8^2 k_{11} - 2 k_2 k_4 k_5 k_7 k_8 k_9 k_{10} - k_2 k_4 k_5 k_7 k_8 k_9 k_{11} - 2 k_5 k_4 k_6^2 k_8^2 k_{10}
  -2k_2k_4k_6^2k_8k_9k_{10} - 2k_2k_4k_6k_7k_8^2k_{10} - k_2k_4k_6k_7k_8^2k_{11} - 2k_2k_4k_6k_7k_8k_9k_{10}
  -k_2 k_4 k_6 k_7 k_8 k_9 k_{11} - k_2 k_4 k_6 k_8^2 k_{10} k_{11} - k_2 k_4 k_6 k_8 k_9 k_{10} k_{11} - k_2 k_4 k_7 k_8^2 k_{10} k_{11}
  -k_{2}k_{4}k_{7}k_{8}^{2}k_{11}^{2}-k_{2}k_{4}k_{7}k_{8}k_{9}k_{10}k_{11}-k_{2}k_{4}k_{7}k_{8}k_{9}k_{11}^{2}-k_{3}^{2}k_{4}k_{5}k_{6}k_{8}^{2}-
k_3^2 k_4 k_5 k_6 k_8 k_0 - k_3^2 k_4 k_5 k_7 k_8^2 - k_3^2 k_4 k_5 k_7 k_8 k_0 - k_3^2 k_4 k_5 k_8^2 k_{11} - k_3^2 k_4 k_5 k_8 k_0 k_{11}
   -k_3^2 k_4 k_6^2 k_8^2 - k_3^2 k_4 k_6^2 k_8 k_9 - k_3^2 k_4 k_6 k_7 k_8^2 - k_3^2 k_4 k_6 k_7 k_8 k_9 - 2 k_3^2 k_4 k_6 k_8^2 k_{11} - 2
k_3^2 k_4 k_6 k_8 k_0 k_{11} - k_3^2 k_4 k_7 k_8^2 k_{11} - k_3^2 k_4 k_7 k_8 k_0 k_{11} - k_3^2 k_4 k_8^2 k_{11}^2 - k_3^2 k_4 k_8 k_0 k_{11}^2
  -2k_3k_4k_5k_6k_8^2k_{10} - 2k_3k_4k_5k_6k_8k_9k_{10} - 2k_3k_4k_5k_7k_8^2k_{10} - k_3k_4k_5k_7k_8^2k_{11}
  -2k_3k_4k_5k_7k_8k_9k_{10}-k_3k_4k_5k_7k_8k_9k_{11}-k_3k_4k_5k_8^2k_{10}k_{11}
  -k_3 k_4 k_5 k_8 k_9 k_{10} k_{11} - 2 k_3 k_4 k_6^2 k_8^2 k_{10} - 2 k_3 k_4 k_6^2 k_8 k_9 k_{10} - 2 k_3 k_4 k_6 k_7 k_8^2 k_{10}
  -k_3 k_4 k_6 k_7 k_8^2 k_{11} - 2 k_3 k_4 k_6 k_7 k_8 k_9 k_{10} - k_3 k_4 k_6 k_7 k_8 k_9 k_{11} - 2 k_3 k_4 k_6
k_{8}^{2} k_{10} k_{11} - 2 k_{3} k_{4} k_{6} k_{8} k_{9} k_{10} k_{11} - k_{3} k_{4} k_{7} k_{8}^{2} k_{10} k_{11} - k_{3} k_{4} k_{7} k_{8}^{2} k_{11}^{2}
  -k_3 k_4 k_7 k_8 k_9 k_{10} k_{11} - k_3 k_4 k_7 k_8 k_9 k_{11}^2 - k_4 k_5 k_6 k_8^2 k_{10}^2 - k_4 k_5 k_6 k_8 k_9 k_{10}^2
  -k_{4} k_{5} k_{7} k_{8}^{2} k_{10}^{2} - k_{4} k_{5} k_{7} k_{8}^{2} k_{10} k_{11} - k_{4} k_{5} k_{7} k_{8} k_{9} k_{10}^{2} - k_{4} k_{5} k_{7} k_{8} k_{9} k_{10} k_{11} - k_{4} k_{5} k_{7} k_{9} k_{9} k_{10} k_{11} - k_{4} k_{9} k_{9} k_{10} k_{11} - k_{4} k_{9} k_{9} k_{10} k_{11} - k_{4} k
```

$$\begin{aligned} & k_0^2 k_0^2 k_{10}^2 - k_4 k_0^2 k_0 k_0 k_{10}^2 - k_4 k_0 k_7 k_0^2 k_{10}^2 - k_4 k_0 k_7 k_0^2 k_1 k_{11} - k_4 k_0 k_7 k_0 k_0 k_{11}^2 \\ & - k_4 k_0 k_7 k_0 k_0 k_{11} \right) x_3 + \left( -k_1 k_2 k_4^2 k_7 k_{10} k_{11} - k_1 k_2 k_4^2 k_7 k_{11}^2 - k_1 k_3 \right. \\ & k_4^2 k_7 k_{10} k_{11} - k_1 k_3 k_4^2 k_7 k_{11}^2 \right) x_1^3 + \left( -k_1 k_2 k_4 k_5 k_7 k_9 k_{10} - 2 k_1 k_2 k_4 k_5 k_7 k_9 k_{11} \right. \\ & - k_1 k_2 k_4 k_5 k_7 k_{10} k_{11} - k_1 k_2 k_4 k_6 k_7 k_9 k_{10} - 2 k_1 k_2 k_4 k_6 k_7 k_9 k_{11} \right. \\ & - k_1 k_2 k_4 k_5 k_7 k_{10} k_{11} - 2 k_1 k_2 k_4 k_7 k_9 k_{10} k_{11} - 2 k_1 k_2 k_4 k_7 k_9 k_{11}^2 \right. \\ & - k_1 k_2 k_4 k_6 k_7 k_{10} k_{11} - 2 k_1 k_2 k_4 k_7 k_9 k_{10} k_{11} - 2 k_1 k_2 k_4 k_7 k_9 k_{11}^2 \right. \\ & - k_1 k_3 k_4 k_5 k_7 k_9 k_{10} - 2 k_1 k_3 k_4 k_5 k_7 k_9 k_{11} - k_1 k_3 k_4 k_5 k_7 k_0 k_{11}^2 \right. \\ & - k_1 k_3 k_4 k_6 k_7 k_9 k_{10} - 2 k_1 k_3 k_4 k_5 k_7 k_9 k_{11} - k_1 k_3 k_4 k_5 k_7 k_0 k_{10}^2 \right. \\ & - k_1 k_3 k_4 k_7 k_9 k_{10} k_{11} - 2 k_1 k_3 k_4 k_7 k_9 k_{11}^2 - k_1 k_3 k_4 k_5 k_7 k_9 k_{10}^2 \\ & - k_1 k_4 k_5 k_7 k_9 k_{10} k_{11} - k_1 k_4 k_6 k_7 k_9 k_{11}^2 - k_1 k_4 k_5 k_7 k_9 k_{10}^2 \\ & - k_1 k_4 k_5 k_7 k_9 k_{10} k_{11} - k_1 k_4 k_6 k_7 k_9 k_{10}^2 - k_1 k_4 k_6 k_7 k_9 k_{10} k_{11} - k_2 k_4^2 k_7 k_8 k_{11} - k_2^2 k_4^2 k_7 k_8 k_{10} k_{11} - k_2 k_4^2 k_7 k_8 k_{11} - k_2^2 k_4^2 k_7 k_8 k_{11} - k_2^2 k_5^2 k_7 k_8 k_9 k_{11} - 2 k_2 k_3 k_7^2 k_7 k_8 k_9 k_{11}^2 - 2 k_2 k_5 k_7 k_9^2 k_{10} k_{11} - k_2 k_4^2 k_7 k_8 k_9 k_{11} - 2 k_2 k_3 k_7 k_8 k_9 k_{11}^2 - 2 k_2 k_5 k_7 k_9^2 k_{10} k_{11} - k_2 k_3^2 k_5^2 k_7 k_8 k_9 k_{11} - 2 k_2 k_5^2 k_7 k_8 k_9 k_{11} - 2 k_3 k_5^2 k_7 k_8 k_9 k_{11} - 2 k_2 k_5^2 k_7 k_8 k_9 k_{11} - 2 k_2 k_5^2 k_6 k_7 k_8 k_9 k_{11} - 2 k_2 k_5^2 k_6 k_7 k_8 k_9 k_{11} - 2 k_2 k_5 k_6 k_7 k_9^2 k_{10} - 2 k_2 k_5^2 k_7$$

We look at the coefficients of mypol in x1 and x3 that do not have necessarily negative sign. (????) I did it manually, but I only see one such term:

 $\begin{array}{l} \text{ > } term := \left(k_{1}^{2} \, k_{3} \, k_{4} \, k_{5} \, k_{9} \, k_{10} - k_{1}^{2} \, k_{3} \, k_{4} \, k_{5} \, k_{10} \, k_{11} + k_{1}^{2} \, k_{3} \, k_{4} \, k_{6} \, k_{9} \, k_{10} - k_{1}^{2} \, k_{3} \, k_{4} \, k_{6} \, k_{10} \, k_{11} - k_{1}^{2} \, k_{4} \, k_{5} \, k_{6} \, k_{9} \, k_{10} - k_{1}^{2} \, k_{4} \, k_{5} \, k_{6} \, k_{10}^{2} - k_{1}^{2} \, k_{4} \, k_{5} \, k_{7} \, k_{10}^{2} - k_{1}^{2} \, k_{4} \, k_{5} \, k_{7} \, k_{10} \, k_{11} - k_{1}^{2} \, k_{4} \, k_{6}^{2} \, k_{9} \, k_{10} \\ \end{array}$ 

"Now the trick resides on finding parameters of the rate constants k such that the term is positive." Thus we try to search parameter set that make *term* positive.

However, we need to compute some parameters with biological meaning/sense, by considering the constraint on parameter range and constraint on allosteric model (thermodynamic cycle).

First, we impose the thermodynamic cycle:

$$\begin{array}{l} \begin{subarray}{l} \begin{subarray}{l$$

$$-\frac{1}{k_{2}}\left(k_{1}\,k_{4}\,\left(k_{1}\,k_{2}\,k_{3}\,k_{5}\,k_{10}\,k_{11}-k_{1}\,k_{2}\,k_{3}\,k_{6}\,k_{9}\,k_{10}+k_{1}\,k_{2}\,k_{3}\,k_{6}\,k_{10}\,k_{11}+k_{1}\,k_{2}\,k_{5}\,k_{6}\,k_{10}^{2}\right)\right.$$

$$\left.+k_{1}\,k_{2}\,k_{5}\,k_{7}\,k_{10}^{2}+k_{1}\,k_{2}\,k_{5}\,k_{7}\,k_{10}\,k_{11}+k_{1}\,k_{2}\,k_{6}^{2}\,k_{9}\,k_{10}+k_{1}\,k_{2}\,k_{6}^{2}\,k_{10}^{2}+k_{1}\,k_{2}\,k_{6}\,k_{7}\,k_{10}^{2}\right.$$

$$\left.+k_{1}\,k_{2}\,k_{6}\,k_{7}\,k_{10}\,k_{11}+k_{1}\,k_{3}^{2}\,k_{5}\,k_{9}\,k_{10}-k_{1}\,k_{3}\,k_{5}\,k_{6}\,k_{9}\,k_{10}+k_{2}^{2}\,k_{3}\,k_{4}\,k_{11}^{2}+k_{2}^{2}\,k_{3}\,k_{4}\,k_{11}^{2}+k_{2}^{2}\,k_{4}\,k_{7}\,k_{10}\,k_{11}+k_{2}^{2}\,k_{4}\,k_{7}\,k_{10}\,k_{11}+k_{2}^{2}\,k_{4}\,k_{7}\,k_{11}^{2}+k_{2}\,k_{3}^{2}\,k_{4}\,k_{11}^{2}+k_{2}\,k_{3}^{2}\,k_{4}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{4}^{2}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{11}^{2}+k_{2}^{2}\,k_{3}^{2}\,k_{11}^{2}+k_{2}$$

> finalTerm := 
$$-(k_1 k_2 k_3 k_5 k_{10} k_{11} - k_1 k_2 k_3 k_6 k_9 k_{10} + k_1 k_2 k_3 k_6 k_{10} k_{11} + k_1 k_2 k_5 k_6 k_{10}^2 + k_1 k_2 k_5 k_7 k_{10}^2 + k_1 k_2 k_5 k_7 k_{10} k_{11} + k_1 k_2 k_6^2 k_9 k_{10} + k_1 k_2 k_6^2 k_{10}^2 + k_1 k_2 k_6 k_7 k_{10} k_{11} + k_1 k_3^2 k_5 k_9 k_{10} - k_1 k_3 k_5 k_6 k_9 k_{10} + k_2^2 k_3 k_4 k_{11}^2 + k_2^2 k_4 k_6 k_{10} k_{11} + k_2^2 k_4 k_7 k_{10} k_{11} + k_2^2 k_4 k_7 k_{11}^2 + k_2 k_3^2 k_4 k_{11}^2 + k_2 k_3 k_4 k_6 k_{10} k_{11} + k_2 k_3 k_4 k_7 k_{10}^2 k_{11} + k_2 k_3 k_4 k_7 k_{11}^2)$$

$$final Term := -k_1 \ k_2 \ k_3 \ k_5 \ k_{10} \ k_{11} + k_1 \ k_2 \ k_3 \ k_6 \ k_9 \ k_{10} - k_1 \ k_2 \ k_3 \ k_6 \ k_{10} \ k_{11} - k_1 \ k_2 \ k_5 \ k_6 \ k_{10}^2$$

$$- k_1 \ k_2 \ k_5 \ k_7 \ k_{10}^2 - k_1 \ k_2 \ k_5 \ k_7 \ k_{10} \ k_{11} - k_1 \ k_2 \ k_6^2 \ k_9 \ k_{10} - k_1 \ k_2 \ k_6^2 \ k_{10}^2 - k_1 \ k_2 \ k_6 \ k_7 \ k_{10}^2$$

$$- k_1 \ k_2 \ k_6 \ k_7 \ k_{10} \ k_{11} - k_1 \ k_3^2 \ k_5 \ k_9 \ k_{10} + k_1 \ k_3 \ k_5 \ k_6 \ k_9 \ k_{10} - k_2^2 \ k_3 \ k_4 \ k_{11}^2 - k_2^2 \ k_4 \ k_7 \ k_{10} \ k_{11} - k_2^2 \ k_4 \ k_7 \ k_{11}^2 - k_2 \ k_3^2 \ k_4 \ k_{11}^2 - k_2 \ k_3 \ k_4 \ k_6 \ k_{10} \ k_{11} - k_2 \ k_3 \ k_4 \ k_7 \ k_{11}^2$$

$$- k_2 \ k_3 \ k_4 \ k_7 \ k_{10} \ k_{11} - k_2 \ k_3 \ k_4 \ k_7 \ k_{11}^2$$

Then, we impose the biochemical reaction network parameter ranges:

However, the search space is very big, can not search all of them. I will try to find an alternative way to do it.

The alternative way could be Monte Carlo method try to find some reasonable parameter sets. I will implement this in MATLAB.

> associationRate := 
$$evalf\left(seq\left(10^{-3}\cdot\left(10^{6}\right)^{\frac{i}{1023}}, i=0..1023\right)\right)$$
:  
# association rates are considered **to** be  $10^{-3} \sim 10^{3} \,\mu M^{-1} \cdot s^{-1}$   
>  $dissociationRate := evalf\left(seq\left(10^{-3}\cdot\left(10^{6}\right)^{\frac{i}{1023}}, i=0..1023\right)\right)$ :

```
#` 'dissociation rates are considered to be 10^{-3} \sim 10^3 s^{-1}
> switchingRate := evalf \left(seq\left(10^{-3} \cdot \left(10^{9}\right)^{\frac{i}{1023}}, i = 0..1023\right)\right):

# the range is assumed as 10^{-3} \sim 10^{6} s^{-1}
> concentration := evalf\left(seq\left(10^{-3}\cdot\left(10^{4}\right)^{\frac{i}{1023}}, i=0..1023\right)\right): # 1 molecule \approx 2 nM,
         signaling protein : 10^{-3} \sim 10 \,\mu M
   randomize(212314):
   roll := rand(1..1023):
\triangleright bistableSpacePositive := fopen("bistable_space_positive_solutions.txt", APPEND, TEXT):
\rightarrow bistableSpaceRealistic := fopen("bistable space realistic solutions.txt", APPEND, TEXT):
\rightarrow monostableSpaceRates := fopen("monostable_space_rates.txt", APPEND, TEXT):
> bistableSpaceRates := fopen("bistable space rates.txt", APPEND, TEXT):
> for number from 1 by 1 to 1000000 do
      rs := seq(roll(), i = 1..11):
      ps1 := associationRate[rs[1]]:
      ps2 := dissociationRate[rs[2]]:
      ps3 := catalyticRate[rs[3]]:
      ps4 := associationRate[rs[4]]:
      ps5 := dissociationRate[rs[5]]:
      ps6 := catalyticRate[rs[6]]:
      ps7 := catalyticRate[rs[7]]:
      ps8 := switchingRate[rs[8]]:
      ps9 := switchingRate[rs[9]]:
      ps10 := switchingRate[rs[10]]:
      ps11 := switchingRate[rs[11]]:
      \#ps8 := evalf\left(\frac{ps1 \cdot ps10 \cdot ps5 \cdot ps9}{ps11 \cdot ps4 \cdot ps2}\right):
      if ps8 \ge 10^{-3} and ps8 \le 10^6 then
         params := \{k[1] = ps1, k[2] = ps2, k[3] = ps3, k[4] = ps4, k[5] = ps5, k[6] = ps6,
        k[7] = ps7, k[8] = ps8, k[9] = ps9, k[10] = ps10, k[11] = ps11:
         critiria := evalf(subs(params, term)):
         monoBiSplit := [[ps1, ps2, ps3, ps4, ps5, ps6, ps7, ps8, ps9, ps10, ps11, critiria,
        number]]:
         if critiria > 10^{-5} then
            writedata(bistableSpaceRates, monoBiSplit) :
           finalPol2 := subs(params, finalPol):
            #for x1 in concentration do
              xl := concentration[roll()]:
              finalPol3 := subs(x[1] = x1, finalPol2):
```

```
x3 := evalf(solve(finalPol3, x[3])):
            if x3 > 0 then
              solution 2 := subs(params, x[1] = x1, x[3] = x3, solution):
              B1 := evalf(subs(solution2[1], x[1] = x1, x[3] = x3, x[1] + x[2] + x[5])
       +x[6])):
              B2 := evalf(subs(solution2[1], x[1] = x1, x[3] = x3, x[3] + x[4] + x[5])
       + x[6]):
              outParams := [ps1, ps2, ps3, ps4, ps5, ps6, ps7, ps8, ps9, ps10, ps11, B1, B2,
       critiria, number]]:
              writedata(bistableSpacePositive, outParams):
              if B1 \ge 10^{-3} and B1 \le 10 and B2 \ge 10^{-3} and B2 \le 10 then
                writedata(bistableSpaceRealistic, outParams):
              end if:
            end if:
         #end do:
       #else
       # writedata(monostableSpaceRates, monoBiSplit):
       end if:
     end if:
   end do:
   close(bistableSpacePositive) :
   close(bistableSpaceRealistic) :
   close(bistableSpaceRates) :
   close(monostableSpaceRates) :
   close(bistableSpacePositive) : close(bistableSpaceRealistic) : close(bistableSpaceRates) :
       close(monostableSpaceRates) :
```