




**National Centre for  
Atmospheric Science**  
NATURAL ENVIRONMENT RESEARCH COUNCIL



**Centre for Environmental  
Data Archival**  
SCIENCE AND TECHNOLOGY FACILITIES COUNCIL  
NATURAL ENVIRONMENT RESEARCH COUNCIL

# Tuples

Courtesy of Software-Carpentry.

# What is a “tuple”?

- A *list* is a mutable heterogeneous sequence
- A *tuple* is an *immutable* heterogeneous sequence
- I.e., a list that can't be changed after creation
- You need to know about them
- They have their uses

# Using tuples

Create tuples using () instead of []

Still index using [] (because everything does)

```
>>> primes = (2, 3, 5, 7)
>>> print primes[0], primes[-1]
2 7
>>> empty_tuple = ()
>>> single_item_tuple = (5,) # Because (5) is ambiguous
```

One of Python's few syntactic warts...

# Don't need parentheses if context is enough

```
>>> primes = 2, 3, 5, 7  
>>> print primes  
(2, 3, 5, 7)  
>>>
```

Can use on the left of assignment

```
>>> left, middle, right = 2, 3, 5  
>>> print left, right  
2 5
```

# Allows functions to return multiple values

```
>>> def bounds(values):  
...     low = min(values)  
...     high = max(values)  
...     return (low, high)  
...  
>>> print bounds([3, -5, 9, 4, 17, 0])  
(-5, 17)  
>>> least, greatest = bounds([3, -5, 9, 4, 17, 0])  
>>> print least  
5
```

# Provides a quick way to swap variable values

```
>>> left, right = 0, 10
```

```
>>> right, left = left, right
```

```
>>> print right, left  
0 10
```

# And an easy way to unpack a list

```
>>> colours = ['yellow', 'magenta', 'lavender']
```

```
>>> left, middle, right = colours
```

```
>>> print left, middle, right  
yellow magenta lavender
```

```
>>>
```

Number of values must be the same

# Often used in loops

```
>>> pairs = [(1, 10), (2, 20), (3, 30), (4, 40)]
>>> for (low, high) in pairs:
...     print low + high
...
11
22
33
44
>>>
```



# The “enumerate” function

The enumerate function produces (index, value) pairs

```
>>> colors = ['yellow', 'magenta', 'lavender']
>>> for (i, name) in enumerate(colors):
...     print i, name
...
0 yellow
1 magenta
2 lavender
```

Prefer this to `range(len(values))`