EECS 1012. LAB 03: HTML+CSS+JS

A. IMPORTANT REMINDERS

- 1) You must attend your assigned lab session (we will be marking your submission in the lab).
- 2) You must arrive on time: anyone later than 15 minutes may not be admitted to the lab.
- 3) You must complete the pre-lab mini guiz posted on Moodle in the first minutes of your lab time.
- 4) Each lab including the pre-lab mini quiz is about 2% of your overall grade.
- 5) TAs are in the lab to help you. They will also verify and mark your work at the end. Signal a TA for help if you stuck on any of the steps below. Yet, note that TAs would need to help other students too.

B. IMPORTANT PRE-LAB WORKS YOU NEED TO DO BEFORE GOING TO THE LAB

- 1) Download this lab files and read them carefully to the end.
- 2) You should have a good understanding of
 - Events (such as onclick, ondblclick)
 - document.getElementById().innerHTML
 - document.getElementById().setAttribute()
 - document.getElementById().style
 - document.getElementById().style.display

C. GOALS/OUTCOMES FOR LAB

1) To learn how to change the behaviour of an HTML document using JavaScript.

D. TASKS

Part 1: Start developing a learning kit that by end of term could include anywhere between 30 to 50 computational problems and solutions. Details are as follow.

- 1) You are provided a simple myLearningKit.HTML document and supporting files such as myLearningKit.CSS and myLearningKit.js as well some images. Your first task will be to improve the presentation of the HTML file slightly. Then, your major task is to improve the *behaviour* of the HTML file by providing JavaScript codes.
- 2) You will generate at least five sets of HTML and JS files in this process. You should demo each HTML file to the TA. For that, please, have each HTML file open in a different tab so you can show the progression.
- 3) See next pages for details on how to modify your HTML and JS files.

Part 2: Validate your HTML code using the https://validator.w3.org (upload your .html file)

• If you have errors, fix them and retry the validation until your HTML document is error free.

Part 3. Verification and submission of your work. See the following section.

E. SUBMISSIONS

1) Manual verification by a TA

You will need to have one of the TAs of your lab to verify your work before submission. The TA will look at your various files in their progression. The TA may ask you to make minor modifications to the lab to demonstrate your knowledge of the materials. The TA will mark your name off a list; You are required to sign the list to show your attendance and that you have been verified.


2) Moodle submission

You will see an assignment submission link on Moodle. Create a folder named "LabO3" with all your lab materials inside (image folder, myLearningKit_Ex{1,2,3,4,5}.HTML and myLearningKit_Ex1.css,

and $myLearningKit_Ex\{2,3,4,5\}.js$). This folder should be compressed (or tar.gz) and the compressed file submitted.

F. WEBPAGE CONTENT

STARTING POINT: myLearningKit.html, myLearningKit.css, myLearningKit.js, and images in the image folder. You are given the following HTML file.



This file is not connected to a CSS file. In Exercise 1, you improve the *presentation* of this HTML document by modifying the HTML and CSS files slightly.

Before proceeding further, open **myLearningKit.HTML** in VS Code and carefully learn about its content and structure.

Note that this document eventually is going to be an interface (in particular, a webpage) that contains some basic computational problems together with your flowcharts and implementations. However, it takes a few weeks until we get there. So, for now we (ab)use the document towards demonstrating foods.


Exercise 1: (CREATE: myLearningKit_Ex1.HTML and myLearningKit_Ex1.css)

Copy myLearningKit.HTML to a new file named myLearningKit_Ex1.html. Copy myLearningKit.CSS to a new file named myLearningKit_Ex1.css.

Make two changes to **myLearningKit_Ex1.html**, as follows:

- 1) Connect it to myLearningKit_Ex1.CSS by adding a link tag in the head element.
- 2) In the footer element, replace "your name here" with your name.

When you open your HTML file with browser, you should see the following result:



Now, as stated in the red box above, make two changes to **myLearningKit_Ex1.css** as follows. Currenlty, the width of the "problem" division is 100% of its parent (which is the body element). We want to have the width of the "problem" division set to 90% of the width of the viewport. Find it in w3schools how we can use width of viewport.

Side note. Make sure you get used to find help directly in w3schools (and not from other websites or search engines). Why? Because in the lab-tests, you may have access to w3schools but not to anything else.

Also, as you can see in the HTML file, the source file of the images as well as the alt attributes are all set to *null*. In other words, we do not want yet these img tags to display anything. But, in the picture above, the word "null" is displayed. If, in the HTML file, we remove the attributes src and alt from the images, our HTML code is no longer valid. Hence, we need to make a change in the CSS file such that these images do not display anything for now. After making these two changes in the CSS file, you should have the following result:

My Computational Thinking Kit		
Problem01 Problem02 Problem03	Problem04 Problem05 Problem06 Problem0	07 Problem08 Problem09 Problem10
☐ Design	☐ JavaScript Solution	☐ Another Solution
(c) Author of this web page: Amirhossein Chimaei		

Recall: you should figure out how to make such changes by yourself for instance in w3schools (or, by some quick searches in the web). Asking for help from your friends or from TAs should be a last resort.

Optional: you may want to change the colouring and borders of some of the elements above to make your kit page more appealing. We do not grade it though.

Exercise 2: (CREATE: myLearningKit_ex2.html and myLearningKit_Ex2.js)

Copy myLearningKit_Ex1.html to a new file named myLearningKit_Ex2.html. Copy myLearningKit.js to a new file named myLearningKit_Ex2.js.

When you open the **myLearningKit_Ex2.html** in your browser, if you click on any of the buttons, nothing happens. In other words, we have not defined any behaviour for our page yet. Let's do it step by step.

1) Add an attribute onclick to the button designated for Problem01 such that when clicked function p01Func is called.

2) The body of p01Func() can be provided in the HTML file internally. In particular, we can add a script element and write our JavaScript code inside it. But, similar to what we do for CSS, we encourage you to have your JavaScript code in an external file. To do so, add the following line to your HTML file:

3) Open myLearningKit_Ex2.js. We already provided you with the skeleton of p01Func().

```
Function p01Func(){
...
}
```

The body of the function is what we write in the pair of curly braces. We want to update the content of the "problem" division with the following paragraph:

I'm looking for a type of pancake originating from the Indian subcontinent, made from a fermented batter. It is somewhat similar to a crepe in appearance.

To do so, we need to get from our HTML file the element that its ID is "problem", by the following JavaScript code:


```
document.getElementById("problem")
```

This would get us a construct, that we know it as an **object**.

Then, we need to assign the paragraph above to the innerHTML of this object. Here, it's the JavaScript code:

```
document.getElementById("problem").innerHTML="...";";
```

where ... is replaced with the red paragraph above. Now, when you click on the button representing Problem01, you should see the following result.



4) At this point, you may want to revisit the **myLearningKit_Ex2.html** file and look up the **img** elements and their IDs. The idea is that for Problem01, dosaDesign.jpg is assigned to the image that its ID is "flowchart" and dosa1.jpg is assigned to the image that its ID is "js".

So, you need to add more JavaScript code to what you did in Step 3. When you get an element by its ID, you can set any of its attributes by using setAttribute(). Since we want to set the src attribute of the element with ID "flowchart" to dosaDesign.jpg, we need to add the following code:

```
document.getElementById("flowchart").setAttribute("src","images/dosa/dosaDesign.jpg");
```

Because we do not want to display the image yet, we need to set the display property of its style to none.

Similar to above, assign dosa1.jpg to src of the element that its ID is "js" and set its display to none. (You may want to download another image for dosa from internet (save it as dosa2.jpg) and assign it to the element that its ID is "another" and set its display to none.)

Note that the images are still not displayed. We will display them in the next exercise.

Exercise 3: (CREATE: myLearningKit_Ex3.html and myLearningKit_Ex3.js)

Copy myLearningKit_Ex2.html to a new file named myLearningKit_Ex3.html. Copy myLearningKit_Ex2.js to a new file named myLearningKit_Ex3.js.

The idea is to modify the new files such that when we check/uncheck the checkboxes by clicking on them, the images display/disappear, respectively.

1) First, we need to add the onclick event to checkbox "check1" in myLearningKit_Ex3.HTML. This is similar to what you did in Step 1 of Exercise 2 for buttons. When this checkbox is clicked, we want to call a function that we name it checkUncheck1().


```
onclick="checkUncheck1()"
```

2) Then, we want to provide the function in **myLearningKit_Ex3.js**. Remove the two lines that we ask you to remove in the js file to uncomment checkUncheck1(). Then add each of the following two commands where appropriate.

```
document.getElementById("flowchart").style.display="inline";
document.getElementById("flowchart").style.display="none";
```


The if statement there determines if the image is displayed or not; if not, we display it. If yes, we disappear it. In other words, by clicking on the Design checkbox, the image's display toggles.

The following picture shows when the Design checkbox is checked.



3) Mimic steps 2 and 3 above for toggling the image that is displayed in the next panel.

The following picture shows when the next checkbox is checked too.



Exercise 4: (CREATE: myLearningKit_Ex4.html and myLearningKit_Ex4.js)
Copy myLearningKit_Ex3.html to a new file named myLearningKit_Ex4.html. Copy myLearningKit_Ex3.js to a new file named myLearningKit_Ex4.js.

Mimic what you did in Exercise 2, to assign problem description and corresponding images when button Problem02 is clicked. Add function p02Func() to the js file. Its body is similar to that of p01Func(). The innerHTML, of the object we get, will have the following paragraph.

I'm looking for an Iranian dish that consists of grilled chunks of chicken which are sometimes with bone and other times without bone. It'ss one of the most popular dishes of Iran. It is common to marinate the chunks in minced onion, lemon juice and sometimes saffron.

The images that you assign are jujehDesign.jpg, jujeh1.jpg, and jujeh2.jpg. Note that during this exercise, you are required to work on check3 as well (no matter if you did it during Step 4 of Exercise 2 or not). The following picture illustrates when Problem02 is clicked and all checkboxes are checked.



Exercise 5: (CREATE: myLearningKit_Ex5.html and myLearningKit_Ex5.js)

Copy myLearningKit_Ex4.html to a new file named myLearningKit_Ex5.html. Copy myLearningKit_Ex4.js to a new file named myLearningKit_Ex5.js.

In this exercise, we want to add two more functions to our JavaScript code. One we call it zoomIn() and the other zoomOut(). The objective is that when the image of the first checkbox is double clicked, we want to make its width 200% (do this in the body of zoomIn()) and when is single clicked, we want to have its original width of 100% (we do this in the body of zoomOut()).

Here, it's list of what you need to do:

- 1) In your HTML file, add onclick and ondblclick attributes to the image that its ID is "flowchart"
 - a. on an ondblclick event, function zoomIn() is called
 - b. on an onclick event, finction zoomOut() is called
- In your js file, add zoomIn() and zoomOut() functions
 - a. write document.getElementById("flowchart").style.width="200%"; in the body of zoomIn()
 - b. write a similar line in the body of zoomOut() to change the width to its original size

The following figure illustrates when Problem01 is clicked and the Design image is double clicked.



Exercise 6 optional further practice:

You may want to continue this project and add at least two more problems (or food definition) and corresponding design (or receipe) and implementations (or result pictures) for further practice.

Note. In order for the project to work properly all problems should have 3 images, one for design, one for js solution, and the 3rd for "another solution".

G. AFTER-LAB WORKS (THIS PART WILL NOT BE GRADED)

In order to review what you have learned in this lab as well as expanding your skills further, we recommend the following questions and extra practices:

Short answer questions:

- 1) How many functions are defined in your myLearningKit_Ex5.js?
- 2) How many function calls are in your **myLearningKit_Ex5.html**?
- 3) How many different types of events you handled in your myLearningKit_Ex5.html?
- 4) For which element(s) in your myLearningKit_Ex5.html you defined two events?
- 5) How can you see your JavaScript errors in Firefox?

To master your skills further,

- 6) Create a web page with text of your choosing (a single paragraph will do), which upon the mouse being positioned over it causes the same text to be repeated below the paragraph. When the mouse is no longer positioned over the text the copy of the text remains.
- 7) Same as 6 but when the mouse is no longer over the text the copy of the text disappears.
- 8) Create a web page with two paragraphs of text of your choosing, and with a button below the text. Clicking on the button should cause a solid border to appear around the first paragraph and a dashed border to appear around the second paragraph
- 9) Create a web page with two paragraphs of text of your choosing, and with a button below the text. Clicking on the button should cause a new paragraph to appear below the button containing the combined text of both paragraphs above the button.

Please feel free to discuss any of these questions in the course forum or see the TAs and/or Instructors for help.