

# *Narration&Reference* How to install Angular7

Base File Name: NarrationReference\_WSL\_Ubuntu\_Angular7\_Install\_ja\_03\_en

2018.10.19

## *How to install Angular7 in Ubuntu on WSL*

by *Shuichi Ohtsu*

### **Voice Data**

---

In the last video, I showed you how to install Node.js in Ubuntu installed on *WSL*.

By installing Node.js, we are able to install Angular as well.

So this time, we are going to install the latest Angular7.

Since the official version of Angular 7 has not been released yet, its target is RC 3 version of Angular 7.

---

First from the Ubuntu command line, type `cd /mnt/c` to go to the Windows C drive.

Next, type `ls` and display the contents of the C drive.

It is OK.

---

Next, create a directory for Angular7 in a specific directory.

Here I created a directory named `Angular7` under the `__myprg` directory.

---

Next enter the directory you created and type `sudo npm i @angular/cli@next`.

If the official version of Angular 7 is released, please do not add the last `@next`.

This installation takes a considerable amount of time.

---

When installation is completed, we are going to create a project.

Type `ng new ng7test01`.

`ng7test01` is the project name and any name will do.

---

First of all, there is a question as to whether or not to add a routing function, and here we will answer No.

Next, there is a query on the style sheet format, and select the default `css`.

If another style sheet format is selected, errors may still occur.

---

Once the project is created, go to that project directory.

Then type `code .` to start the Visual Studio Code.

In this case, it is necessary to install Visual Studio Code in Windows in advance.

If it is not installed, return to the Windows environment, install Visual Studio Code, then enter this command.

---

When the VS Code opens, open the `Package.json` file and check the version.

Version 7 is displayed.

---

Next, press the `Control + BackApostrophe` key to open a terminal window.

Then enter `ng s` to start the local server.

---

Return to the Windows environment and start the browser.

Then, open `localhost:4200`.

---

Angular's default page is displayed.

It is OK.

---

Return to the VS Code and stop the local server with `Control + c` and Enter.

---

Angular installation was completed.

It is OK.

---

Thank you for your watching.

---

## Reference

- "Windows 10 Installation Guide",

<https://docs.microsoft.com/en-us/windows/wsl/install-win10>

- "Windows 10でLinuxプログラムを利用可能にするWSLをインストールする(バージョン1803以降対応版)",  
<http://www.atmarkit.co.jp/ait/articles/1608/08/news039.html>
- "Windows Subsystem for Linuxをインストールしてみよう！",  
<https://qiita.com/Aruneko/items/c79810b0b015bebf30bb>
- "「Windows Subsystem for Linux(WSL)」セットアップガイド【スクリーンショットつき解説】",  
<https://linuxfan.info/wsl-setup-guide>
- "Ubuntuに最新のNode.jsを難なくインストールする(Install the latest Node.js on Ubuntu without difficulty)",  
<https://qiita.com/seibe/items/36cef7df85fe2cefa3ea>
- "Angular 5, Angular 6 Custom Library: Step-by-step guide",  
<https://www.udemy.com/angular5-custom-library-the-definitive-step-by-step-guide/>
- "Angular 5, Angular 6用 カスタムライブラリの作成: 完全ステップ・バイ・ステップ・ガイド",  
<https://www.udemy.com/angular5-1/>