Dealing with preempts

Krystyna Gasińska, Bartek Słupik January 30, 2024

!!

!

!!

(2) - ?

- $3 \spadesuit = \text{strong hand, solid suit}$
- $3 \checkmark$ = Michaels
- 4 4 = Leaping Michaels, GF
- 4 = 4, strong
- $4NT = \clubsuit$, weaker then 4

$(2) - \times - (P) - ?$

- 2NT = Better Minor Lebensohl
- 3♣ = 0-11, 5+♣
- 2 = weak
- $3 \bullet = INV (8-11)$
- $3 \checkmark = \text{no } 4 \spadesuit$, no \checkmark stopper
- $3 \spadesuit = 5 \spadesuit$, INV (8-11)
- $3NT = no 4 \spadesuit$, \forall stopper
- $4 \checkmark = \diamondsuit$, no \checkmark control, Slam Try
- $4 \spadesuit = \text{to play}$

$$(2 \checkmark) - \times - (P) - 2NT$$

 $(P) - 3m - (P) - ?$

- $3 \Rightarrow = \text{weak}$
- $3 \checkmark = 4 \spadesuit$, no \checkmark stopper
- 3 = 4, **INV** (8-11)
- 3NT = 44, \forall stopper

$$(2 \checkmark) - \times - (3 \checkmark) - ?$$

• $\times = \text{no } 44, 10+$

$$(2 - ?)$$

- $3 \triangleq$ = Michaels
- 4 4 = Leaping Michaels, GF
- $4 \spadesuit = \clubsuit$, strong
- $4NT = \clubsuit$, weaker then $4 \checkmark$

$$(2\spadesuit) - \times - (P) - ?$$

- 2NT = Better Minor Lebensohl
- 3♣ = 0-11, 5+♣
- 3 /3 = INV (8-11)
- $3 \spadesuit = \text{no } 4 \heartsuit$, no \spadesuit stopper
- $3NT = no 4 \checkmark$, stopper
- 4 = to play
- $4 \nabla = 4$, no 4 control, Slam Try

!

!!

$$egin{aligned} (2 &) - imes - (P) - 2 NT \\ (P) - 3 m - (P) - ? \end{aligned}$$

$$(P) - 3m - (P) - ?$$

- $3 \checkmark / 3 •$ = to play
- $3 \spadesuit = 4 \heartsuit$, no \spadesuit stopper
- $3NT = 4 \checkmark$, stopper

$$(2\spadesuit)$$
 - \times - $(4\spadesuit)$ - ?

- 4NT = two-suited OR weak
- $5 \clubsuit / 5 \spadesuit = \text{to play}$
- $5 \checkmark = \text{Slam Try}$