Bridge Bidding System

Krystyna Gasińska, Bartek Słupik January 22, 2024

1 1m opening

1♣ - ?

- 1 > 0 6
- 1 = 4 +
- 1♠ = 4+♠
- 1NT = 7-10, no 4M
- $2 = 12-14 \text{ BAL or } , \mathbf{GF}$
- $2 \blacklozenge = \text{no } 4\mathbf{M}, 5 + \blacklozenge, \mathbf{GF}$
- 2 = 5 4 = 6 = 9
- 2 = 11 + BAL, no 4M
- 2NT = 11-12 BAL
- 3NT = 15-17 BAL

1♦ - ?

- 1 = 4 +
- 1♠ = 4+♠
- 1NT = 6-10, no 4M, no 4M, no 4M
- 2 = 12-14 BAL or , GF

- $2 \blacklozenge = \text{no } 4\mathbf{M}, 4 + \blacklozenge, \mathbf{GF}$
- 2 = 5 4 = 6 = 9
- 2 = 11 + BAL, no 4M
- 2NT = 11-12 BAL
- 3NT = 15-17 BAL

1 - 2

?

- $2 \Rightarrow BAL$
- 2♥ = 5♣4♥ UNBAL
- $2 \spadesuit = 5 \clubsuit 4 \spadesuit$ UNBAL
- 2NT = 5 4 UNBAL
- 3♣ = ♣ UNBAL

1♦ - **2**♦

?

- 2 = stopper
- $2 \spadesuit = stopper$
- 2NT = 4 stopper
- 3 = sign off (treshold for invite)

bidding higher suit denies lower stopper

Two way checkback

After any 1x-1y-1z sequence (except: 1 - 1 = negative).

2 1nt opening

1 NT opening = (14)15-17 BAL

1NT - ?

- 2 = Stayman
- 2
 ightharpoonup = forces 2
 ightharpoonup
- 2 = forces 2
- $2 \spadesuit = \text{inv or } \rightarrow \clubsuit$
- $2NT = \rightarrow \bullet$
- 3♣ = Puppet Stayman
- 3**♦** = 55**♣**
- 3 = 3 1 7, 54
- 3 = 3 1 4, 54 + 4
- 3NT = to play
- 4 = 55
- $4 \blacklozenge$, $4 \blacktriangledown = \text{Texas}$
- 4NT = Quantitative

1NT - 2

?

- 2NT = 14-15(16)
- 3 = (16)17

1NT-2NT

?

- 3 = superaccept
- $3 \Rightarrow = \text{accept}$

1NT – 3♥

- $3 \spadesuit = NAT$
- 3NT = to play
- 4 = exclusion, choose \clubsuit
- 4NT = choose

Smolen

$$1NT - 2$$

- $2 \checkmark = 5 \checkmark 4 \spadesuit$, to play
- $2 \spadesuit = 5 \spadesuit 4 \heartsuit$, to play
- $3 \lor = 5 4 \lor , GF$
- $3\spadesuit = 5 \checkmark 4\spadesuit$, **GF**

1NT - 2

• $2 \spadesuit = 5 \checkmark 4 \spadesuit$, inv

1NT - 2

• $3 \checkmark = 5 \checkmark 4 \checkmark$, inv

1NT - 2

$$2$$
 $- 2$

?

- Pass, 2NT, $3 \checkmark = to play$
- 3NT, $4 \checkmark$, $4 \spadesuit$ = to play

$\begin{array}{c} 1NT-2 \blacktriangledown \\ 2 \clubsuit -3 \blacktriangledown \end{array}$

?

- PASS, $3 \spadesuit = \text{to play}$
- 3NT, $4 \checkmark$, $4 \spadesuit$ = to play

3 Overcalling 1nt

(1NT) - ?

- $\times = 5 + 4$
- 2 = 54 ****
- 2 > 6 +
- $2 \mathbf{V} = 5 \mathbf{V} + 4 \mathbf{A} \mathbf{V}$
- $2 \spadesuit = 5 \spadesuit + 4 \spadesuit$

$$(1NT) - \times - (P) - ?$$

- 2 = PASS/correct
- 2 = own suit
- 2 = PASS/correct
- 2 = own suit
- 2NT = show minor
- 3
 ightharpoonup = show major

$$(1NT) - 2 - (P) - ?$$

- $2 \stackrel{\bullet}{\bullet} = \text{show better major}$
- $2 \checkmark$, $2 \spadesuit$ = preference

(1NT) - 2 - (P) - ?

- 2 = PASS/correct
- $2 \spadesuit = \text{inv with } \blacktriangledown$

4 1_{NT} – dealing with interference

1NT - (2 - ?)

- 2♣ = ♣
 - \times = Stayman

SYSTEM ON

 $1NT - (2^{A}) - ?$

- 2 = 5/4
 - × = 8+
 - $2 \checkmark$, $2 \spadesuit$, $3 \spadesuit$ = to play
 - 2NT = minors

 $1NT - (2^{\bullet}) - ?$

- $2 \blacklozenge = \blacklozenge$
 - \times = negative
 - $2 \checkmark$, $2 \spadesuit$ = to play
 - 2NT = Lebensohl
 - $3 = 5 + \forall$, inv+
 - $3 \blacklozenge = 1 \blacklozenge$, inv+
 - 3 = 5 + 4, inv+
 - 3 = 5 + 4, inv+
 - 3NT = no stopper
 - $4 \stackrel{\bullet}{\bullet}$, $4 \stackrel{\blacktriangledown}{\bullet} = \text{Texas}$

 $1NT - (2 \stackrel{\wedge}{\diamond}^{A}) - ?$

$$2 > 6 +$$

- $\times = 8+$
- $2 \checkmark$, $2 \spadesuit$ = to play
- 2NT = Lebensohl
- $3 \clubsuit = 5 + \blacklozenge$, inv+
- $3 \stackrel{\bullet}{\bullet} = 5 + \stackrel{\blacktriangledown}{\blacktriangledown}$, inv+
- $3 \checkmark = 5 + \spadesuit$, inv+
- 3 = 5/5
- 3NT = to play
- $4 \blacklozenge$, $4 \blacktriangledown = \text{Texas}$

1NT - (2) - ?

- \times = negative
- $2 \stackrel{\bullet}{\bullet} = \text{to play}$
- 2NT = Lebensohl
- $3 \clubsuit = 5 + \blacklozenge$, inv+
- $3 \stackrel{\bullet}{\bullet} = 5 + \stackrel{\bullet}{\bullet}$, inv+
- $3 \checkmark = 1 \checkmark$, inv+
- 3 = 55 , GF
- 3NT = no stopper
- 4 = Texas

1NT - (2•) - ?

- \times = negative
- 2NT = Lebensohl
- $3 \clubsuit = 5 + •$, inv+
- $3 \stackrel{\bullet}{\bullet} = 5 + \stackrel{\blacktriangledown}{\blacktriangledown}$, inv+
- $3 \lor = 55 ..., GF$
- $3 \spadesuit = 1 \spadesuit$, inv+
- 3nt = no ♠ stopper
- $4 \blacklozenge = \text{Texas}$

$$1NT - (2nt^{A}) - ?$$

2NT = minor

- $\times = 10+$
- 3 = Stayman
- $3 \blacklozenge = 5 + \blacktriangledown$, inv+
- $3 \checkmark = 5 + \spadesuit$, inv+

$1NT - (3\clubsuit) - ?$

- \times = negative
- $3 \bullet = 5 + \heartsuit$, inv+
- $3 \lor = 5 + \spadesuit$, inv+
- $3 \spadesuit = 5 + \blacklozenge$, inv+
- 3NT = to play

1NT - (3) - ?

- \times = negative
- $3 \lor = 5 + \spadesuit$, inv+
- 3♠ = 5+♥, **GF**
- 3NT = to play

 $1NT - (\times^{A}) - ?$

 \times artificial SYSTEM ON

 $1NT - (\times) - ?$

- \times = penalty
 - PASS = forces $\times \times$
 - $\times \times = \text{forces } 2 \clubsuit$
 - $2\mathbf{x} = \text{forces } \mathbf{x+1}$

 $\begin{aligned} &1NT-\left(\times \right) -P^{\textcolor{red}{A}}-\left(P\right) \\ &\times\times-\left(P\right) -? \end{aligned}$

- PASS = penalty
- 2 = 4 + 4x or 4333 or any other edge case
- $2 \blacklozenge = 4 \blacklozenge + 4 \clubsuit$
- $2 \checkmark = 4 \checkmark + 4 \spadesuit$

5 2nt opening

 $2NT^{A}$ opening = 21-22 BAL, may have 5M

2NT - ?

- 3♣ = Puppet Stayman
- $3 \blacklozenge = \text{forces } 3 \blacktriangledown, \mathbf{GF}$
- $3 \checkmark = \text{forces } 3 \spadesuit, \text{ GF}$
- $3 \spadesuit = \text{forces } 3\text{NT}$
- 3NT = 5 4
- 4 = 55 M
- $4 \stackrel{\bullet}{\bullet}$, $4 \stackrel{\blacktriangledown}{\blacktriangledown} = \text{Texas}$
- 4NT = Quantitative

2NT - 3

?

- 3 = 2
- $3 = 4 + \forall$, cue bid
- 3NT = =3
- $4\clubsuit$, $4\blacklozenge = 4+\blacktriangledown$, cue bid

2NT − 3♥

?

- 3**♠** = =2**♠**
- 3NT = =3
- $4\clubsuit$, $4♦ = 4+\spadesuit$, cue bid

2NT - 3

3nt -?

- 4♣ = 6+♣
- $4 \blacklozenge = 6 + \blacklozenge$
- 4♥ = 54**♣**1-♥
- 4♠ = 54♣1-♠

6 Drury

TBD

7 Reverses, jump shifts and jump reverses

1x - 1y - ?

- $2\mathbf{z}$, $\mathbf{y} < \mathbf{z} = \text{reverse}$
- $3\mathbf{y}, \mathbf{y} > \mathbf{z} = \text{jump shift}$
- $3\mathbf{z}, \mathbf{y} < \mathbf{z} = \text{jump reverse}$

1m - 1 - ?

- $1 \spadesuit = 4 \spadesuit$, 12-17
- 2 = 4, (18)19+

8 Preempt opening

TBD

9 Acol 2♣

2♣ opening = 23+ HCP or 9.5 winning tricks

2♣ − ?

- $2 \bullet = \text{positive } 4+, \mathbf{GF}$
- 2 = negative 3-
- $2\spadesuit$, $3\spadesuit$, $3\spadesuit$ own suit 5+
- 2NT = own suit () 5+

2♣ – **2♥**

?

- PASS = good \forall
- 2 = 5+, F1
- 2NT = min BAL, NF

any other bid = GF

$$2 - 2$$

?

- 2NT = min BAL
- $2 \checkmark$, $2 \spadesuit$, $3 \spadesuit$, $3 \spadesuit = 5 +$, UNBAL
- $3 \checkmark$, $3 \spadesuit$, $4 \spadesuit$, $4 \diamondsuit$ = suit fixed

$$2 - 2$$

System as after 2NT opening

$$2 - 2$$

- $3 \checkmark = \text{fit}$
- $3 \spadesuit = \text{no fit, relay}$

$$2 - 2$$

- 2NT = no fit, relay
- $3 \spadesuit = \text{fit}$

$$2 - 2$$

$$2$$
 \vee 2

?

- 2NT = 5 + 4
- 3 = 5 + 4
- 3**♦** = 6+**♥**
- 3 = 5 + 4

$$2 - 2$$

$$2 - 2NT$$

?

- 3 5 + 4
- 3 > = 5 + 4
- 3♥ = 6+**★**
- $3 \spadesuit = 5 \spadesuit + 4 \spadesuit$

Acol interference

$$2 - (x) - ?$$

- \times = negative
- PASS = positive

10 Dealing with preempts

 TBD

11 Rebid with 3-card support

TBD

12 Ask LSF

All basic ASK LSF sequences:

- $1\mathbf{M} 2\mathbf{M}$ $2\mathbf{M} + 1^{\mathbf{A}}$
- $1 \rightleftharpoons -1M$ $2M - 2M + 1^A$
- $1\mathbf{M} 2\mathbf{x}$ $2\mathbf{M} - 2\mathbf{M} + 1^{\mathbf{A}}$
- $1 \rightleftharpoons -1M$ $3M - 3M + 1^{A}$

More in: mini splinter and responding to partner's preempt.

Answering:

no shortness / lowest shortness / medium shortness / (highest shortness)

13 Gazilli

```
1♥ - 1♠
```

• 2 = 5 11-15 OR 16+ HCP **F1**

```
1♥ – 1NT ?
```

- 2 = 5 11-15 OR 16+ HCP **F1**
- $2 \blacklozenge = 5 \blacktriangledown 4 \blacklozenge 11-15$
- 2 = 11-15
- $2 \spadesuit = 6 \checkmark 5 \spadesuit \mathbf{GF}$

- $2NT = 6 \checkmark 5 \Leftrightarrow GF$
- 3♣ = 5♥5♣ **GF**
- $3 \blacklozenge = 5 \blacktriangledown 5 \blacklozenge \mathbf{GF}$
- $3 \checkmark = \text{fixes} \checkmark \text{GF}$

1 - 1NT

?

- PASS = $5332 \ 12-14$
- $2 = 5 = 11-15 \text{ OR } 16 + \text{HCP } \mathbf{F1}$
- 2 > 5 = 5 4 > 11-15
- 2 = 5 4 11-15
- 2 = 11-15
- 2NT = 6 45 GF
- $3 \clubsuit = 5 \spadesuit 5 \clubsuit GF$
- $3 \blacklozenge = 5 \spadesuit 5 \blacklozenge \mathbf{GF}$
- $3 \checkmark = 6 45 \checkmark GF$
- $3 \spadesuit = \text{fixes} \spadesuit \text{GF}$

1♥ - 1♠

2♣ – ?

- **♦** = 8+
- **♥** = 2**♥** 5-7
- $\spadesuit = \text{good } 5 \spadesuit 5-7$
- 2NT = 1 7
- 3♣ = 6+♣ 5-7
- 3 > 6 + 5 = 7

1V- 1NT

- 2**♦**= 8+
- 2♥= 2-3♥ 5-7
- 2**♦**= 55**♣** 5-7
- 2NT= 1-♥ 5-7
- 3♣= 6+♣ 5-7
- 3**♦**= 6+**♦** 5-7

1 - 1NT

2♣ – ?

- 2 > 8 +
- 2 = 5 = 5 = 7
- 2♠ = 2-3♠ 5-7
- 2NT = 1 45 7
- $3 \clubsuit = 6 + \clubsuit 5 7$
- 3 > 6 + 5 = 7

1♥ - 1♠

$$2 - 2$$

- 2 = 5 4 = 11 15
- 2♠= 5♥, =3♠ 16+
- 2NT = 5332 18-20
- 3♣ = 5♥4♣ 16+
- $3 > = 5 \checkmark 4 > 16 +$
- 3♥ = 6♥ 16+
- $3 \spadesuit = 5 \checkmark 4 \spadesuit GF$

- 2 = 5 4 = 11-15
- $2 \spadesuit = 5 \checkmark 4 \spadesuit 16 +$
- 2NT = 5332 18-20
- 3 = 5 4 = 16 +
- $3 > = 5 \checkmark 4 > 16 +$
- 3♥ = 6♥ 16+

$$1 - 1NT$$

$$2 - 2$$
?

- 2♥ = 5♠4♥ 16+
- 2 = 5 4 = 11-15
- 2NT = 5332 18-20
- 3 = 5 4 = 16 +
- 3 > = 5 4 > 16 +
- 3♥ = 5♠4♥ 16+
- 3**♠** = 6**♠** 16+

14 Mini Splinters

any shortness 9-11, 4-card support, not GF!

1♥ - ?

- $2 = \min \text{ splinter}$
- 2NT = inv + fit

1♠ − ?

- 2NT = mini splinter
- $3 \checkmark = inv + fit$

1♥ - **2♠** ?

• 2NT = ASK LSF

1 - 2nt

• 3 = ASK LSF

1 \vee -2

2nt - ?

- $3 \clubsuit = \clubsuit$ shortness
- $3 \blacklozenge = \blacklozenge$ shortness
- $3 \checkmark = 4$ shortness

1♠ - **2**nt

3♣ - ?

- 3 = 4 shortness
- $3 \lor =$ shortness
- $3 \spadesuit =$ shortness
- $3NT = \bigvee \text{shortness } \mathbf{GF} \text{ (max)}$

Transfers after 1_{M} (\times) **15**

TBD

16 2nt overcall after major preempt

(2M) - ?

• 2NT = 16-18 BAL, promises **M** stopper

(2) - 2NT - (P) - ?

- $3\clubsuit$ = forces $3\diamondsuit$, 1- \heartsuit GFOR weak with \diamondsuit
- $3 \blacklozenge = 4 \spadesuit GF$
- $3 \lor = \text{forces } 3 \spadesuit$, weak or **GF**
- $3 = \log \min(-1)$ shortness, 3NT = ASK
- 3NT = to play
- $4 \clubsuit = 5/5 \clubsuit \spadesuit$, may have shortness
- $4 \stackrel{\bullet}{\bullet} = 5/5 \stackrel{\bullet}{\bullet}$, may have shortness
- 4♥ = 6+**♦**
- $4 \rightleftharpoons = \text{minors}$
- 4NT = Quantitative

TBD

17 Overcalling 2_{NT}

TBD

18 Dealing with Multi/Wilkosz

TBD

19 Other

$$\begin{array}{l} \mathbf{1} - \mathbf{P} - (\mathbf{1}) - \mathbf{P} - (\mathbf{2}) \\ \mathbf{?} \end{array}$$

- $\times = \clubsuit \spadesuit$, choose
- $2NT = \clubsuit \bullet$, choose
- $3 \clubsuit = \text{to play}$

$$\begin{array}{l} \mathbf{1} - \mathbf{1} - \mathbf{1} - \mathbf{1} \\ \mathbf{1} - \mathbf{1} \end{array}$$

- $\times = \clubsuit ,$ choose
- $2NT = \clubsuit \bullet$, choose
- 3 = to play

$$\begin{array}{l} 1 \blacklozenge - (1 \clubsuit) - P - (2 \clubsuit) \\ ? \end{array}$$

- $\times = ,$ choose
- $3 \clubsuit = \clubsuit \diamondsuit$, choose

$$\begin{array}{l} \mathbf{1} \blacklozenge - (\mathbf{1} \blacktriangledown) - \mathbf{P} - (\mathbf{2} \blacktriangledown) \\ ? \end{array}$$

- $\times = •$, choose
- 3 = 4, choose