

Other bids and rules

Krystyna Gasińska, Bartek Słupik

March 24, 2024

How to rebid with a strong hand if our partner passed and opponents found major fit? In general: Do not rebid. With any strength and balanced hand: PASS. With unbalanced hand bid \times to show other (unbid) major, 2NT to show minors or $3\clubsuit$ to show clubs.

Example

1. Bidding:

$1\clubsuit - (1\spadesuit) - P - (2\spadesuit)$

$\times - (P) - ?$

What to do next?

$\spadesuit T871 \quad \heartsuit 82 \quad \diamondsuit KJ852 \quad \clubsuit T5$ (4)

Opponents showed \spadesuit -fit, so our partner has at most $1\spadesuit$. With $5\heartsuit$ he would open $1\heartsuit$, so he has $4\heartsuit$ (\times showed \clubsuit and \heartsuit). It means that we most probably have fit in \diamondsuit .

Correct bid: $3\diamondsuit$.

$1\clubsuit - (1\heartsuit) - P - (2\heartsuit)$

?

- $\times = \clubsuit\spadesuit$, choose
- 2NT = $\clubsuit\diamondsuit$, choose
- $3\clubsuit =$ to play

$1\clubsuit - (1\spadesuit) - P - (2\spadesuit)$

?

- $\times = \clubsuit\heartsuit$, choose

- $2NT = \clubsuit\spadesuit$, choose
- $3\clubsuit =$ to play

$1\spadesuit - (1\heartsuit) - P - (2\heartsuit)$
?

- $\times = \heartsuit\spadesuit$, choose
- $3\clubsuit = \clubsuit\spadesuit$, choose

$1\spadesuit - (1\heartsuit) - P - (2\heartsuit)$
?

- $\times = \heartsuit\spadesuit$, choose
- $3\clubsuit = \clubsuit\spadesuit$, choose

$(1\spadesuit) - ?$

- $3\spadesuit =$ gambling \clubsuit

$(1\clubsuit) - ?$

- $3\clubsuit = \clubsuit$ preempt

$1\clubsuit - (\times) - ?$

- $2NT =$ preempt \clubsuit
- $3\clubsuit =$ limit raise

$1\clubsuit - (1x) - ?$

- $3\clubsuit =$ preempt

$\dots 5x - ?$

$5x =$ query kings

- agreed suit = no kings
- $5x+1 =$ lowest side-suit king or two other kings
- $5x+2 =$ middle side-suit king or two other kings
- $5x+3 =$ highest side-suit king or two other kings

1 Random bids logi z pierdolenia po piwie

- $1\clubsuit - 1\heartsuit$
 $3\clubsuit$
 $3\clubsuit = \text{INV}, (15)16+, 6+\clubsuit$
- $1\diamond - (1\spadesuit) - 2\spadesuit$
 $2\spadesuit = \text{F to } 3\diamond$
- $(1\heartsuit) - \times - (1\text{NT}) - \times$
 $\times = 9+$
- $(2\diamond^{6\heartsuit}) - 4\clubsuit - (\text{P}) - 4\spadesuit$
 $4\spadesuit = \text{PASS with } \spadesuit, \text{ do not bid over } 5\clubsuit \text{ with } \heartsuit$
- $(2\diamond^{6\heartsuit}) - 3\text{NT}$
 $3\text{NT} = \text{not GF}$
- Still too weak for Leaping Michaels:
 $\spadesuit 7 \heartsuit \text{AKJT} 7 \diamond \text{AQ} 852 \clubsuit \text{A} 2$ (18)
 $(2\spadesuit) - 3\spadesuit$
- $2\clubsuit - 2\heartsuit$
 $3\text{NT} - ?$
 $- 4\diamond, 4\heartsuit = \text{TRSF to } \heartsuit/\spadesuit$
 $- 4\clubsuit = \text{choose } \heartsuit\spadesuit \text{ or bid } 4\text{NT NAT}$
- Too weak for Michaels:
 $\spadesuit \text{KQ} 986 \heartsuit 3 \diamond \text{AT} 986 \clubsuit \text{A} 7$ (13)
 $(3\heartsuit) - 3\spadesuit$
- Not enough points/shape for $3\spadesuit$:
 $\spadesuit \text{KQT} 8 \heartsuit 85 \diamond \text{KJ} 8 \clubsuit \text{A} 642$ (13)
 $1\clubsuit - 1\spadesuit$
 $2\spadesuit$
- $1\text{x} - \times - 1\text{y} - \times$
 \times is penalty!

- $(2\spadesuit) - \times - (3\spadesuit) - \times$
 \times = both minors, but also okay to play $3\spadesuit \times$ or 3NT
- **GF** in **VUL**, **SIGN-OFF** in **non-VUL**:

$$\spadesuit \text{ T 6 } \heartsuit \text{ K 9 8 3 2 } \diamondsuit \text{ T 6 2 } \clubsuit \text{ A 9 5 } \quad (7)$$

$$(2\spadesuit) - 2\text{NT} - (\text{P}) - 3\diamondsuit$$

$$(\text{P}) - 3\heartsuit - (\text{P}) - ?$$

- $(2\spadesuit) - 2\text{NT} - (\text{P}) - 3\clubsuit$
 $(\text{P}) - 3\diamondsuit - (\text{P}) - 3\spadesuit$
 $(\text{P}) - 3\text{NT} - (\text{P}) - 4\clubsuit$
 $?$

$$4\clubsuit = 5 + \clubsuit$$

$$- 4\diamondsuit = \text{agreeing } \clubsuit$$

$$- 4\heartsuit, 4\text{NT} = \text{to play}$$

- $(2\heartsuit) - 2\text{NT} - (3\heartsuit) - 4\heartsuit$

$$4\heartsuit = \text{TRSF to } \spadesuit$$

- $1\clubsuit - (1\spadesuit) - \times - (\text{P})$
 $1\text{NT} - (\text{P}) - 2\diamondsuit$

$$\times = 4\heartsuit: 3\text{-fit support ON}$$

$$2\diamondsuit = \text{two-way checkback}$$

- Good enough for Leaping Michaels:

$$\spadesuit - \heartsuit \text{ A K J 4 2 } \diamondsuit \text{ K 2 } \clubsuit \text{ A K J 8 5 2 } \quad (19)$$

$$(2\diamondsuit {}^6\spadesuit) - 4\clubsuit$$