Dealing with Michaels \mathcal{E} Unusual 2NT

Krystyna Gasińska, Bartek Słupik

May 22, 2024

```
1 - (2NT) - ?
2NT = \clubsuit
    • 3 \clubsuit = \heartsuit, \mathbf{INV}^+
    • 3 \blacklozenge = \spadesuit, INV^+
    • 3\% = to play
1 - (2NT) - ?
    • 3 \clubsuit = INV^+, fit
    • 3 \stackrel{\bullet}{\bullet} = \text{simple raise } 6-9
    • 3 = 5 + 4, GF
                                                                                                          !
    • 3 = 6, NF
1 - (2NT) - ?
    • 3♣ = 5♥, GF
    • 3 \stackrel{\bullet}{\bullet} = INV^+, fit
    • 3 \lor = 6 \lor, NF
                                                                                                          !
    • 3 \spadesuit = \text{simple raise } 6-9
1 - (2 ) - ?
2 \blacklozenge = \ \clubsuit
    • 2 = 4, INV^+
```

- $2 \spadesuit = •$, **GF**
- 1♥ (2♥) ?
 - \times = ownership
 - $2 = INV^+$, fit
 - $3 \implies = 5+, \mathbf{GF}$
 - 3 = simple raise 6-9
 - $3 \spadesuit = \text{splinter}$
 - $4 \implies$ = fit jump (5 \implies with 2/3 honors, 7+, 4 \implies)