



DEPARTMENT OF INFORMATICS

TECHNISCHE UNIVERSITÄT MÜNCHEN

Master's Thesis in Informatics

Detection and Dialog-Based Self-Reporting of Stress for Eating Behavior Prediction

Wenjian Li





DEPARTMENT OF INFORMATICS

TECHNISCHE UNIVERSITÄT MÜNCHEN

Master's Thesis in Informatics

Detection and Dialog-Based Self-Reporting of Stress for Eating Behavior Prediction

Erkennen und dialogbasiertes Self-Reporting von Stress zur Vorhersage des Essverhaltens

Author:	Wenjian Li
Supervisor:	Prof. Dr. Georg Groh
Advisor:	Monika Wintergerst
Submission Date:	15.05.2020



I confirm that this master's thesis in informatics is my own work and I have documented all sources and material used.

Munich, 15.05.2020

Wenjian Li

Acknowledgments

I would like to thank everyone who has offered me help and support on this thesis:

Prof. Dr. Georg Groh, for his supervision throughout the project and the inspirations he's been giving me during my studies at TUM, leading my way into the amazing field of social computing.

Ms. Monika Wintergerst, who has offered me great advice, guidance, and feedback with her expertise and patience, as well as care and understanding in this difficult time of the global pandemic.

Audrey, who has always been supporting and encouraging me not only throughout the project, but also my life, with her beautiful soul and unconditional love.

My mom Chunyan and my dad Zhenliang, who are not only parents but also life teachers, always supporting my education and guiding me with positivity and wisdom.

All the participants in the studies, who have provided crucial input and feedback to the project.

Last but not least, my friends, who have been offering me great social support despite social distancing.

Abstract

Contents

Acknowledgments	iii
Abstract	iv
1 Introduction	1
1.1 Section	2
1.1.1 Subsection	2
List of Figures	4
List of Tables	5
Bibliography	6

1 Introduction

Eating is an activity that people perform on a daily basis. It is the essential source of ingredients for us humans. Our nutrition intake, in turn, affects our health. However, people's choice of food cannot be simply regulated in terms of time and ingredients to make the best health effect out of it, because it is a highly emotional behavior (Gardner et al. 2014). According to Gardner et al., both positive and negative moods affect food choices. Especially, having negative moods often leads one to pick indulgent food instead of healthy food to cope with the emotion.

Stress is a common reaction to the environment that is often linked to negative emotions. In fact, Du et al. (2018) suggests that there is a significant positive correlation between the level of stress one has and the degree of negative emotions one experiences. Combining the results from both studies, it is therefore highly likely that food choices could be affected by stress.

A study by Mental Health Foundation (2018) suggests that a majority of the population in the United Kingdom may have been overwhelmed with stress at some time within the year 2018. This suggests that many of the health problems resulted from unhealthy eating behaviors could be linked to stress. However, regulating eating behavior often requires a deep understanding of nutrition and diet, which is not the possession of non-experts. There are professionals who are out there to offer counseling services on people's diet, but this is understandably not always accessible by the general public, given the pervasiveness of stress among them. Moreover, the specific eating behavior resulted from stress differs among individuals (Torres and Nowson 2007). For example, the same level of stress can lead to overeating for one person, but undereating for another. It is, therefore, crucial to work out an individual's eating behavior under the influence of stress without professional medical intervention. This information can be helpful in building food recommendation systems that can detect stress, and recommend healthy food based on the user's eating patterns. The prerequisite of such is to build another (predictive) system so that given a specific user and his/her stress level, it can predict what the user is likely to eat, especially whether he/she is likely to eat more or less than usual. This thesis focuses on establishing a method to build such a system.

The first step is to collect user data. Specifically, data on users' stress and eating

behavior, as well as the relations between them. One way of doing this is to use a chatbot. Compared with more explicit ways of acquiring data, such as questionnaires on interviews, a chatbot is obviously less intrusive and offers the possibility to collect data in a real-world setting instead of in laboratories. On the other hand, users are likely to be more adherent to chatbots compared to other types of cognitive-behavioral therapeutic (CBT) apps such as self-help web-based therapy (Barak et al. 2008) given their conversational and human-like nature, which is crucial in the context of this research (Fitzpatrick et al. 2017).

1.1 Section

1.1.1 Subsection

See Table 1.1, Figure 1.1, Figure 1.2, Figure 1.3.

Table 1.1: An example for a simple table.

A	B	C	D
1	2	1	2
2	3	2	3




Figure 1.1: An example for a simple drawing.




Figure 1.2: An example for a simple plot.

```
SELECT * FROM tbl WHERE tbl.str = "str"
```

Figure 1.3: An example for a source code listing.

List of Figures

1.1	Example drawing	2
1.2	Example plot	3
1.3	Example listing	3

List of Tables

1.1	Example table	2
-----	-------------------------	---

Bibliography

- Barak, A., L. Hen, M. Boniel-Nissim, and N. Shapira (2008). "A Comprehensive Review and a Meta-Analysis of the Effectiveness of Internet-Based Psychotherapeutic Interventions." In: *Journal of Technology in Human Services* 26.2-4, pp. 109–160. DOI: 10.1080/15228830802094429. eprint: <https://doi.org/10.1080/15228830802094429>.
- Du, J., J. Huang, Y. An, and W. Xu (Jan. 2018). "The Relationship between stress and negative emotion: The Mediating role of rumination." In: *Clinical Research and Trials* 4. DOI: 10.15761/CRT.1000208.
- Fitzpatrick, K. K., A. Darcy, and M. Vierhile (June 2017). "Delivering Cognitive Behavior Therapy to Young Adults With Symptoms of Depression and Anxiety Using a Fully Automated Conversational Agent (Woebot): A Randomized Controlled Trial." In: *JMIR Ment Health* 4.2, e19. ISSN: 2368-7959. DOI: 10.2196/mental.7785.
- Gardner, M. P., B. Wansink, J. Kim, and S.-B. Park (2014). "Better moods for better eating?: How mood influences food choice." In: *Journal of Consumer Psychology* 24.3, pp. 320–335. DOI: 10.1016/j.jcps.2014.01.002. eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1016/j.jcps.2014.01.002>.
- Mental Health Foundation (2018). *Mental health statistics: stress*. URL: <https://www.mentalhealth.org.uk/statistics/mental-health-statistics-stress> (visited on 04/09/2020).
- Torres, S. J. and C. A. Nowson (2007). "Relationship between stress, eating behavior, and obesity." In: *Nutrition* 23.11, pp. 887–894. ISSN: 0899-9007. DOI: <https://doi.org/10.1016/j.nut.2007.08.008>.