

uFR-mf-examples-java ReaderOpenEx for uFR Nano Online

*Document describes 3 way of opening communication with
(uFR Nano Online (TCP/IP, UDP, and Bluetooth)*


Link: <https://www.d-logic.net/code/nfc-rfid-reader-sdk/ufr-mf-examples-java.git>

Table of contents

Title	Page number
Opening communication	3
Revision history	5

Opening communication

- For opening **UDP** connection with uFR Nano Online, type:



The screenshot shows the 'uFRcSimple' application window. It has a 'File' menu bar. Below the menu bar, there is a checkbox labeled 'Use advanced options' which is checked. To the right of this checkbox is a URL: <https://www.d-logic.net/nfc-rfid-reader-sdk/>. Below this, there is a 'READER OPEN' button. To the right of the button are five input fields with labels above them: 'Reader type' (containing '0'), 'Port name' (containing '192.168.1.101'), 'Port interface' (containing 'U'), and 'Arg' (containing '0').


Reader type - '0'

Port name - ip address, example ('192.168.1.101' or '192.168.1.101:8881' - if you want to specify a port)

Port interface - 'U' or '85'

Arg - '0'

- For opening **TCP/IP** connection with uFR Nano Online, type:



The screenshot shows the 'uFRcSimple' application window. It has a 'File' menu bar. Below the menu bar, there is a checkbox labeled 'Use advanced options' which is checked. To the right of this checkbox is a URL: <https://www.d-logic.net/nfc-rfid-reader-sdk/>. Below this, there is a 'READER OPEN' button. To the right of the button are five input fields with labels above them: 'Reader type' (containing '0'), 'Port name' (containing '192.168.1.101'), 'Port interface' (containing 'T'), and 'Arg' (containing '0').


Reader type - '0'

Port name - ip address, example ('192.168.1.101' or '192.168.1.101:8881' - if you want to specify a port)

Port interface - 'T' or '84'

Arg - '0'

- For opening **Bluetooth** connection with uFR Nano Online, type:



The screenshot shows a window titled "uFRcSimple" with a menu bar containing "File". Below the menu bar, there is a checkbox labeled "Use advanced options" which is checked. To the right of this checkbox is a URL: <https://www.d-logic.net/nfc-rfid-reader-sdk/>. Below these elements is a table with five columns: "Reader type", "Port name", "Port interface", and "Arg". The "Reader type" column has a value of "2". The "Port name" column has a value of "COM21". The "Port interface" column has a value of "0". The "Arg" column has a value of "ESET_DISABLE". There is also a button labeled "READER OPEN" to the left of the "Reader type" input field.

	Reader type	Port name	Port interface	Arg
READER OPEN	2	COM21	0	ESET_DISABLE

Reader type - '2'

Port name - COM port, example ('COM21')

Port interface - '0'

Arg - 'UNIT_OPEN_RESET_DISABLE'

Revision history

Date	Version	Comment
2019-04-10	1.0	Base document