

Course Section:	□ Prof. Ardagna	\Box Prof. Palermo	□ Prof. Roveri		
Student id (codice persona):					
Last Name:					
First Name:		IN CAPITAL LETTEI			

Exam Duration: 1hour and 15min

Students are not permitted to use mobile phones and similar connected devices. Course materials and programmable devices (e.g. programmable calculators) cannot be used as well. **Any violation of the rules is considered a cheating action.**

Answers must be given on the Answer Sheet. Any box filled or answer provided on the other sheets will be ignored. Students must use a pen (black or blue) to mark the answers (no pencil).

Write the LAST and FIRST name in CAPITAL LETTER, and in this order, on the first and last page of the exam. **Do not write your name on the first page of the Answer Sheet**. It is requested only the personal code.

Check that the first number of the code for the Answer Sheet is the same as for the other sheets. The code can be found in the top-right corner of each page in the form +NN/KK/XX+. The parts that should correspond is ONLY the first digit NN

Do not use crosses to mark the answers, fill clearly the box you selected without overlapping on other boxes. If you make a mistake on them, circle the word *Question* together with the related number, and write the correct letter to its side.

Numerical exercises require to write the formulas and procedure used to solve the problem just after the question in the left space. Only the numeric answer and its unit should be reported on the corresponding dotted line in the Answer Sheet.

The answer to Question 17 should be written using ONLY the space available on Page 2 of the Answer Sheet. The answer should be readable by the professor. Unreadable answers will be considered wrong.

Scores: correct answers take positive points, unanswered questions take 0 points, wrong answers can have negative points. An indication of the points is available at the beginning of each section. The final score can be re-modulated at the end of the evaluation.



Multiple choice questions

Correct answer: +2, No answer: 0, Wrong Answer -0.5

Answers must be given on the ANSWER SHEET. Any box filled here will be ignored.

Question 1

When dependability-related requirements must be considered? Select the right answer.

- A When a prototype of the system is available
- B Only during requirements definition
- C In every phase of the design flow
- D When starting testing/verification activities

Question 2

In the context of data centers, scalability is the ability for the infrastructure _____ without cost, efficiency, and reliability being compromised. Select the correct item to be included in the previous sentence.

- A to be enlarged or to handle an increment of the input requests
- B none of the others
- C to run in a larger building
- D to improve the cooling strategy

Question 3


What is a Data Center?

- A None of the others
- B A building or portion of a building whose primary function is to research new data.
- C A building or a portion of a building whose primary function is to house a computer room and its related support areas.
- D A room in a building dedicated to monitoring data and information.

Question 4

In a three-layer network architecture of a Datacenter, which is the layer that is typically associated to the TOR switch?

- A Access
- B Core
- C Aggregation
- D None of the others



B False

Tower servers consumes less space than rack and blade:

A True



Correct answer: +2, No answer: 0.


The formulas and procedures used to solve the exercises should be included here close to the question. The numeric answer, and only that, must be given on the ANSWER SHEET. Any number written only here will be ignored. The correct number is ONLY a necessary condition for a correct answer. If the formulas are not available after each exercise, they will be considered as not answered.

Question 10

The analysis of the failure behavior of a two components system reveals that the system is down only when both its components are down. The two components A and B have the following characteristics: $MTTF_A = 180 days$, $MTTR_A = 1 day$, $MTTF_B = 12 days$ and $MTTR_B = 1 hour$. What is the reliability of the system at t = 8 days?

Question 11

You have in charge to design a computer system to control the power grid for the NorthEast region of Italy. The effect of a period with your system unavailable creates a lot of problems not only because the lights go off but also considering the block of the productivity of the area and possible civil disorders. Thus, you have set a goal of having a system with an availability level greater than 99.9999. You are constrained to use building block units for your control system having a MTTF of 800 hours and a MTTR of 14 min. How many parallel instances do you have to arrange to meet your goal? Use at least 9 decimal digits for all the intermediate calculations.



Question 12


Consider an HDD with a data transfer rate of 10 MB/s, a rotation speed of 7500 RPM, a mean seek time of 6 ms, and a negligible overhead controller. What is the minimum locality required to achieve a mean I/O service time of 2.20 ms to transfer a sector of 4 KB?

Question 13

A RAID 5 system uses six 2TB disks to store data and the required parity bits. Considering that each disk has a Sequential Access Speed (Throughput) of $75 \mathrm{MB/s}$ and a Random Access Speed (Throughput) of $7.5 \mathrm{MB/s}$, what is the expected throughput of the RAID 5 considering a random write pattern?

Question 14

Consider the following RAID 1+0 setup considering 8 disks, each one with an MTTF equal to 400 days and an MTTR equal to 25 days. Consider a single mirror case for the RAID 1 part. What is the MTTF of the storage infrastructure?



Question 15

Your system initially includes one CPU and one disk and serves 30 users characterised by 20s think time. The CPU demanding time is $D_{CPU}=100ms$ while the disk demanding time is $D_{DISK}=300ms$. How many disks do you need to install in your system in a way the response time lower bound is lower than 500ms? (hint: assume that you can evenly split the disk demand among all the disks you are going to use in your system)

Question 16

Consider the same system and situation as in the previous question. Knowing that the system response time $R_{sys}=30s$ which is the system throughput X?



Open Question

Correct answer: +5, No answer: 0. Points are modulated considering the written text

Write the answer using ONLY the space available on Page 2 of the Answer Sheet. The answer should be readable by the professor. Unreadable answers will be considered wrong.

Question 17

 \Rightarrow Classify the various types of clouds, while providing a short description of them.


!!!ANY ANSWER PROVIDED IN THIS PAGE WILL BE IGNORED!!!

If needed, you can use the space hereafter to organize your answer.




\Rightarrow This page intentionally left blank \Leftarrow

If needed, you can use this page for notes. Any answer written here will be ignored.



Computing Infrastructure - Answer Sheet (Page 1) ${\rm July}\ 13,\ 2022$

Student id (codice	e persona):		
Course Section:	□ Prof. Ardagna	□ Prof. Palermo	□ Prof. Roveri
Multiple Choice Qu	estions		
Question 01:]A		
Question 02:]A		
Question 03:]A		
Question 04:]A		
${f True/False~Question}$	18		
Question 05:]А []В		
Question 06:	A B		
Question 07:]А []В		
Question 08:	A B		
Question 09:]А []В		
Exercises			
Question 10:			
Question 11:			
Question 12:			
Question 13:			
Question 14:			
Question 15:			
Question 16:			



Computing Infrastructure - Answer Sheet (Page 2) July 13, 2022

FIRST NAME and LAST NAME in CAPITAL LETTERS				
(LAST NAME) (FIRST NAME)				
Question 17 \Rightarrow Classify the various types of clouds, while providing a short description of them.				

C Α C Α В В Α Α В 97,88% 2 82,00% 11,25 MB/s 800 DAYS 1 disk 0,6 J/sec