

4.1 Experiment No. 1

Aim:

Practical 1: Import the legacy data from different sources such as (Excel, SqlServer, Oracle etc.) and load in the target system.

Objective:

In this experiment, we will be able to


- Gather data from various sources and load it in the targeted system, Data Extraction and Loading operation.

Theory:

Importing Excel Data and loading in BI Tool (Power BI)

- 1) Launch Power BI Desktop.
- 2) From the Home ribbon, select Get Data.

Excel is one of the Most Common data connections, so you can select it directly from the Get Data menu.



- 3) If you select the Get Data button directly, you can also select File > Excel and select Connect.
- 4) In the Open File dialog box, select the Products.xlsx file.
- 5) In the Navigator pane, select the Products table and then select Edit.

Navigator

Show All | Show Selected (1)

- ProductSales
 - Products
 - Sheet1

Products

Preview downloaded on Friday

ProductID	ProductName	SupplierID	CategoryID	Quantity
1	Chai	1	1	10
2	Chang	1	1	10
3	Aniseed Syrup	1	1	10
4	Chief Aniseed Syrup	2	1	10
5	Chief Aniseed Syrup	2	1	10
6	Garden of Eatin's Organic Green	3	1	10
7	Prince Bob's Organic Green	3	1	10
8	Northwind's Organic Green	3	1	10
9	Miniature Nuts	4	1	10
10	Nuts	4	1	10
11	Quintessential	5	1	10
12	Quintessential	5	1	10
13	Quintessential	5	1	10
14	Tofu	6	1	10
15	Garden of Eatin's	6	1	10
16	Prince Bob's	6	1	10
17	Northwind's	6	1	10
18	Quintessential	6	1	10
19	Quintessential	6	1	10
20	Quintessential	6	1	10
21	Quintessential	6	1	10
22	Quintessential	6	1	10
23	Quintessential	6	1	10
24	Quintessential	6	1	10
25	Quintessential	6	1	10
26	Quintessential	6	1	10
27	Quintessential	6	1	10
28	Quintessential	6	1	10
29	Quintessential	6	1	10
30	Quintessential	6	1	10
31	Quintessential	6	1	10
32	Quintessential	6	1	10
33	Quintessential	6	1	10
34	Quintessential	6	1	10
35	Quintessential	6	1	10
36	Quintessential	6	1	10
37	Quintessential	6	1	10
38	Quintessential	6	1	10
39	Quintessential	6	1	10
40	Quintessential	6	1	10

Load Edit Cancel

Navigator

Display Options

- http://services.odata.org/V3/Northwind/No...
- Alphabetical list of products
- Categories
- Category Sales for 1997
- Current Product Lists
- Customer and Suppliers by Cities
- Customer Demographics
- Customers
- Employees
- Invoices
- Order Details
- Order Details Extended
- Order Subtotals
- Orders**
- Orders Ques
- Product Sales for 1997
- Products
- Products Above Average Prices
- Products by Categories
- Regions

Orders

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate
10248	VINET	5	04-07-1996 00:00:00	01-08-1996
10249	TOMSP	6	05-07-1996 00:00:00	16-08-1996
10250	HANAR	4	08-07-1996 00:00:00	05-08-1996
10251	VICTE	3	08-07-1996 00:00:00	05-08-1996
10252	SUPRD	4	09-07-1996 00:00:00	06-08-1996
10253	HANAR	3	10-07-1996 00:00:00	24-07-1996
10254	CHOPS	5	11-07-1996 00:00:00	08-08-1996
10255	RICSI	9	12-07-1996 00:00:00	09-08-1996
10256	WELLI	3	15-07-1996 00:00:00	12-08-1996
10257	HILAA	4	16-07-1996 00:00:00	13-08-1996
10258	ERNST	1	17-07-1996 00:00:00	14-08-1996
10259	CENTC	4	18-07-1996 00:00:00	15-08-1996
10260	OTTIE	4	19-07-1996 00:00:00	16-08-1996
10261	QUADE	4	19-07-1996 00:00:00	16-08-1996
10262	RATTC	8	22-07-1996 00:00:00	19-08-1996
10263	ERNST	9	22-07-1996 00:00:00	20-08-1996
10264	FOLKO	6	24-07-1996 00:00:00	21-08-1996
10265	BLOMP	2	25-07-1996 00:00:00	22-08-1996
10266	WAITH	3	26-07-1996 00:00:00	06-09-1996
10267	FRANK	4	29-07-1996 00:00:00	16-08-1996
10268	GROSA	8	30-07-1996 00:00:00	27-08-1996
10269	WHITC	5	31-07-1996 00:00:00	14-08-1996
10270	WAITH	1	01-08-1996 00:00:00	29-08-1996

Select Related Tables Load Edit Cancel

Importing Data from OData Feed


In this task, you'll bring in order data. This step represents connecting to a sales system. You import data into Power BI Desktop from the sample Northwind OData feed at the following

URL, which you can copy (and then paste) in the steps below:

<http://services.odata.org/V3/Northwind/Northwind.svc/>

Connect to an OData feed:

- 1) From the Home ribbon tab in the Query Editor, select Get Data.
- 2) Browse to the OData Feed data source.
- 3) In the OData Feed dialog box, paste the URL for the Northwind OData feed.
- 4) Select OK.
- 5) In the Navigator pane, select the Orders table, and then select Edit.



Note - You can click a table name, without selecting the checkbox, to see a preview

Conclusion: In This way we have studied data loading operation from various sources into power BI.

Outcome: Successfully able to Import the legacy data from different sources such as (Excel, SqlServer, Oracle etc.) and load in the targeted system

Application:

Data Integration from Multiple Sources

ETL can be employed to extract data from these diverse sources such as different databases, spreadsheets, and external APIs., transform it into a unified format, and load it into the SQL Server database. This integration ensures a consolidated and consistent dataset for analysis in Power BI.

Questions:

Q 1: How do you ensure data integrity and consistency during the import process from different sources?

Q 2: What strategies would you employ to handle large volumes of data during the import process from various sources?

Q 3: Can you describe the role of data mapping and transformation in the context of importing data from different sources into the target system?

Q 4: What security measures would you implement to safeguard the integrity and confidentiality of the imported data during the transfer process?

4.2 Experiment No. 2

Aim: Data Visualization from Extraction Transformation and Loading (ETL) Process

Objective: In this experiment, we will be able to transform raw data into valuable insights, thereby empowering businesses with the tools needed for data-driven decision-making.

Theory:

A data representation tool is the user interface of the whole business intelligence system. Before it can be used for creating visuals, the data goes through a long process. This is basically a description of how BI works


First things first, we should define data sources and data types that will be used.

Then transformation methods and database qualities are determined.

Following that, the data is sourced from its initial storages, for example, Google Analytics, ERP, CRM, or SCM system.

Using API channels, the data is moved to a staging area where it is transformed. Transformation assumes [data cleaning](#), mapping, and standardizing to a unified format.

Further, cleaned data can be moved into a storage: a usual database or [data warehouse](#). To make it possible for the tools to read data, the original base language of datasets can also be rewritten.



Data visualization actually takes place in the whole process. Most modern BI interfaces have a wide number of options concerning the choice of how to use data for visuals. In most cases, there is a command dashboard with a drag-and-drop interface that allows to:

- Connect the data source to the system via [API](#) (or custom [integration](#))
- Choose the dataset to work with
- Choose the type of visualization
- Place multiple visuals on the dashboard
- Create interactive elements to manipulate the data
- Modify visuals as the data updates
- Type information manually
- Save reports
- Share reports


Data Visualization from ETL Process

Power BI Desktop lets you create a variety of visualizations to gain insights from your data. You can build reports with multiple pages and each page can have multiple visuals. You can interact with your visualizations to help analyze and understand your data


In this task, you create a report based on the data previously loaded. You use the Fields pane to select the columns from which you create the visualizations.

Step 1: Create charts showing Units in Stock by Product and Total Sales by Year


1. Drag UnitsInStock from the Field pane (the Fields pane is along the right of the screen) onto a blank space on the canvas. A Table visualization is created. Next, drag ProductName to the Axis box, found in the bottom half of the Visualizations pane. Then we then select Sort By > UnitsInStock using the skittles in the top right corner of the visualization.



2. Drag OrderDate to the canvas beneath the first chart, then drag LineTotal (again, from the Fields pane) onto the visual, then select Line Chart. The following visualization is created.




- Next, drag ShipCountry to a space on the canvas in the top right. Because you selected a geographic field, a map was created automatically. Now drag LineTotal to the Values field; the circles on the map for each country are now relative in size to the LineTotal for orders shipped to that country.



Step 2: Interact with your report visuals to analyze further


Power BI Desktop lets you interact with visuals that cross-highlight and filter each other to uncover further trends.

- Click on the light blue circle centered in Canada. Note how the other visuals are filtered to show Stock (ShipCountry) and Total Orders (LineTotal) just for Canada.



Input: Students can use different dataset

Output: Create your own Dashboard



Applications:

Power BI Data Modeling and Visualization:

Scenario: Constructing meaningful data models in Power BI for insightful visualizations and reports.

Application: The ETL process shapes the data in a way that aligns with Power BI data models. Relationships between tables are established, and calculations may be pre-aggregated during the ETL to enhance Power BI performance. This ensures that the data is ready for effective reporting and analysis.

Conclusion:

Summarize the overall process, emphasizing the effectiveness of Power BI in turning raw data into compelling visualizations and actionable insights.

Questions:

1. How can ETL tools improve data visualization?

2. What are some best practices for using ETL tools?
3. ETL vs ELT
4. What is data visualization: how it works, types of data to visualize, visualization formats

4.3 Experiment No. 3

Aim: Perform the Extraction Transformation and Loading (ETL) process to construct the database in the Sqlserver / Power BI.

Objective: In this experiment, Student's will be able to execute the Extraction, Transformation, and Loading (ETL) process to construct a robust and optimized database in SQL Server, with a subsequent integration into Power BI.

Successfully achieving these objectives, the ETL process will result in a well-constructed and optimized database in SQL Server, seamlessly integrated with Power BI for effective data visualization and reporting.

Theory:

Step 1 : Data Extraction : The data extraction is the first step of ETL. There are two Types of Data Extraction

1. Full Extraction : All the data from source systems or operational systems gets extracted to the staging area. (Initial Load)

2. Partial Extraction : Sometimes we get notification from the source system to update a specific date. It is called Delta load. Source System Performance: The Extraction strategies should not affect source system performance.

Step 2 : Data Transformation : The data transformation is the second step. After extracting the data there is a big need to do the transformation as per the target system.

Data Transformation.

Data Extracted from the source system is in Raw format.

We need to transform it before loading into the target server.

Data has to be cleaned, mapped and transformed

There are following important steps of Data Transformation :

1. Selection : Select data to load in target
2. Matching : Match the data with target system
3. Data Transforming : We need to change data as per target table structures

Real life examples of Data Transformation :

- Standardizing data : Data is fetched from multiple sources so it needs to be standardized as per the target system.
- Character set conversion : Need to transform the character sets as per the target systems. (Firstname and last name example)
- Calculated and derived values: In the source system there is first val and second val and in target we need the calculation of first val and second val.
- Data Conversion in different formats : If in source system data is in DDMMYY format and in target the date is in DDMMYYYY format then this transformation needs to be done at transformation phase.


Step 3 : Data Loading

Data loading phase loads the prepared data from staging tables to main tables


ETL process in SQL Server:

Following are the steps to open BIDS\SSDT.


Step 1 – Open either BIDS\SSDT based on the version from the Microsoft SQL Server programs group. The following screen appears.



Step 2 – The above screen shows SSDT has opened. Go to file at the top left corner in the above image and click New. Select project and the following screen opens.



Step 3 – Select Integration Services under Business Intelligence on the top left corner in the above screen to get the following screen.



Step 4 – In the above screen, select either Integration Services Project or Integration Services Import Project Wizard based on your requirement to develop/create the package.

Modes

There are two modes – Native Mode (SQL Server Mode) and SharePoint Mode.

Models

There are two models – Tabular Model (For Team and Personal Analysis) and Multi Dimensions Model (For Corporate Analysis).

The BIDS (Business Intelligence Studio till 2008 R2) and SSDT (SQL Server Data Tools from 2012) are environments to work with SSAS.

Step 1 – Open either BIDS\SSDT based on the version from the Microsoft SQL Server programs group. The following screen will appear.

Step 2 – The above screen shows SSDT has opened. Go to file on the top left corner in the above image and click New. Select project and the following screen opens.

Step 3 – Select Analysis Services in the above screen under Business Intelligence as seen on the top left corner. The following screen pops up.

Step 4 – In the above screen, select any one option from the listed five options based on your requirement to work with Analysis services.

ETL Process in Power BI


1. Remove other columns to only display columns of interest

In this step you remove all columns except **ProductID, ProductName, UnitsInStock, and QuantityPerUnit** Power BI Desktop includes Query Editor, which is where you shape and transform your data connections. Query Editor opens automatically when you select Edit from Navigator.

You can also open the Query Editor by selecting Edit Queries from the Home ribbon in Power BI Desktop. The following steps are performed in Query Editor.

1. In Query Editor, select the **ProductID, ProductName, QuantityPerUnit, and UnitsInStock** columns (use Ctrl+Click to select more than one column, or Shift+Click to select columns that are beside each other).


2. Select **Remove Columns > Remove Other Columns** from the ribbon, or right-click on a column header and click Remove Other Columns.



2. Change the data type of the UnitsInStock column

When the Query Editor connects to data, it reviews each field and determines the best data type. For the Excel workbook, products in stock will always be a whole number, so in this step you confirm the **UnitsInStock** column's datatype is Whole Number.

1. Select the **UnitsInStock** column.
2. Select the **Data Type** drop-down button in the **Home** ribbon.
3. If not already a Whole Number, select **Whole Number** for data type from the drop down (the Data Type: button also displays the data type for the current selection).



3. Expand the Order_Details table


The Orders table contains a reference to a Details table, which contains the individual products that were included in each Order. When you connect to data sources with multiples tables (such as a relational database) you can use these references to build up your query

In this step, you expand the **Order_Details** table that is related to the Orders table, to combine the **ProductID**, **UnitPrice**, and **Quantity** columns from **Order_Details** into the **Orders table**. This is a representation of the data in these tables:

The Expand operation combines columns from a related table into a subject table. When the query runs, rows from the related table (**Order_Details**) are combined into rows from the subject table (**Orders**).

After you expand the Order_Details table, three new columns and additional rows are added to the Orders table, one for each row in the nested or related table.

1. In the Query View, scroll to the Order_Details column.
2. In the Order_Details column, select the expand icon ().
3. In the Expand drop-down:
 1. Select (Select All Columns) to clear all columns.
 2. Select ProductID, UnitPrice, and Quantity.
 3. Click OK.




4. Calculate the line total for each Order_Details row

Power BI Desktop creates calculations based on the columns you are importing, so you can enrich the data that you connect to. In this step, you create a Custom Column to calculate the line total for each Order_Details row.

Calculate the line total for each Order_Details row:

1. In the Add Column ribbon tab, click Add Custom Column.



2. In the Add Custom Column dialog box, in the Custom Column Formula textbox, enter [Order_Details.UnitPrice] * [Order_Details.Quantity].

3. In the New column name textbox, enter LineTotal.

4. Click OK.



5. Rename and reorder columns in the query

In this step you finish making the model easy to work with when creating reports, by renaming the final columns and changing their order.

1. In Query Editor, drag the LineTotal column to the left, after ShipCountry.

2 Queries

Products

Orders

Table.AddColumn(#"Removed Other"

ShipCity	LineTotal	Order_Details.ProductID	Order_Details.UnitPrice
AM Reims	France	11	
AM Reims	France	42	
AM Reims	France	72	
AM Münster	Germany	14	
AM Münster	Germany	51	
AM Rio de Janeiro	Brazil	41	
AM Rio de Janeiro	Brazil	51	
AM Rio de Janeiro	Brazil	65	
AM Lyon	France	22	
AM Lyon	France	57	
AM Lyon	France	65	
AM Charleroi	Belgium	20	
AM Charleroi	Belgium	33	
AM Charleroi	Belgium	60	
AM Rio de Janeiro	Brazil	31	
AM Rio de Janeiro	Brazil	39	
AM Rio de Janeiro	Brazil	49	
AM Bern	Switzerland	24	
AM Bern	Switzerland	55	
AM Bern	Switzerland	74	
AM Genève	Switzerland	2	

7 COLUMNS, 999+ ROWS

PREVIEW DOWNLOADED AT 9:52 AM

Query Settings

PROPERTIES

Name

Orders

All Properties

APPLIED STEPS

Source

Navigation

Expanded Order_Details

Removed Other Columns

Added Custom

2. Remove the Order_Details. prefix from the Order_Details.ProductID, Order_Details.UnitPrice and Order_Details.Quantity columns, by double-clicking on each column header, and then deleting that text from the column name.

6. Combine the Products and Total Sales queries


Power BI Desktop does not require you to combine queries to report on them. Instead, you can create Relationships between datasets. These relationships can be created on any column that is common to your datasets

We have Orders and Products data that share a common 'ProductID' field, so we need to ensure there's a relationship between them in the model we're using with Power BI Desktop. Simply specify in Power BI Desktop that the columns from each table are related (i.e. columns that have the same values). Power BI Desktop works out the direction and cardinality of the relationship for you. In some cases, it will even detect the relationships automatically.

In this task, you confirm that a relationship is established in Power BI Desktop between the Products and Total Sales queries

Step 1: Confirm the relationship between Products and Total Sales

1. First, we need to load the model that we created in the Query Editor into Power BI Desktop. From the Home ribbon of the Query Editor, select Close & Load.




2. Power BI Desktop loads the data from the two queries.



3. Once the data is loaded, select the Manage Relationships button Home ribbon.



4. Select the New... button



5. When we attempt to create a relationship, we see that one already exists! As shown in the Create Relationship dialog (by the shaded columns), the ProductsID fields in each query already have an established relationship.

Create Relationship

Select tables and columns that relate to one another.

Products

ProductID	ProductName	QuantityPerUnit	UnitsInStock
1	Chai	10 boxes x 20 bags	39
2	Chang	24 - 12 oz bottles	17
3	Aniseed Syrup	12 - 550 ml bottles	23
4	Chef Anton's Cajun Seasoning	48 - 6 oz jars	53
5	Chef Anton's Gumbo Mix	36 boxes	0

Orders


OrderDate	ShipCity	LineTotal	ShipCountry	ProductID	UnitPrice	Quantity
10/8/1996	Boise	291.9	USA	16	13.9	21
10/8/1996	Boise	1008	USA	35	14.4	70
10/8/1996	Boise	288	USA	46	9.6	30
10/8/1996	Boise	1760	USA	59	44	40
10/8/1996	Boise	2808	USA	63	35.1	80

Advanced options


There's already a relationship between these two columns.

OK Cancel


6. Select Cancel, and then select Relationship view in Power BI Desktop.



7. Visualizes the relationship between the queries.



8. When you double-click the arrow on the line that connects the two queries, an Edit Relationship dialog appears.



No need to make any changes, so we'll just select Cancel to close the Edit Relationship dialog.

Applications: The application of the Extraction, Transformation, and Loading (ETL) process to construct a database in SQL Server and integrate it with Power BI is crucial for efficiently managing and analyzing data. following are the applications of ETL:

Data Cleaning and Standardization

Database Construction and Schema Design

Scenario: Setting up a new database or enhancing an existing one to optimize performance and facilitate efficient querying.

Application: ETL plays a crucial role in designing the database schema and populating tables. This involves defining relationships, indexing key columns, and organizing data for faster retrieval. A well-structured database enhances Power BI performance by providing a solid foundation for reporting.

Conclusion: the Extraction, Transformation, and Loading (ETL) process is a fundamental aspect of constructing a robust database in SQL Server and integrating it seamlessly with Power BI for insightful analysis and reporting.

Outcome:

Successful construction of a database in SQL Server or Power BI containing the extracted, transformed, and loaded data, improved data quality and consistency through data cleansing and transformation.

Questions:

1. What are the two types of data extraction methods commonly used in the ETL process, and how do they differ from each other?
2. How does data extraction affect the performance of the source system, and what strategies can be implemented to mitigate any negative impact?
3. What are the key steps involved in the data transformation phase of the ETL process, and why is it essential for preparing data for loading into the target system?
4. Can you provide real-life examples of data transformation tasks and explain how they contribute to ensuring data quality and consistency?
5. What is the purpose of the data loading phase in the ETL process, and how does it facilitate the transfer of prepared data from staging tables to main tables in the target system?

4.4 Experiment No. 4

Aim: Data Analysis and Visualization using Advanced Excel

Objective: To leverage advanced Excel techniques for data analysis and visualization in order to extract actionable insights, facilitate informed decision-making, and enhance organizational performance.


Theory:

Power View is a feature of Microsoft Excel 2013 that enables interactive data exploration, visualization, and presentation encouraging intuitive ad-hoc reporting.

Create a Power View Sheet

Make sure Power View add-in is enabled in Excel 2013.

Step 1 – Click on the File menu and then Click on Options.




The Excel Options window appears.

Step 2 – Click on Add-Ins.

Step 3 – In the Manage box, click the drop-down arrow and select Excel Add-ins.

Step 4 – All the available Add-ins will be displayed. If Power View Add-in is enabled, it appears in Active Application Add-ins.



If it does not appear, follow these steps –

Step 1 – In the Excel Options Window, Click on Add-Ins.


Step 2 – In the Manage box, click the drop-down arrow and select

COM Add-ins Step 3 – Click on the Go button. A COM Add-Ins

Dialog Box appears.

Step 4 – Check the Power View Check Box.

Step 5 – Click OK.




Now, you are ready to create the


Power View sheet. Step 1 – Click on the Data Table.

Step 2 – Click on Insert tab.

Step 3 – Click on Power View in Reports Group.




An Opening Power View window opens, showing the progress of Working on opening Power View sheet.



The Power View sheet is created for you and added to your Workbook with the Power View. On the Right-side of the Power View, you find the Power View Fields. Under the Power View Fields you will find Areas.

In the Ribbon, if you click on Design tab, you will find various Visualization options.




Create Charts and other Visualizations

For every visualization you want to create, you start on a Power View sheet by creating a table, which you then easily convert to other visualizations, to find one that best illustrates your Data.

Step 1 – Under the Power View Fields, select the fields you want to visualize.

Step 2 – By default, the Table View will be displayed. As you move across the Table, on the top-right corner, you find two symbols – Filters and Pop out.

Step 3 – Click on the Filters symbol. The filters will be displayed on the right side. Filters has two tabs. View tab to filter all visualizations in this View and Table tab to filter the specific values in this table only.



Visualization – Matrix

A Matrix is made up of rows and columns like a Table. However, a Matrix has the following capabilities that a Table does not have –


- Display data without repeating values.
- Display totals and subtotals by row and column.
- With a hierarchy, you can drill up/drill down.

Collapse and Expand the Display


Step 1 – Click on the DESIGN tab.

Step 2 – Click on Table in the Switch Visualization Group.

Step 3 – Click on Matrix.



The Matrix Visualization appears.




Visualization – Card

You can convert a Table to a series of Cards that display the data from each row in the table laid out in a Card format, like an index Card.

Step 1 – Click on the DESIGN tab.

Step 2 – Click on Table in the Switch Visualization Group.

Step 3 – Click on Card.



Visualization – Charts

In Power View, you have a number of Chart options: Pie, Column, Bar, Line, Scatter, and Bubble. You can use several design options in a chart such as showing and hiding labels, legends, and titles. Charts are interactive.

If you click on a Value in one Chart –

- the Value in that chart is highlighted.
- All the Tables, Matrices, and Tiles in the report are filtered to that Value.
- That Value in all the other Charts in the report is highlighted.

The charts are interactive in a presentation setting also.


Step 1 – Create a Table Visualization from Medals data.

You can use Line, Bar and Column Charts for comparing data points in one or more data series. In these Charts, the x-axis displays one field and the y-axis displays another, making it easy to see the relationship between the two values for all the items in the Chart.

Line Charts distribute category data evenly along a horizontal (category) axis, and all numerical value data along a vertical (value) axis.

Step 2 – Create a Table Visualization for two Columns, NOC_CountryRegion and Count of Medal.


Step 3 – Create the same Table Visualization below




Step 4 – Click on the Table Visualization below.

Step 5 – Click on Other Chart in the Switch Visualization group.

Step 6 – Click on Line.



The Table Visualization converts into Line Chart Visualization.




In a Bar Chart, categories are organized along the vertical axis and values along the horizontal axis. In Power View, there are three subtypes of the Bar Chart: Stacked, 100% stacked, and Clustered.


Step 7 – Click on the Line Chart Visualization.

Step 8 – Click on Bar Chart in the Switch Visualization Group.


Step 9 – Click on the Stacked Bar option.




The Line Chart Visualization converts into Stacked Bar Chart Visualization.



Step 10 – In the Power View Fields, in the Medals Table, select the Field Gender also.



Step 11 – Click on one of the bars. That portion of the bar is highlighted. Only the row containing the Data specific to the selected bar is displayed in the table above.




You can use the column charts for showing data changes over a period of time or for illustrating comparison among different items. In a Column Chart, the categories are along the horizontal axis and values are along the vertical axis.

In Power View, there are three Column Chart subtypes: Stacked, 100% stacked, and Clustered.


Step 12 – Click on the Stacked Bar Chart Visualization.

Step 13 – Click on Column Chart in the Switch Visualization group.

Step 14 – Click on Stacked Column.



The Stacked Bar Chart Visualization converts into Stacked Column Chart Visualization.




You can have simple Pie Chart Visualizations in Power View.

Step 1 – Click on the Table Visualization as shown below.

Step 2 – Click on Other Chart in the Switch Visualization group.

Step 3 – Click on Pie as shown in the image given below.



Applications:

Financial Analysis: Analyzing financial statements, conducting budgeting and forecasting, and creating financial models using Excel's advanced functions and features.

Supply Chain Management: Optimizing inventory levels, analyzing supplier performance, and identifying cost-saving opportunities by analyzing supply chain data in Excel.

Business Intelligence: Building interactive dashboards, performing ad-hoc analysis, and generating actionable insights from large datasets to support strategic decision-making.


Education Analytics: Analyzing student performance data, identifying areas for improvement in educational programs, and tracking learning outcomes using Excel's analytical capabilities.

Input:

Students need to use any sample dataset or

Select **Events.accdb**, Events Access Database file.

Output:



Conclusion:

Outcome: The successful completion of the Data Analysis and Visualization using Advanced Excel project will result in the creation of visually compelling and insightful reports, presentations that effectively communicate complex data trends, patterns, and relationships.

This will enable stakeholders to make data-driven decisions with confidence, leading to improved efficiency, productivity, and strategic outcomes within the organization.

Questions:

1. How can advanced Excel features such as conditional formatting and data validation be used to improve the visual presentation and accuracy of analytical findings?
2. How can Excel be integrated with other data analysis and visualization tools or platforms to streamline workflows and enhance collaboration among team members?
3. What strategies can be employed to ensure the security and integrity of sensitive data when conducting analysis and visualization projects in Excel?

4.5 Experiment No. 5


Title of Assignment: Practical Implementation of Data Classification Using Random Forest Algorithm

Objective: To implement and evaluate the practical application of data classification using the Random Forest algorithm, aiming to develop robust predictive models that accurately classify data instances into predefined categories.

Theory: Business Intelligence (BI) leverages data analysis tools and techniques to transform raw data into actionable insights for informed decision-making. Classification algorithms play a crucial role in BI by categorizing data into meaningful groups or classes. In this practical write-up, we will demonstrate how to perform data classification using the Random Forest algorithm, a powerful ensemble learning technique.

Dataset:

For our demonstration, we will use a hypothetical dataset from a retail business containing customer transaction data. The dataset includes various features such as customer demographics, purchase history, and product preferences. Our goal is to classify customers into different segments based on their purchasing behavior.



The following steps explain the working Random Forest Algorithm:

Step 1: Select random samples from a given data or training set.


Step 2: This algorithm will construct a decision tree for every training data.

Step 3: Voting will take place by averaging the decision tree.


Step 4: Finally, select the most voted prediction result as the final prediction result.

This combination of multiple models is called Ensemble. Ensemble uses two methods:

1. Bagging: Creating a different training subset from sample training data with replacement is called Bagging. The final output is based on majority voting.
2. Boosting: Combining weak learners into strong learners by creating sequential models such that the final model has the highest accuracy is called Boosting. Example: ADA BOOST, XG BOOST.



Bagging: From the principle mentioned above, we can understand Random forest uses the Bagging code. Now, let us understand this concept in detail. Bagging is also known as Bootstrap Aggregation used by random forest. The process begins with any original random data. After arranging, it is organised into samples known as Bootstrap Sample. This process is known as Bootstrapping. Further, the models are trained individually, yielding different results known as Aggregation. In the last step, all the results are combined, and the generated output is based on majority voting. This step is known as Bagging and is done using an Ensemble Classifier.



Implementation Steps:

Data Collection and Preprocessing:

- Gather the customer transaction data from the retail database or CRM system.
- Preprocess the data by handling missing values, encoding categorical variables, and scaling numerical features if necessary.

Feature Selection and Engineering:

- Identify relevant features that may influence customer segmentation.
- Perform feature engineering to create new features or transform existing ones to improve model performance.

Random Forest Classifier:

- Import the RandomForestClassifier from the Scikit-learn library.
- Split the dataset into training and testing sets using techniques like cross-validation.
- Initialize the Random Forest classifier and specify hyperparameters such as the number of trees, maximum depth, and minimum samples per leaf.
- Train the classifier using the training data.

Model Evaluation:

- Evaluate the performance of the trained classifier using metrics like accuracy, precision, recall, and F1-score.
- Utilize techniques such as confusion matrices and ROC curves to assess model performance and identify areas for improvement.

Segmentation Analysis:

- Analyze the results of the classification to identify distinct customer segments.
- Explore the characteristics and behaviors of each segment to gain insights into customer preferences and trends.

Why Use a Random Forest Algorithm?

There are a lot of benefits to using Random Forest Algorithm, but one of the main advantages is that it reduces the risk of overfitting and the required training time. Additionally, it offers a high level of accuracy. Random Forest algorithm runs efficiently in large databases and produces highly accurate predictions by estimating missing data.

Applications:

Some of the applications of Random Forest Algorithm are listed below:


1. Banking: It predicts a loan applicant's solvency. This helps lending institutions make a good decision on whether to give the customer loan or not. They are also being used to detect fraudsters.
2. Health Care: Health professionals use random forest systems to diagnose patients. Patients are diagnosed by assessing their previous medical history. Past medical records are reviewed to establish the proper dosage for the patients.
3. Stock Market: Financial analysts use it to identify potential markets for stocks. It also enables them to remember the behaviour of stocks.
4. E-Commerce: Through this system, e-commerce vendors can predict the preference of customers based on past consumption behaviour.

Input: user_data.csv

Output:

```
#Creating the Confusion matrix
from sklearn.metrics import confusion_matrix
cm= confusion_matrix(y_test, y_pred)
```

Output:



Output:



Conclusion: In this practical, we have studied the implementation of a data classification algorithm using the Random Forest algorithm in the context of business intelligence. By leveraging classification techniques, businesses can gain valuable insights into customer behavior, market trends, and other critical factors that drive decision-making processes. The Random Forest algorithm, with its ability to handle large datasets and capture complex relationships, offers a powerful tool for segmenting customers and identifying patterns that can drive business growth and innovation.

Outcome: Students will be successfully able to classify data Using Random Forest Algorithm

Questions:

Q1: What are the key steps involved in implementing a Random Forest model for data classification, from data preprocessing to model evaluation?

Q 2: How does the Random Forest algorithm handle overfitting, and what techniques can be employed to fine-tune its hyperparameters for optimal performance?

Q3: How does the computational complexity of Random Forest algorithm compare to other classification algorithms, particularly in terms of training time and prediction speed?

4.6 Experiment No. 6

Aim: Data Clustering Using Decision Tree Algorithm for Business Intelligence

Objective: to introduce students to the practical implementation of data clustering using the decision tree algorithm for business intelligence applications.

By the end of the session, students should be able to understand the concepts of decision tree clustering and apply it to analyze and interpret business datasets.

Theory:

Machine learning algorithms are used in almost every sector of business to solve critical problems and build intelligent systems and processes. Supervised **machine learning algorithms**, specifically, are used for solving classification and regression problems. one of the most popularly used supervised learning algorithms: decision trees in Python.

What is a Decision Tree?

A decision tree is a tree-based supervised learning method used to predict the output of a target variable. Supervised learning uses labeled data (data with known output variables) to make predictions with the help of regression and classification algorithms. Supervised learning algorithms act as a supervisor for training a model with a defined output variable. It learns from simple decision rules using the various data features. Decision trees in Python can be used to solve both classification and regression problems—they are frequently used in determining odds.

Advantages of Using Decision Trees

- Decision trees are simple to understand, interpret, and visualize
- They can effectively handle both numerical and categorical data
- They can determine the worst, best, and expected values for several scenarios
- Decision trees require little data preparation and data normalization
- They perform well, even if the actual model violates the assumptions

Important Terms Used in Decision Trees

1. Entropy: Entropy is the measure of uncertainty or randomness in a data set. Entropy handles how a decision tree splits the data.

It is calculated using the following formula:

$$\sum_{i=1}^k P(\text{value}_i) \cdot \log_2(P(\text{value}_i))$$

2. Information Gain: The information gain measures the decrease in entropy after the data set is split.

It is calculated as follows:

$$IG(Y, X) = \text{Entropy}(Y) - \text{Entropy}(Y | X)$$

3. Gini Index: The Gini Index is used to determine the correct variable for splitting nodes. It measures how often a randomly chosen variable would be incorrectly identified.

4. Root Node: The root node is always the top node of a decision tree. It represents the entire population or data sample, and it can be further divided into different sets.

5. Decision Node: Decision nodes are subnodes that can be split into different subnodes; they contain at least two branches.

6. Leaf Node: A leaf node in a decision tree carries the final results. These nodes, which are also known as terminal nodes, cannot be split any further.

Building a Decision Tree in Python

We'll now predict if a consumer is likely to repay a loan using the decision tree algorithm in Python. The data set contains a wide range of information for making this prediction, including the initial payment amount, last payment amount, credit score, house number, and whether the individual was able to repay the loan.

2. Dataset Exploration:

- Load the dataset for the clustering task.
- Explore the dataset to understand its structure, features, and distribution.
- Preprocess the dataset if necessary (e.g., handling missing values, scaling features).

3. Data Preparation:

- Select relevant features for clustering.
- Standardize or normalize the data if needed.

4. Building the Decision Tree Model:

- Import the necessary libraries (scikit-learn).
- Create an instance of the DecisionTreeClassifier for clustering.
- Train the decision tree model using the dataset.

5. Visualizing Clusters:

- Visualize the decision tree structure to understand how data is partitioned into clusters.
- Plot the clusters using appropriate visualization techniques (e.g., scatter plot, dendrogram).

6. Interpretation and Analysis:

- Analyze the clusters generated by the decision tree algorithm.
- Interpret the results in the context of business intelligence objectives (e.g., customer segmentation, market analysis).
- Discuss the implications of the clustering results for business decision-making.

7. Fine-tuning the Model:

- Discuss parameters such as tree depth, criterion, and splitting strategy.
- Experiment with different parameter values to optimize the clustering performance.

Hyperparameters for decision tree

The performance of a machine learning model can be improved by tuning its hyperparameters.

Hyperparameters are those parameters that the user has to set in advance. They are not learned by the data during training.

Some of the most common hyperparameters for a decision tree are:

Criterion: This parameter determines how the impurity of a split will be measured. Possibilities are ‘gini’ or ‘entropy’.

Splitter: How the decision tree searches the features for a split. The default is set to ‘best’ meaning for each node, the algorithm considers all the features and chooses the best split. If it is set to random, then a random subset of features will be considered. The split will be made by the best feature within the random subset. The size of the random subset is determined by the ‘max_features’ parameter.

Max_Depth: This determines how deep the tree will be. The default is none and this often results in overfitting. The max_depth parameter is one of the ways in which we can regularize the tree, or limit the way it grows to prevent over-fitting.

Min_samples_split: The minimum number of samples a node must contain to consider splitting. The default is set to 2. This again is another parameter to regularize the decision tree.

Max_features: The number of features to consider when looking for the best split. By default, the decision tree will consider all available features to make the best split.

Loan Repayment dataset

The Loan Repayment dataset is made up of 1000 rows and six columns. Each row represents information about a particular person that relates to loan repayment. This dataset is perfect for classification algorithms such as the decision tree. The six columns are the following.

- Initial payment.
- Last payment.
- Credit score.
- House number.
- Sum.


- Result.

Applications: Decision Tree Applications

1. A decision tree is used to determine whether an applicant is likely to default on a loan.
2. It can be used to determine the odds of an individual developing a specific disease.
3. It can help ecommerce companies in predicting whether a consumer is likely to purchase a specific product.
4. Decision trees can also be used to find customer churn rates.

Input: Import the Loan Repayment dataset as a Pandas data frame

```
df = pd.read_csv('Decision_Tree_Dataset.csv',  
sep= ',', header= 0)  
df
```

Output:**Conclusion:**

In conclusion, the Decision Tree algorithm offers a powerful tool for data clustering in business intelligence, allowing for the effective analysis and interpretation of complex datasets to derive actionable insights.

Outcome:

The practical implementation of Decision Tree clustering facilitates a deeper understanding of business datasets, enabling students to apply decision tree algorithms for segmentation and analysis tasks in real-world scenarios

Questions:

1. How does the Decision Tree algorithm contribute to business intelligence applications?
2. What are the advantages of using Decision Trees for data clustering in comparison to other methods?