

Standard-compliant Scenario Building with Theoretical Justification in a Theory-aware Authoring Tool

Yusuke HAYASHI^a, Jacqueline BOURDEAU^b, Riichiro MIZOGUCHI^a

^a *ISIR, Osaka University*, ^b *LICEF, Télé-université*

^a *8-1 Mihogaoka, Ibaraki, Osaka, 567-0047 Japan*

^b *100 Sherbrooke W., Montréal, (QC) H2X 3P2 Canada*

Abstract. Nowadays standard technologies play important roles in enhancing sharability, reusability and interoperability of learning contents. However, there is a lack of pedagogical justification of the contents implemented with the standards. This paper discusses the standard-compliance of our ontology-based modeling framework and how the framework gives theoretical justification to standard-compliant learning/instructional scenarios in a theory-aware authoring tool.

Introduction


Nowadays standard technologies play important roles in enhancing sharability, reusability and interoperability of learning contents. However, it is pointed out that there is a lack of pedagogical justification of the contents implemented with the standards [5].

In this study we take an ontological engineering approach to organize educational theories in a formal and computer-understandable way [4]. Through this approach we have proposed a comprehensive ontology¹ that covers different theories and paradigms, and have developed a modeling framework of learning/instructional scenarios based on the ontology [1][2]. This paper discusses the standard-compliance of our modeling framework and how the framework gives theoretical justification to standard-compliant learning/instructional scenarios in a theory-aware authoring tool.

1. Standard-compliant scenario building on an ontological modeling framework

In our framework, a scenario can be modeled as a hierarchical structure of “Instructional_Learning (I_L) event”, which are composed of instructional and learning actions for achieving a certain change of a learner state [1]. We call the model an “I_L event decomposition tree”. The basic idea of the model is to relate a macro-I_L event to the lower (micro) ones that collectively achieve the upper (macro) I_L event in terms of a learner state (The relation is referred to as “WAY” in this study). Currently, we have organized about 100 pieces of WAY based on some theories [2]. Such WAYs are called WAY-knowledge.

¹ The ontology is opened to the public on our OMUNIBUS project web page (<http://edont.qee.jp/omnibus/>).



In order to enhance sharability and reusability of the scenario descriptions, we have mapped I_L event decomposition tree onto IMS LD specifications [3]. Briefly speaking, each unit of decomposition in an I_L event decomposition tree can be converted to two `activity-structures` for `learner` and `instructor` in an IMS LD description as shown in Fig. 1.

2. Generation mechanism of theoretical scenario explanation

In order to generate scenario explanation we made message templates whose vocabulary comes from the ontology and whose structure is partly based on an I_L event decomposition tree. Table 1 summarizes the classification of the templates. If a scenario is described based on a piece of WAY-knowledge, an interpretative explanation gives a theoretical justification. On the other hand a scenario is described only in the terms defined our ontology, a suggestive explanation offers suggestions for improvements in the scenario in terms of theories.

		Cases
Explanation types	Interpretive	Theoretical justification (Notes: <i>Explaining interpretation of relation among events in a scenario in terms of a theory</i>)
		Theory description
	Suggestive	Scenario comprehension
		Insufficiency of necessary goals (Notes: <i>It seems learners can not achieve the goal because necessary (sub) goal is insufficient in the scenario.</i>)
		Insufficiency of supplementary goals
		Excess of goals
		Disproportion in process
		Inconsistency of principle
		Unsustained state

