

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	49	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	92	NO <sub>2</sub> , PM <sub>10</sub>	2
4	Aizawl	Good	38	PM <sub>10</sub>	1
5	Ajmer	Moderate	112	PM <sub>2.5</sub>	1
6	Alwar	Moderate	111	PM <sub>10</sub>	1
7	Amaravati	Good	28	со	1
8	Ambala	Poor	222	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	92	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	51	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	85	со	1
12	Araria	Satisfactory	72	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun,

Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.

\* AQI is not calculated for today's bulletin for Begusarai, Belgaum,

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	74	NO <sub>2</sub>	1
14	Asansol	Satisfactory	76	PM <sub>10</sub>	1
15	Aurangabad (Bihar)	Moderate	113	PM <sub>2.5</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	86	PM <sub>10</sub>	1
17	Baddi	Moderate	177	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Baghpat	Moderate	113	PM <sub>10</sub>	1
20	Bahadurgarh	Moderate	128	PM <sub>2.5</sub>	1
21	Ballabgarh	Satisfactory	90	PM <sub>10</sub>	1
22	Bareilly	Satisfactory	77	PM <sub>2.5</sub> , PM <sub>10</sub>	2
23	Bathinda	Moderate	131	PM <sub>10</sub>	1
24	Bengaluru	Satisfactory	51	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	5

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	69	NO <sub>2</sub> , CO	2
26	Bhiwadi	Moderate	182	PM <sub>2.5</sub>	1
27	Bhiwani	Moderate	173	PM <sub>2.5</sub>	1
28	Bhopal	Satisfactory	75	PM <sub>10</sub>	1
29	Bilaspur	Satisfactory	54	PM <sub>10</sub>	1
30	Brajrajnagar	Good	48	со	1
31	Bulandshahr	Moderate	107	PM <sub>10</sub>	1
32	Buxar	Moderate	129	PM <sub>10</sub>	1
33	Chamarajanagar	Good	33	PM <sub>10</sub>	1
34	Chandigarh	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	3
35	Chandrapur	Satisfactory	52	PM <sub>10</sub> , NO <sub>2</sub>	2
36	Charkhi Dadri	Moderate	170	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	74	CO, PM <sub>10</sub>	8
38	Chhapra	Moderate	148	PM <sub>10</sub>	1
39	Chikkaballapur	Good	29	со	1
40	Chikkamagaluru	Good	31	03	1
41	Coimbatore	Good	31	со	1
42	Darbhanga	Good	50	PM <sub>10</sub>	1
43	Davanagere	Good	13	PM <sub>10</sub>	1
44	Delhi	Moderate	141	PM <sub>2.5</sub> , O <sub>3</sub>	36
45	Dewas	Satisfactory	72	PM <sub>10</sub>	1
46	Dharuhera	Moderate	187	PM <sub>10</sub>	1
47	Durgapur	Satisfactory	63	PM <sub>10</sub>	1
48	Eloor	Satisfactory	54	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	31	со	1
50	Faridabad	Moderate	166	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Fatehabad	Moderate	114	PM <sub>10</sub>	1
52	Firozabad	Moderate	172	O <sub>3</sub> , PM <sub>2.5</sub>	2
53	Gadag	Satisfactory	62	NO <sub>2</sub>	1
54	Gandhinagar	Satisfactory	57	PM <sub>10</sub>	1
55	Gangtok	Good	14	O <sub>3</sub>	1
56	Gaya	Satisfactory	88	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	3
57	Ghaziabad	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	4
58	Gorakhpur	Good	46	SO <sub>2</sub>	1
59	Greater Noida	Moderate	151	PM <sub>10</sub>	1
60	Gurugram	Moderate	142	PM <sub>10</sub> , PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	53	PM <sub>10</sub> , PM <sub>2.5</sub>	2
62	Hajipur	Good	35	СО	1
63	Hapur	Satisfactory	96	PM <sub>10</sub>	1
64	Hassan	Good	26	NO <sub>2</sub>	1
65	Haveri	Satisfactory	60	со	1
66	Hisar	Moderate	164	PM <sub>2.5</sub>	1
67	Howrah	Satisfactory	53	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
68	Hubballi	Satisfactory	59	со	1
69	Hyderabad	Good	47	PM <sub>10</sub> , PM <sub>2.5</sub>	12
70	Imphal	Moderate	108	O <sub>3</sub> , PM <sub>10</sub>	2
71	Indore	Satisfactory	68	PM <sub>10</sub>	1
72	Jabalpur	Satisfactory	67	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Jalandhar	Satisfactory	74	PM <sub>10</sub>	1
75	Jind	Moderate	118	PM <sub>2.5</sub>	1
76	Jodhpur	Moderate	198	PM <sub>10</sub>	1
77	Kaithal	Moderate	109	PM <sub>10</sub>	1
78	Kalaburgi	Good	28	SO <sub>2</sub>	1
79	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
80	Kanpur	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	4
81	Karnal	Moderate	116	PM <sub>10</sub>	1
82	Katihar	Satisfactory	80	PM <sub>10</sub>	1
83	Katni	Good	45	PM <sub>10</sub>	1
84	Khanna	Satisfactory	90	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# $\begin{tabular}{ll} * AQI is not calculated for today's bulletin for Begusarai, Belgaum, \\ Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, \\ \end{tabular}$

Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Moderate	135	PM <sub>2.5</sub>	1
86	Kishanganj	Satisfactory	57	O <sub>3</sub>	1
87	Kohima	Satisfactory	53	PM <sub>10</sub>	1
88	Kolkata	Satisfactory	59	O <sub>3</sub> , PM <sub>10</sub>	6
89	Kollam	Satisfactory	51	PM <sub>10</sub>	1
90	Koppal	Satisfactory	52	03	1
91	Kota	Satisfactory	99	PM <sub>2.5</sub>	1
92	Kozhikode	Satisfactory	78	PM <sub>10</sub>	1
93	Kurukshetra	Satisfactory	100	PM <sub>2.5</sub>	1
94	Lucknow	Satisfactory	71	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Ludhiana	Moderate	108	PM <sub>10</sub>	1
96	Madikeri	Good	20	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	43	СО	1
98	Mandi Gobindgarh	Moderate	190	PM <sub>2.5</sub>	1
99	Mandideep	Satisfactory	69	PM <sub>10</sub>	1
100	Mandikhera	Satisfactory	83	PM <sub>10</sub>	1
101	Manesar	Moderate	165	PM <sub>2.5</sub>	1
102	Manglore	Good	48	со	1
103	Meerut	Moderate	121	PM <sub>10</sub>	3
104	Moradabad	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
105	Motihari	Good	40	03	1
106	Mumbai	Satisfactory	71	PM <sub>10</sub> , CO	13
107	Munger	Moderate	110	PM <sub>10</sub>	1
108	Muzaffarnagar	Moderate	151	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Satisfactory	59	PM <sub>10</sub> , O <sub>3</sub> , CO	3
110	Mysuru	Good	37	03	1
111	Narnaul	Satisfactory	88	PM <sub>2.5</sub>	1
112	Navi Mumbai	Satisfactory	67	CO, NO <sub>2</sub> , PM <sub>2.5</sub>	3
113	Noida	Moderate	129	PM <sub>10</sub>	4
114	Ooty	Good	48	SO <sub>2</sub>	1
115	Pali	Satisfactory	96	PM <sub>10</sub>	1
116	Palwal	Moderate	111	PM <sub>10</sub>	1
117	Panchkula	Satisfactory	64	PM <sub>2.5</sub>	1
118	Panipat	Moderate	112	PM <sub>10</sub>	1
119	Patiala	Satisfactory	92	PM <sub>10</sub>	1
120	Patna	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	6

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Notes:

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Satisfactory	100	PM <sub>10</sub>	1
122	Prayagraj	Satisfactory	72	PM <sub>2.5</sub> , PM <sub>10</sub>	3
123	Puducherry	Good	39	PM <sub>10</sub>	1
124	Purnia	Satisfactory	73	со	1
125	Raichur	Satisfactory	78	со	1
126	Rajamahendravaram	Good	19	со	1
127	Rajgir	Satisfactory	56	со	1
128	Ramanagara	Good	40	03	1
129	Ramanathapuram	Satisfactory	68	со	1
130	Ratlam	Satisfactory	88	PM <sub>10</sub>	1
131	Rupnagar	Moderate	127	PM <sub>10</sub>	1
132	Sagar	Good	48	СО	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## Notes:

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Satisfactory	63	PM <sub>10</sub>	1
134	Satna	Good	25	PM <sub>10</sub>	1
135	Shillong	Good	33	PM <sub>10</sub> , PM <sub>2.5</sub>	2
136	Shivamogga	Satisfactory	53	NO <sub>2</sub>	1
137	Siliguri	Good	40	PM <sub>10</sub>	1
138	Singrauli	Satisfactory	90	NO <sub>2</sub>	1
139	Sirsa	Satisfactory	95	O <sub>3</sub>	1
140	Siwan	Satisfactory	64	NO <sub>2</sub>	1
141	Solapur	Satisfactory	61	PM <sub>10</sub>	1
142	Sonipat	Moderate	151	PM <sub>10</sub>	1
143	Srinagar	Good	46	PM <sub>10</sub>	1
144	Talcher	Satisfactory	92	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Good	28	CO, NO <sub>2</sub>	2
146	Thoothukudi	Good	37	PM <sub>10</sub>	1
147	Thrissur	Good	50	PM <sub>10</sub>	1
148	Tirupati	Good	42	со	1
149	Tiruppur	Moderate	104	PM <sub>10</sub>	1
150	Udaipur	Satisfactory	99	PM <sub>2.5</sub>	1
151	Ujjain	Moderate	114	PM <sub>10</sub>	1
152	Varanasi	Satisfactory	63	PM <sub>10</sub>	4
153	Vatva	Satisfactory	77	PM <sub>2.5</sub>	1
154	Vijayapura	Good	40	PM <sub>10</sub>	1
155	Visakhapatnam	Good	28	NO <sub>2</sub>	1
156	Vrindavan	Satisfactory	60	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Good	26	со	1
158	Yamunanagar	Poor	259	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bidar, Bihar Sharif, Chengalpattu, Damoh, Dehradun, Gummidipoondi, Gwalior, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kochi, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Saharsa, Salem, Samastipur, Thane, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.