



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	53	PM _{2.5} , PM ₁₀	2
2	Agra	Good	27	O ₃ , PM ₁₀ , CO	6
3	Ahmedabad	Satisfactory	74	PM ₁₀	1
4	Aizawl	Good	26	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Satisfactory	62	PM ₁₀	1
7	Amaravati	Good	23	O ₃	1
8	Ambala	Good	32	PM ₁₀	1
9	Amritsar	Satisfactory	74	PM ₁₀	1
10	Ankleshwar	Satisfactory	63	CO	1
11	Araria	Satisfactory	71	PM ₁₀	1
12	Asansol	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	99	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Good	50	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Bahadurgarh	Good	31	O ₃	1
17	Ballabgarh	Good	50	NH ₃	1
18	Bareilly	Good	40	PM ₁₀	1
19	Bathinda	Good	30	NO ₂	1
20	Bengaluru	Satisfactory	70	PM ₁₀ , CO, O ₃	7
21	Bettiah	Satisfactory	73	PM ₁₀	1
22	Bhagalpur	Satisfactory	99	NO ₂ , PM ₁₀	2
23	Bhiwadi	Moderate	125	PM ₁₀	1
24	Bhiwani	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Satisfactory	79	PM ₁₀	1
26	Bilaspur	Satisfactory	62	PM ₁₀	1
27	Brajrajnagar	Good	49	PM ₁₀	1
28	Bulandshahr	Good	31	PM ₁₀	1
29	Buxar	Satisfactory	92	CO	1
30	Chamarajanagar	Good	40	PM ₁₀	1
31	Chandigarh	Good	49	CO, PM ₁₀	2
32	Chandrapur	Satisfactory	60	CO, PM ₁₀	2
33	Charkhi Dadri	Good	42	PM ₁₀	1
34	Chennai	Good	50	O ₃ , CO, PM ₁₀	8
35	Chhapra	Satisfactory	85	PM ₁₀	1
36	Chikkaballapur	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	37	PM ₁₀	1
38	Damoh	Good	22	CO	1
39	Darbhanga	Satisfactory	58	PM ₁₀	1
40	Davanagere	Good	26	CO	1
41	Delhi	Satisfactory	58	CO, PM ₁₀	35
42	Dewas	Satisfactory	65	PM ₁₀	1
43	Eloor	Satisfactory	58	PM ₁₀	1
44	Ernakulam	Satisfactory	55	NO ₂	1
45	Faridabad	Satisfactory	72	SO ₂ , PM ₁₀ , PM _{2.5}	3
46	Firozabad	Good	42	O ₃ , PM _{2.5}	2
47	Gandhinagar	Satisfactory	52	PM ₁₀	1
48	Gangtok	Good	16	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Satisfactory	94	PM ₁₀ , CO	3
50	Ghaziabad	Good	45	CO, PM ₁₀	4
51	Gorakhpur	Good	46	SO ₂	1
52	Greater Noida	Satisfactory	78	CO	2
53	Gummidipoondi	Good	26	PM _{2.5}	1
54	Gurugram	Satisfactory	73	PM ₁₀ , PM _{2.5} , NO ₂	3
55	Guwahati	Good	50	PM ₁₀	2
56	Gwalior	Good	49	PM ₁₀	1
57	Hajipur	Satisfactory	59	PM ₁₀	1
58	Hapur	Satisfactory	61	CO	1
59	Hassan	Satisfactory	54	SO ₂	1
60	Haveri	Good	45	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Satisfactory	64	PM ₁₀ , PM _{2.5} , CO	3
62	Hubballi	Good	49	CO	1
63	Hyderabad	Satisfactory	58	CO, PM _{2.5} , O ₃	14
64	Imphal	Satisfactory	68	O ₃ , SO ₂	2
65	Indore	Satisfactory	97	PM ₁₀	1
66	Jabalpur	Satisfactory	92	PM ₁₀	1
67	Jaipur	Satisfactory	76	PM ₁₀	3
68	Jalandhar	Good	47	O ₃	1
69	Jhansi	Satisfactory	62	CO	1
70	Jind	Good	45	CO	1
71	Jodhpur	Satisfactory	76	PM ₁₀	1
72	Kaithal	Good	36	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	96	PM ₁₀	1
74	Kannur	Satisfactory	55	PM ₁₀	1
75	Kanpur	Good	29	PM ₁₀ , CO	4
76	Karnal	Good	29	PM ₁₀	1
77	Katihar	Satisfactory	65	PM ₁₀	1
78	Katni	Satisfactory	72	PM ₁₀	1
79	Khanna	Good	39	PM ₁₀	1
80	Khurja	Satisfactory	75	PM ₁₀	1
81	Kishanganj	Satisfactory	63	O ₃	1
82	Kochi	Satisfactory	69	PM _{2.5}	1
83	Kohima	Satisfactory	52	SO ₂	1
84	Kolkata	Good	47	PM ₁₀ , O ₃	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	78	PM ₁₀	1
86	Kota	Satisfactory	59	PM _{2.5}	1
87	Kozhikode	Satisfactory	66	PM ₁₀	1
88	Kurukshetra	Good	31	O ₃	1
89	Lucknow	Satisfactory	57	NO ₂ , CO, O ₃	6
90	Ludhiana	Satisfactory	61	PM ₁₀	1
91	Madikeri	Good	33	O ₃	1
92	Mandi Gobindgarh	Satisfactory	52	PM ₁₀	1
93	Mandideep	Satisfactory	57	O ₃	1
94	Mandikhera	Satisfactory	60	CO	1
95	Manesar	Good	44	PM ₁₀	1
96	Manglore	Good	50	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Good	49	PM ₁₀ , O ₃	3
98	Moradabad	Good	48	CO, PM _{2.5} , PM ₁₀	5
99	Motihari	Satisfactory	59	O ₃	1
100	Mumbai	Satisfactory	71	PM ₁₀ , PM _{2.5} , CO	16
101	Muzaffarnagar	Good	48	PM _{2.5}	1
102	Muzaffarpur	Satisfactory	64	O ₃ , PM ₁₀ , CO	3
103	Mysuru	Satisfactory	53	PM ₁₀	1
104	Nagpur	Satisfactory	64	PM ₁₀	1
105	Naharlagun	Good	26	PM ₁₀	1
106	Nandesari	Moderate	101	CO	1
107	Narnaul	Good	28	NO ₂	1
108	Nashik	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	76	CO, PM ₁₀	3
110	Noida	Moderate	110	CO	2
111	Pali	Satisfactory	67	PM ₁₀	1
112	Palwal	Good	40	O ₃	1
113	Panchkula	Good	38	PM _{2.5}	1
114	Patiala	Good	41	PM ₁₀	1
115	Patna	Satisfactory	72	PM ₁₀ , O ₃	6
116	Pithampur	Satisfactory	88	PM ₁₀	1
117	Prayagraj	Satisfactory	56	SO ₂ , PM ₁₀	3
118	Puducherry	Good	36	O ₃	1
119	Purnia	Moderate	138	PM _{2.5}	1
120	Raichur	Satisfactory	61	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	21	PM ₁₀	1
122	Rajgir	Good	39	O ₃	1
123	Ramanagara	Good	38	PM ₁₀	1
124	Ratlam	Satisfactory	54	NO ₂	1
125	Rohtak	Good	36	NO ₂	1
126	Sagar	Satisfactory	51	CO	1
127	Satna	Good	45	PM ₁₀	1
128	Shillong	Good	30	PM ₁₀ , PM _{2.5}	2
129	Shivamogga	Satisfactory	69	PM ₁₀	1
130	Singrauli	Satisfactory	82	NO ₂	1
131	Sirsa	Satisfactory	59	O ₃	1
132	Siwan	Satisfactory	56	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sonipat	Satisfactory	53	PM ₁₀	1
134	Srinagar	Satisfactory	61	PM ₁₀	1
135	Talcher	Satisfactory	98	NO ₂	1
136	Thane	Satisfactory	90	PM ₁₀	1
137	Thiruvananthapuram	Satisfactory	56	CO	1
138	Thoothukudi	Good	43	PM ₁₀	1
139	Thrissur	Good	43	PM ₁₀	1
140	Tirupati	Good	48	PM ₁₀	1
141	Udaipur	Satisfactory	74	NO ₂	1
142	Udupi	Good	40	CO	1
143	Ujjain	Satisfactory	89	PM ₁₀	1
144	Varanasi	Good	40	PM ₁₀ , NO ₂	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Satisfactory	82	PM ₁₀	1
146	Vijayapura	Good	37	PM ₁₀	1
147	Visakhapatnam	Moderate	106	PM ₁₀	1
148	Vrindavan	Good	45	SO ₂	1
149	Yadgir	Good	30	CO	1
150	Yamunanagar	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bihar Sharif, Chikkamagaluru, Dehradun, Dharuhera, Durgapur, Fatehabad, Gadag, Haldia, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Munger, Panipat, Pune, Rupnagar, Saharsa, Samastipur, Sasaram, Siliguri, Solapur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.