

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	SO ₂ , PM ₁₀	2
2	Agra	Satisfactory	74	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	78	O ₃ , PM ₁₀	2
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	55	PM ₁₀	1
6	Alwar	Satisfactory	62	PM ₁₀	1
7	Amaravati	Satisfactory	69	O ₃	1
8	Ambala	Moderate	119	PM ₁₀	1
9	Anantapur	Satisfactory	90	PM _{2.5}	1
10	Araria	Moderate	106	PM ₁₀	1
11	Asansol	Satisfactory	78	PM ₁₀	1
12	Aurangabad (Maharashtra)	Satisfactory	90	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	169	03	1
14	Bagalkot	Good	37	со	1
15	Baghpat	Moderate	105	PM ₁₀	1
16	Bahadurgarh	Satisfactory	88	PM ₁₀	1
17	Ballabgarh	Satisfactory	89	PM ₁₀	1
18	Bareilly	Moderate	142	PM _{2.5} , PM ₁₀	2
19	Bathinda	Satisfactory	89	PM ₁₀	1
20	Begusarai	Moderate	108	PM _{2.5}	1
21	Belgaum	Good	46	со	1
22	Bengaluru	Moderate	132	PM ₁₀ , PM _{2.5}	5
23	Bettiah	Satisfactory	80	PM _{2.5}	1
24	Bhagalpur	Good	45	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Poor	202	NO ₂	1
26	Bhiwani	Satisfactory	73	PM _{2.5}	1
27	Bhopal	Satisfactory	94	PM ₁₀	2
28	Bihar Sharif	Moderate	107	PM ₁₀	1
29	Bilaspur	Satisfactory	66	со	1
30	Bulandshahr	Moderate	154	PM ₁₀	1
31	Chamarajanagar	Good	34	PM ₁₀	1
32	Chandigarh	Moderate	113	O ₃ , PM _{2.5} , PM ₁₀	3
33	Chandrapur	Satisfactory	98	PM ₁₀	1
34	Charkhi Dadri	Moderate	114	PM ₁₀	1
35	Chennai	Satisfactory	90	PM _{2.5} , CO, PM ₁₀	7
36	Chhapra	Poor	207	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	81	PM ₁₀	1
38	Chikkamagaluru	Good	40	PM ₁₀	1
39	Coimbatore	Good	36	CO, SO ₂	2
40	Damoh	Satisfactory	95	PM _{2.5}	1
41	Darbhanga	Moderate	134	PM _{2.5}	1
42	Delhi	Moderate	128	PM ₁₀ , O ₃	33
43	Dharuhera	Moderate	178	PM ₁₀	1
44	Durgapur	Satisfactory	67	PM ₁₀	1
45	Eloor	Satisfactory	52	PM ₁₀	1
46	Ernakulam	Satisfactory	58	со	1
47	Faridabad	Moderate	109	PM ₁₀	2
48	Fatehabad	Moderate	102	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	146	PM _{2.5} , PM ₁₀	2
50	Gandhinagar	Satisfactory	56	PM ₁₀	1
51	Gangtok	Good	21	O ₃	1
52	Gaya	Satisfactory	95	PM ₁₀ , PM _{2.5}	3
53	Ghaziabad	Moderate	138	PM ₁₀	4
54	Gorakhpur	Moderate	115	PM _{2.5}	1
55	Greater Noida	Moderate	137	PM ₁₀	2
56	Gurugram	Moderate	130	PM ₁₀ , PM _{2.5}	2
57	Guwahati	Good	48	O ₃ , PM ₁₀	2
58	Gwalior	Moderate	122	PM ₁₀	1
59	Hajipur	Moderate	109	PM ₁₀	1
60	Haldia	Good	30	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	122	PM ₁₀	1
62	Hassan	Good	32	NO ₂	1
63	Howrah	Good	39	PM _{2.5} , PM ₁₀	3
64	Hubballi	Satisfactory	55	со	1
65	Hyderabad	Satisfactory	62	CO, PM ₁₀ , PM _{2.5}	12
66	Imphal	Satisfactory	88	O ₃ , SO ₂	2
67	Indore	Satisfactory	64	PM ₁₀	1
68	Jabalpur	Moderate	117	PM ₁₀	1
69	Jaipur	Moderate	105	PM ₁₀ , O ₃	3
70	Jalandhar	Moderate	115	PM ₁₀	1
71	Jhansi	Satisfactory	99	PM ₁₀	1
72	Jind	Satisfactory	90	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Good	45	PM _{2.5}	1
74	Kaithal	Satisfactory	83	PM ₁₀	1
75	Kalaburgi	Good	50	PM _{2.5}	1
76	Kalyan	Satisfactory	91	PM ₁₀	1
77	Kannur	Satisfactory	67	PM ₁₀	1
78	Kanpur	Moderate	155	PM _{2.5}	3
79	Karnal	Good	48	PM ₁₀	1
80	Katihar	Moderate	117	PM ₁₀	1
81	Katni	Moderate	134	PM ₁₀	1
82	Khanna	Satisfactory	80	PM ₁₀	1
83	Khurja	Moderate	159	PM _{2.5}	1
84	Kishanganj	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brairainagar, Buxar.

Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar,
Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond
Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun,
Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan,
Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Good	14	со	1
86	Kolkata	Good	45	O ₃ , PM ₁₀	7
87	Kollam	Good	45	PM _{2.5}	1
88	Kota	Satisfactory	57	PM ₁₀	1
89	Kozhikode	Satisfactory	73	PM ₁₀	1
90	Kurukshetra	Satisfactory	90	PM _{2.5}	1
91	Lucknow	Moderate	139	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Satisfactory	92	PM ₁₀	1
93	Madikeri	Good	28	03	1
94	Maihar	Satisfactory	51	PM ₁₀	1
95	Mandi Gobindgarh	Satisfactory	83	PM ₁₀	1
96	Mandideep	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	60	PM ₁₀	1
98	Manesar	Satisfactory	69	PM ₁₀	1
99	Manglore	Satisfactory	55	со	1
100	Manguraha	Satisfactory	74	со	1
101	Meerut	Moderate	117	PM ₁₀	2
102	Moradabad	Moderate	110	PM _{2.5} , PM ₁₀	6
103	Motihari	Satisfactory	100	PM ₁₀	1
104	Mumbai	Satisfactory	56	PM ₁₀ , NO ₂ , CO	17
105	Munger	Moderate	111	PM ₁₀	1
106	Muzaffarnagar	Moderate	117	PM ₁₀	1
107	Muzaffarpur	Moderate	113	PM _{2.5} , PM ₁₀	3
108	Mysuru	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	97	03	1
110	Narnaul	Satisfactory	71	PM ₁₀	1
111	Nashik	Good	45	03	1
112	Navi Mumbai	Satisfactory	88	PM _{2.5} , PM ₁₀	3
113	Noida	Moderate	130	PM ₁₀ , PM _{2.5}	4
114	Ooty	Good	48	PM ₁₀	1
115	Pali	Satisfactory	51	PM ₁₀	1
116	Palwal	Moderate	101	PM ₁₀	1
117	Panchkula	Satisfactory	67	PM _{2.5}	1
118	Panipat	Moderate	123	PM ₁₀	1
119	Patiala	Satisfactory	79	PM ₁₀	1
120	Patna	Moderate	124	PM _{2.5} , PM ₁₀	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	153	PM _{2.5}	3
122	Puducherry	Satisfactory	75	PM ₁₀	1
123	Purnia	Moderate	105	PM ₁₀	1
124	Raichur	Satisfactory	61	со	1
125	Rajamahendravaram	Satisfactory	72	PM ₁₀	1
126	Rajgir	Satisfactory	78	PM ₁₀	1
127	Ramanagara	Good	42	O ₃	1
128	Ramanathapuram	Good	23	PM ₁₀	1
129	Ratlam	Satisfactory	65	NO ₂	1
130	Rupnagar	Moderate	169	PM _{2.5}	1
131	Samastipur	Moderate	118	PM _{2.5}	1
132	Sasaram	Satisfactory	94	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	44	PM ₁₀	1
134	Shillong	Good	21	SO ₂	1
135	Shivamogga	Good	43	PM ₁₀	1
136	Siliguri	Satisfactory	59	PM ₁₀	1
137	Singrauli	Moderate	109	PM ₁₀	1
138	Sivasagar	Good	23	PM ₁₀	1
139	Solapur	Satisfactory	89	PM ₁₀	1
140	Sonipat	Moderate	112	PM ₁₀	1
141	Talcher	Satisfactory	57	PM _{2.5}	1
142	Thane	Satisfactory	68	O ₃	1
143	Thiruvananthapuram	Good	40	CO, PM _{2.5}	2
144	Thoothukudi	Good	35	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	48	PM ₁₀	1
146	Tirupati	Satisfactory	57	PM ₁₀	1
147	Tiruppur	Moderate	117	PM ₁₀	1
148	Udaipur	Good	50	PM _{2.5}	1
149	Ujjain	Satisfactory	82	PM ₁₀	1
150	Varanasi	Moderate	128	PM _{2.5} , PM ₁₀	3
151	Vatva	Satisfactory	77	PM ₁₀	1
152	Visakhapatnam	Moderate	102	PM ₁₀	1
153	Vrindavan	Satisfactory	87	O ₃	1
154	Yadgir	Good	45	PM _{2.5}	1
155	Yamunanagar	Moderate	113	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Notes: Arrah, Aurangabad (Bihar), Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dewas, Dindigul, Gadag, Gummidipoond Haveri, Hisar, Hosur, Jorapokhar, Kochi, Kolar, Koppal, Naharlagun, Nandesari, Pithampur, Pune, Rohtak, Sagar, Saharsa, Salem, Sirsa, Siwan, Srinagar, Udupi, Vapi, Vijayapura, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.