

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	76	PM ₁₀	2
2	Agra	Moderate	144	PM ₁₀	3
3	Ahmedabad	Moderate	125	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	53	PM ₁₀	1
5	Ajmer	Moderate	158	PM _{2.5}	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Satisfactory	65	O ₃	1
8	Ambala	Moderate	144	PM ₁₀	1
9	Amritsar	Moderate	131	PM ₁₀	1
10	Ankleshwar	Satisfactory	88	PM _{2.5}	1
11	Asansol	Moderate	110	03	1
12	Aurangabad	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai,

Notes: Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	102	PM ₁₀	1
14	Baddi	Moderate	149	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Moderate	137	PM ₁₀	1
17	Bahadurgarh	Moderate	189	PM ₁₀	1
18	Ballabgarh	Satisfactory	83	PM ₁₀	1
19	Bathinda	Poor	274	PM ₁₀	1
20	Begusarai	Satisfactory	71	PM ₁₀	1
21	Bengaluru	Satisfactory	68	PM ₁₀ , NO ₂	5
22	Bettiah	Good	44	O ₃	1
23	Bhagalpur	Moderate	164	PM ₁₀	2
24	Bhiwadi	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	140	PM ₁₀	1
26	Bidar	Moderate	111	PM ₁₀	1
27	Bihar Sharif	Moderate	190	PM ₁₀	1
28	Bilaspur	Good	42	PM _{2.5}	1
29	Brajrajnagar	Satisfactory	95	03	1
30	Bulandshahr	Poor	208	PM ₁₀	1
31	Buxar	Moderate	188	PM ₁₀	1
32	Chamarajanagar	Good	42	PM ₁₀	1
33	Chandigarh	Moderate	153	O ₃ , PM ₁₀	3
34	Chandrapur	Moderate	119	PM ₁₀	2
35	Charkhi Dadri	Moderate	142	PM ₁₀	1
36	Chennai	Satisfactory	89	O ₃ , PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bhiwani,

- * AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	144	PM ₁₀	1
38	Chikkaballapur	Satisfactory	64	PM ₁₀	1
39	Chikkamagaluru	Satisfactory	60	PM ₁₀	1
40	Davanagere	Good	48	PM ₁₀	1
41	Dehradun	Moderate	113	PM ₁₀	1
42	Delhi	Poor	218	PM _{2.5} , PM ₁₀	36
43	Dewas	Moderate	119	PM ₁₀	1
44	Durgapur	Moderate	130	PM ₁₀	1
45	Eloor	Satisfactory	66	PM ₁₀	1
46	Ernakulam	Good	38	NO ₂	1
47	Faridabad	Poor	226	PM _{2.5} , PM ₁₀	3
48	Fatehabad	Poor	212	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	58	PM _{2.5}	1
50	Gandhinagar	Moderate	128	PM _{2.5} , PM ₁₀	3
51	Gangtok	Good	49	03	1
52	Gaya	Moderate	148	O ₃ , PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	212	PM ₁₀ , O ₃	4
54	Gorakhpur	Satisfactory	59	O ₃	1
55	Greater Noida	Moderate	197	PM ₁₀	1
56	Gummidipoondi	Good	39	PM ₁₀	1
57	Gurugram	Poor	212	PM _{2.5} , PM ₁₀	2
58	Guwahati	Good	49	PM _{2.5}	2
59	Gwalior	Moderate	133	PM ₁₀	1
60	Hajipur	Moderate	126	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	222	PM ₁₀	1
62	Hassan	Satisfactory	66	PM ₁₀	1
63	Haveri	Good	46	PM ₁₀	1
64	Hisar	Poor	253	PM _{2.5}	1
65	Howrah	Satisfactory	54	O ₃ , PM _{2.5} , PM ₁₀	3
66	Hubballi	Satisfactory	55	PM ₁₀	1
67	Hyderabad	Moderate	101	PM ₁₀ , PM _{2.5}	6
68	Imphal	Satisfactory	56	O ₃	1
69	Indore	Moderate	116	PM ₁₀	1
70	Jabalpur	Moderate	153	PM ₁₀	1
71	Jaipur	Moderate	141	PM ₁₀ , PM _{2.5}	2
72	Jalandhar	Moderate	144	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	185	PM ₁₀	1
74	Jind	Moderate	187	PM ₁₀	1
75	Jodhpur	Poor	203	PM _{2.5}	1
76	Kaithal	Moderate	198	PM ₁₀	1
77	Kalyan	Good	41	PM _{2.5}	1
78	Kannur	Satisfactory	64	PM ₁₀	1
79	Kanpur	Moderate	148	PM ₁₀	3
80	Karnal	Moderate	135	PM ₁₀	1
81	Katni	Poor	212	PM ₁₀	1
82	Khanna	Moderate	157	PM ₁₀	1
83	Kishanganj	Satisfactory	78	O ₃	1
84	Kochi	Satisfactory	65	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	55	PM ₁₀	1
86	Kolkata	Satisfactory	60	NO ₂ , O ₃ , PM _{2.5}	6
87	Kollam	Satisfactory	84	PM ₁₀	1
88	Kota	Moderate	167	PM _{2.5}	1
89	Kurukshetra	Poor	204	PM _{2.5}	1
90	Lucknow	Moderate	135	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	153	PM _{2.5}	1
92	Madikeri	Satisfactory	51	O ₃	1
93	Mandi Gobindgarh	Moderate	126	PM _{2.5}	1
94	Mandideep	Satisfactory	100	PM ₁₀	1
95	Mandikhera	Moderate	101	PM ₁₀	1
96	Manesar	Moderate	198	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Notes: Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad,

Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	67	СО	1
98	Meerut	Moderate	182	PM ₁₀	3
99	Moradabad	Moderate	115	PM ₁₀	4
100	Motihari	Moderate	170	03	1
101	Mumbai	Moderate	103	PM ₁₀ , CO, PM _{2.5}	18
102	Munger	Moderate	190	PM ₁₀	1
103	Muzaffarnagar	Moderate	195	PM ₁₀	1
104	Muzaffarpur	Moderate	107	O ₃ , PM _{2.5}	3
105	Mysuru	Good	48	PM ₁₀	1
106	Naharlagun	Satisfactory	64	SO ₂	1
107	Narnaul	Moderate	127	PM ₁₀	1
108	Nashik	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	55	PM ₁₀ , CO, PM _{2.5}	3
110	Noida	Poor	240	PM ₁₀	4
111	Pali	Moderate	123	PM ₁₀	1
112	Palwal	Moderate	137	PM ₁₀	1
113	Panchkula	Moderate	156	PM _{2.5}	1
114	Panipat	Poor	249	PM _{2.5}	1
115	Patiala	Moderate	154	PM ₁₀	1
116	Patna	Moderate	178	PM ₁₀ , PM _{2.5}	6
117	Pithampur	Satisfactory	97	PM ₁₀	1
118	Prayagraj	Moderate	105	PM ₁₀	3
119	Pune	Satisfactory	88	CO, PM _{2.5}	2
120	Raichur	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bhir

- * AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Moderate	128	PM ₁₀	1
122	Ramanagara	Satisfactory	61	PM ₁₀	1
123	Rohtak	Poor	213	PM _{2.5}	1
124	Rupnagar	Satisfactory	94	PM ₁₀	1
125	Samastipur	Moderate	141	PM ₁₀	1
126	Sasaram	Poor	275	03	1
127	Satna	Satisfactory	61	PM ₁₀	1
128	Shivamogga	Satisfactory	57	PM ₁₀	1
129	Singrauli	Poor	262	PM ₁₀	1
130	Sirsa	Moderate	185	PM ₁₀	1
131	Siwan	Moderate	128	PM ₁₀	1
132	Talcher	Satisfactory	66	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thane	Satisfactory	87	PM ₁₀	1
134	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
135	Thoothukudi	Satisfactory	51	PM ₁₀	1
136	Tirupati	Satisfactory	77	PM _{2.5}	1
137	Udaipur	Moderate	132	PM ₁₀	1
138	Ujjain	Moderate	145	PM ₁₀	1
139	Varanasi	Moderate	136	O ₃ , PM ₁₀	4
140	Vatva	Satisfactory	73	PM _{2.5}	1
141	Visakhapatnam	Satisfactory	84	PM ₁₀	1
142	Vrindavan	Moderate	139	PM ₁₀	1
143	Yadgir	Satisfactory	52	PM _{2.5}	1
144	Yamunanagar	Moderate	174	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bhilai, Bhiwani, Coimbatore, Damoh, Darbhanga, Dharuhera, Firozabad, Haldia, Jorapokhar, Kalaburgi, Katihar, Kolar, Koppal, Kozhikode, Maihar, Manguraha, Nagpur, Nandesari, Puducherry, Purnia, Rajamahendravaram, Ratlam, Sagar, Saharsa, Shillong, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM