

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	62	PM <sub>10</sub>	2
2	Agra	Moderate	135	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	7
4	Aizawl	Good	45	PM <sub>10</sub>	1
5	Ajmer	Moderate	107	PM <sub>10</sub>	1
6	Alwar	Moderate	103	PM <sub>10</sub>	1
7	Amaravati	Good	25	03	1
8	Ambala	Moderate	168	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	96	NO <sub>2</sub>	1
10	Ankleshwar	Moderate	140	PM <sub>2.5</sub>	1
11	Araria	Satisfactory	96	03	1
12	Arrah	Poor	256	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	152	O <sub>3</sub>	1
14	Aurangabad	Poor	296	PM <sub>10</sub>	1
15	Aurangabad	Moderate	105	PM <sub>10</sub>	1
16	Baddi	Moderate	166	PM <sub>10</sub>	1
17	Bagalkot	Good	50	PM <sub>2.5</sub>	1
18	Baghpat	Moderate	182	PM <sub>10</sub>	1
19	Bahadurgarh	Poor	213	PM <sub>10</sub>	1
20	Ballabgarh	Moderate	123	PM <sub>10</sub>	1
21	Bathinda	Satisfactory	69	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	76	PM <sub>10</sub> , CO	8
23	Bhagalpur	Moderate	174	PM <sub>10</sub> , O <sub>3</sub>	2
24	Bhiwadi	Poor	296	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	254	PM <sub>2.5</sub>	1
26	Bhopal	Moderate	108	PM <sub>10</sub>	1
27	Bihar Sharif	Poor	300	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	73	со	1
29	Bulandshahr	Poor	256	PM <sub>10</sub>	1
30	Buxar	Very Poor	357	PM <sub>10</sub>	1
31	Chamarajanagar	Good	41	PM <sub>10</sub>	1
32	Chandigarh	Moderate	148	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	84	PM <sub>10</sub>	2
34	Charkhi Dadri	Poor	257	PM <sub>2.5</sub>	1
35	Chennai	Good	38	CO, PM <sub>10</sub>	8
36	Chhapra	Poor	216	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	45	O <sub>3</sub>	1
38	Chikkamagaluru	Good	44	PM <sub>10</sub>	1
39	Damoh	Satisfactory	69	PM <sub>10</sub>	1
40	Davanagere	Satisfactory	74	PM <sub>10</sub>	1
41	Dehradun	Moderate	103	PM <sub>10</sub>	1
42	Delhi	Poor	245	PM <sub>10</sub>	35
43	Dewas	Satisfactory	100	PM <sub>10</sub>	1
44	Durgapur	Poor	243	PM <sub>2.5</sub>	1
45	Eloor	Satisfactory	65	PM <sub>10</sub>	1
46	Ernakulam	Good	39	со	1
47	Faridabad	Poor	240	PM <sub>10</sub>	2
48	Fatehabad	Moderate	115	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	261	O <sub>3</sub>	1
50	Gadag	Satisfactory	57	PM <sub>2.5</sub>	1
51	Gandhinagar	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Gaya	Moderate	136	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Ghaziabad	Poor	238	PM <sub>10</sub>	3
54	Gorakhpur	Satisfactory	81	PM <sub>10</sub>	1
55	Greater Noida	Poor	246	PM <sub>10</sub>	1
56	Gurugram	Poor	219	PM <sub>10</sub>	3
57	Guwahati	Satisfactory	72	PM <sub>2.5</sub>	2
58	Gwalior	Moderate	159	PM <sub>10</sub>	1
59	Hajipur	Poor	243	PM <sub>2.5</sub>	1
60	Haldia	Good	49	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	279	PM <sub>10</sub>	1
62	Hassan	Satisfactory	92	PM <sub>10</sub>	1
63	Haveri	Satisfactory	98	СО	1
64	Hisar	Moderate	199	PM <sub>10</sub>	1
65	Howrah	Satisfactory	85	PM <sub>10</sub> , O <sub>3</sub>	3
66	Hubballi	Satisfactory	77	PM <sub>10</sub>	1
67	Hyderabad	Satisfactory	78	PM <sub>10</sub> , PM <sub>2.5</sub> , NO <sub>2</sub>	5
68	Imphal	Satisfactory	64	SO <sub>2</sub> , PM <sub>10</sub>	2
69	Indore	Moderate	182	PM <sub>10</sub>	1
70	Jabalpur	Moderate	153	PM <sub>10</sub>	1
71	Jaipur	Moderate	157	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Jalandhar	Moderate	130	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Poor	214	PM <sub>10</sub>	1
74	Jind	Moderate	181	СО	1
75	Jodhpur	Moderate	166	PM <sub>2.5</sub>	1
76	Kaithal	Poor	226	PM <sub>10</sub>	1
77	Kalyan	Moderate	196	PM <sub>2.5</sub>	1
78	Kannur	Satisfactory	57	PM <sub>10</sub>	1
79	Kanpur	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	3
80	Karnal	Moderate	119	PM <sub>10</sub>	1
81	Katihar	Moderate	174	PM <sub>2.5</sub>	1
82	Katni	Moderate	188	PM <sub>10</sub>	1
83	Khanna	Moderate	119	PM <sub>10</sub>	1
84	Kishanganj	Satisfactory	93	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	79	PM <sub>10</sub>	1
86	Kolar	Satisfactory	60	SO <sub>2</sub>	1
87	Kolkata	Moderate	102	O <sub>3</sub> , PM <sub>10</sub>	7
88	Kollam	Satisfactory	92	PM <sub>10</sub>	1
89	Koppal	Satisfactory	62	PM <sub>10</sub>	1
90	Kota	Moderate	158	PM <sub>2.5</sub>	1
91	Kozhikode	Satisfactory	59	PM <sub>10</sub>	1
92	Kurukshetra	Moderate	160	PM <sub>2.5</sub>	1
93	Lucknow	Moderate	187	PM <sub>2.5</sub> , PM <sub>10</sub>	6
94	Ludhiana	Moderate	114	PM <sub>10</sub>	1
95	Madikeri	Satisfactory	60	PM <sub>10</sub>	1
96	Mandi Gobindgarh	Moderate	146	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	89	PM <sub>2.5</sub>	1
98	Mandikhera	Satisfactory	99	PM <sub>10</sub>	1
99	Manglore	Satisfactory	57	со	1
100	Meerut	Poor	212	O <sub>3</sub> , PM <sub>10</sub>	3
101	Moradabad	Moderate	121	PM <sub>10</sub>	4
102	Motihari	Poor	240	03	1
103	Mumbai	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	14
104	Munger	Moderate	197	PM <sub>10</sub>	1
105	Muzaffarnagar	Poor	250	PM <sub>10</sub>	1
106	Muzaffarpur	Poor	216	O <sub>3</sub> , PM <sub>10</sub>	2
107	Mysuru	Good	50	PM <sub>10</sub>	1
108	Nagpur	Moderate	146	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha, Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Good	47	PM <sub>2.5</sub>	1
110	Narnaul	Moderate	133	PM <sub>2.5</sub>	1
111	Navi Mumbai	Satisfactory	97	PM <sub>10</sub>	1
112	Noida	Poor	242	PM <sub>10</sub>	2
113	Pali	Moderate	106	PM <sub>10</sub>	1
114	Palwal	Moderate	171	PM <sub>10</sub>	1
115	Panchkula	Moderate	179	PM <sub>2.5</sub>	1
116	Panipat	Moderate	183	PM <sub>2.5</sub>	1
117	Patiala	Moderate	147	PM <sub>10</sub>	1
118	Patna	Poor	272	PM <sub>10</sub> , PM <sub>2.5</sub>	6
119	Pithampur	Moderate	139	PM <sub>10</sub>	1
120	Prayagraj	Moderate	132	PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	31	PM <sub>10</sub>	1
122	Pune	Moderate	116	PM <sub>2.5</sub> , O <sub>3</sub>	5
123	Raichur	Satisfactory	81	PM <sub>10</sub>	1
124	Rajamahendravaram	Good	29	PM <sub>10</sub>	1
125	Rajgir	Moderate	182	PM <sub>10</sub>	1
126	Ramanagara	Satisfactory	86	PM <sub>10</sub>	1
127	Ratlam	Satisfactory	95	PM <sub>10</sub>	1
128	Rohtak	Moderate	182	PM <sub>2.5</sub>	1
129	Rupnagar	Satisfactory	95	PM <sub>10</sub>	1
130	Sagar	Moderate	147	PM <sub>2.5</sub>	1
131	Saharsa	Poor	257	PM <sub>10</sub>	1
132	Samastipur	Poor	260	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	73	PM <sub>10</sub>	1
134	Shillong	Satisfactory	66	03	2
135	Shivamogga	Satisfactory	54	PM <sub>10</sub>	1
136	Siliguri	Good	50	PM <sub>10</sub>	1
137	Singrauli	Very Poor	323	PM <sub>10</sub>	1
138	Sirsa	Moderate	153	03	1
139	Talcher	Moderate	166	PM <sub>10</sub>	1
140	Thiruvananthapuram	Good	40	PM <sub>10</sub> , CO	2
141	Thoothukudi	Good	44	PM <sub>10</sub>	1
142	Thrissur	Satisfactory	76	PM <sub>2.5</sub>	1
143	Tirupati	Satisfactory	51	PM <sub>10</sub>	1
144	Udaipur	Moderate	103	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Satisfactory	68	O <sub>3</sub>	1
146	Ujjain	Moderate	155	PM <sub>10</sub>	1
147	Varanasi	Moderate	104	PM <sub>10</sub>	4
148	Vatva	Moderate	101	PM <sub>2.5</sub>	1
149	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
150	Visakhapatnam	Satisfactory	73	PM <sub>10</sub>	1
151	Vrindavan	Moderate	175	PM <sub>2.5</sub>	1
152	Yadgir	Satisfactory	53	PM <sub>10</sub>	1
153	Yamunanagar	Poor	212	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Begusarai, Bettiah,
  Bhilai, Bidar, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Gangtok,
  Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Maihar, Manesar, Manguraha,
  Naharlagun, Nashik, Purnia, Sasaram, Siwan, Solapur, Sonipat, Srinagar,
  Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.