

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	81	PM ₁₀	1
2	Agra	Moderate	131	PM ₁₀	5
3	Ahmedabad	Satisfactory	88	PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	39	PM ₁₀	1
5	Ajmer	Satisfactory	76	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Satisfactory	88	PM ₁₀	1
8	Ambala	Poor	211	PM ₁₀	1
9	Amritsar	Moderate	143	PM _{2.5}	1
10	Ankleshwar	Poor	243	PM _{2.5}	1
11	Asansol	Moderate	119	PM ₁₀	1
12	Aurangabad	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	57	PM _{2.5}	1
14	Baghpat	Moderate	152	PM ₁₀	1
15	Bahadurgarh	Moderate	135	PM _{2.5}	1
16	Ballabgarh	Poor	243	PM _{2.5}	1
17	Bengaluru	Satisfactory	77	PM _{2.5} , PM ₁₀ , CO	8
18	Bhiwadi	Moderate	152	PM ₁₀	1
19	Bhiwani	Moderate	143	PM ₁₀	1
20	Bhopal	Moderate	118	O ₃	1
21	Bilaspur	Satisfactory	95	PM ₁₀	1
22	Brajrajnagar	Satisfactory	79	O ₃	1
23	Bulandshahr	Moderate	165	PM ₁₀	1
24	Chamarajanagar	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	190	PM _{2.5} , PM ₁₀	2
26	Chandrapur	Moderate	132	PM ₁₀	2
27	Charkhi Dadri	Moderate	147	PM ₁₀	1
28	Chennai	Satisfactory	51	PM ₁₀ , CO	7
29	Chikkaballapur	Good	46	PM _{2.5}	1
30	Damoh	Good	39	PM _{2.5}	1
31	Davanagere	Good	44	PM ₁₀	1
32	Delhi	Moderate	170	PM ₁₀ , PM _{2.5}	35
33	Dewas	Moderate	125	PM _{2.5}	1
34	Dharuhera	Moderate	117	PM _{2.5}	1
35	Durgapur	Poor	269	PM _{2.5}	1
36	Faridabad	Moderate	183	PM _{2.5} , PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	154	PM ₁₀	1
38	Firozabad	Moderate	103	PM ₁₀	1
39	Gandhinagar	Moderate	112	PM _{2.5} , PM ₁₀	3
40	Gaya	Satisfactory	76	PM _{2.5}	2
41	Ghaziabad	Poor	236	PM ₁₀	4
42	Gorakhpur	Moderate	194	PM _{2.5}	1
43	Greater Noida	Moderate	172	PM ₁₀	2
44	Gummidipoondi	Moderate	107	PM ₁₀	1
45	Gurugram	Moderate	164	PM ₁₀ , CO	4
46	Guwahati	Satisfactory	75	SO ₂ , PM ₁₀	2
47	Gwalior	Moderate	104	PM ₁₀	1
48	Hajipur	Moderate	133	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	76	PM ₁₀	1
50	Hapur	Poor	208	PM ₁₀	1
51	Hassan	Good	37	PM _{2.5}	1
52	Hisar	Moderate	128	PM ₁₀	1
53	Howrah	Satisfactory	99	PM ₁₀	3
54	Hubballi	Satisfactory	72	PM ₁₀	1
55	Hyderabad	Moderate	129	PM _{2.5} , PM ₁₀	5
56	Indore	Moderate	136	PM ₁₀	1
57	Jabalpur	Moderate	136	PM ₁₀	1
58	Jaipur	Satisfactory	98	PM ₁₀	2
59	Jalandhar	Moderate	162	PM _{2.5}	1
60	Jind	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Satisfactory	100	PM ₁₀	1
62	Kaithal	Poor	227	PM ₁₀	1
63	Kalyan	Moderate	120	PM ₁₀	1
64	Kannur	Satisfactory	52	PM _{2.5}	1
65	Kanpur	Satisfactory	73	PM ₁₀ , PM _{2.5}	4
66	Karnal	Poor	256	PM _{2.5}	1
67	Katni	Poor	220	PM ₁₀	1
68	Khanna	Moderate	157	PM _{2.5}	1
69	Kochi	Good	46	NO ₂	1
70	Kohima	Satisfactory	59	PM ₁₀	1
71	Kolar	Moderate	107	со	1
72	Kolkata	Moderate	122	PM _{2.5} , O ₃ , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Moderate	101	СО	1
74	Koppal	Good	46	СО	1
75	Kota	Satisfactory	77	PM ₁₀	1
76	Kozhikode	Good	49	PM ₁₀	1
77	Kurukshetra	Poor	217	PM ₁₀	1
78	Lucknow	Moderate	127	PM ₁₀ , PM _{2.5}	6
79	Ludhiana	Moderate	150	PM _{2.5}	1
80	Mandi Gobindgarh	Moderate	179	PM ₁₀	1
81	Mandideep	Moderate	143	PM ₁₀	1
82	Mandikhera	Satisfactory	67	PM _{2.5}	1
83	Manesar	Moderate	170	PM _{2.5}	1
84	Manglore	Satisfactory	60	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Satisfactory	57	O ₃	1
86	Meerut	Poor	208	PM ₁₀	2
87	Moradabad	Poor	222	PM ₁₀	1
88	Mumbai	Moderate	143	PM _{2.5} , PM ₁₀	16
89	Muzaffarnagar	Poor	273	PM _{2.5}	1
90	Muzaffarpur	Moderate	149	PM _{2.5} , PM ₁₀	2
91	Mysuru	Satisfactory	54	PM ₁₀	1
92	Nandesari	Satisfactory	58	PM _{2.5}	1
93	Narnaul	Satisfactory	68	PM _{2.5}	1
94	Nashik	Satisfactory	67	O ₃	1
95	Navi Mumbai	Moderate	140	PM _{2.5} , PM ₁₀	2
96	Noida	Moderate	192	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Moderate	102	PM _{2.5}	1
98	Panchkula	Poor	220	PM _{2.5}	1
99	Panipat	Poor	238	PM ₁₀	1
100	Patiala	Moderate	141	PM ₁₀	1
101	Patna	Moderate	128	PM ₁₀ , PM _{2.5}	5
102	Pithampur	Satisfactory	91	PM _{2.5}	1
103	Prayagraj	Moderate	109	PM ₁₀ , PM _{2.5}	3
104	Puducherry	Good	35	O ₃	1
105	Pune	Satisfactory	84	PM _{2.5} , CO	5
106	Raichur	Moderate	113	PM ₁₀	1
107	Rajamahendravaram	Satisfactory	83	PM ₁₀	1
108	Ramanagara	Satisfactory	59	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Moderate	112	PM ₁₀	1
110	Rohtak	Moderate	189	PM _{2.5}	1
111	Rupnagar	Moderate	134	PM ₁₀	1
112	Sagar	Good	39	PM _{2.5}	1
113	Satna	Satisfactory	66	PM ₁₀	1
114	Shivamogga	Good	42	PM ₁₀	1
115	Singrauli	Moderate	122	PM ₁₀	1
116	Sirsa	Moderate	180	PM ₁₀	1
117	Sonipat	Moderate	174	PM ₁₀	1
118	Srinagar	Satisfactory	79	PM ₁₀	1
119	Talcher	Satisfactory	80	PM ₁₀	1
120	Thane	Moderate	189	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	43	PM ₁₀ , CO	2
122	Thoothukudi	Satisfactory	54	PM ₁₀	1
123	Udaipur	Satisfactory	90	PM ₁₀	1
124	Ujjain	Moderate	128	PM ₁₀	1
125	Vapi	Moderate	154	PM _{2.5}	1
126	Varanasi	Satisfactory	73	PM ₁₀	4
127	Vatva	Moderate	146	NO ₂	1
128	Vijayapura	Good	49	PM ₁₀	1
129	Visakhapatnam	Moderate	117	PM ₁₀	1
130	Vrindavan	Moderate	120	PM ₁₀	1
131	Yamunanagar	Poor	299	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Maihar, Motihari, Nagpur, Naharlagun, Palwal, Shillong, Siliguri, Solapur, Thrissur, Tirupati, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.