

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	39	PM ₁₀	1
2	Agra	Moderate	123	PM _{2.5}	1
3	Ahmedabad	Satisfactory	72	O ₃	1
4	Aizawl	Good	37	PM ₁₀	1
5	Ajmer	Satisfactory	74	PM ₁₀	1
6	Alwar	Satisfactory	54	PM ₁₀	1
7	Amaravati	Satisfactory	80	PM ₁₀	1
8	Ambala	Satisfactory	93	PM ₁₀	1
9	Amritsar	Moderate	139	PM ₁₀	1
10	Ankleshwar	Poor	206	O ₃	1
11	Asansol	Good	36	O ₃	1
12	Aurangabad	Satisfactory	59	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore,
 Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera,
 Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong,
 Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	171	PM ₁₀	1
14	Bahadurgarh	Moderate	130	PM _{2.5}	1
15	Ballabgarh	Moderate	129	PM _{2.5}	1
16	Bathinda	Moderate	119	PM _{2.5}	1
17	Bengaluru	Satisfactory	62	PM _{2.5} , CO, PM ₁₀	10
18	Bhiwadi	Poor	220	PM _{2.5}	1
19	Bhiwani	Satisfactory	95	PM ₁₀	1
20	Bhopal	Satisfactory	88	O ₃	1
21	Bidar	Satisfactory	79	PM ₁₀	1
22	Brajrajnagar	Satisfactory	56	со	1
23	Bulandshahr	Poor	272	O ₃	1
24	Chamarajanagar	Satisfactory	76	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera, Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Talcher, Thrissur, Vijayapura as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	78	PM ₁₀	1
26	Chandrapur	Satisfactory	96	PM ₁₀	2
27	Charkhi Dadri	Moderate	120	PM _{2.5}	1
28	Chennai	Satisfactory	68	SO ₂ , PM ₁₀	5
29	Chikkaballapur	Good	50	PM ₁₀	1
30	Chikkamagaluru	Good	40	PM ₁₀	1
31	Damoh	Good	50	PM ₁₀	1
32	Delhi	Moderate	150	O ₃ , PM ₁₀	31
33	Dewas	Satisfactory	76	PM ₁₀	1
34	Dharuhera	Moderate	154	PM ₁₀	1
35	Durgapur	Good	43	NO ₂	1
36	Eloor	Satisfactory	60	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore,
 Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera,
 Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong,
 Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	189	PM _{2.5} , O ₃ , PM ₁₀	3
38	Fatehabad	Moderate	141	PM ₁₀	1
39	Gadag	Good	23	PM _{2.5}	1
40	Gaya	Good	41	03	1
41	Ghaziabad	Moderate	197	PM ₁₀ , O ₃	3
42	Greater Noida	Moderate	185	PM ₁₀	1
43	Gummidipoondi	Satisfactory	85	PM ₁₀	1
44	Gurugram	Moderate	109	PM ₁₀ , O ₃	3
45	Guwahati	Good	38	SO ₂	1
46	Gwalior	Moderate	164	O ₃	1
47	Hajipur	Satisfactory	89	PM _{2.5}	1
48	Haldia	Good	40	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore,
 Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera,
 Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong,
 Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Poor	238	O ₃	1
50	Hassan	Good	36	PM _{2.5}	1
51	Hisar	Moderate	129	PM ₁₀	1
52	Howrah	Good	38	PM ₁₀ , O ₃ , CO	3
53	Hubballi	Satisfactory	63	PM ₁₀	1
54	Hyderabad	Satisfactory	73	PM ₁₀ , PM _{2.5}	5
55	Indore	Satisfactory	94	PM ₁₀	1
56	Jabalpur	Moderate	112	PM ₁₀	1
57	Jaipur	Moderate	109	PM ₁₀	3
58	Jalandhar	Moderate	121	PM _{2.5}	1
59	Jind	Moderate	128	PM ₁₀	1
60	Jodhpur	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore,
 Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera,
 Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong,
 Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	127	PM ₁₀	1
62	Kalaburgi	Satisfactory	67	PM ₁₀	1
63	Kalyan	Satisfactory	78	PM ₁₀	1
64	Kannur	Moderate	117	PM ₁₀	1
65	Kanpur	Satisfactory	53	PM _{2.5}	2
66	Karnal	Moderate	117	PM ₁₀	1
67	Katni	Moderate	106	PM ₁₀	1
68	Khanna	Moderate	108	PM ₁₀	1
69	Kochi	Good	35	СО	1
70	Kohima	Good	38	PM ₁₀	1
71	Kolkata	Good	49	O ₃ , PM ₁₀	7
72	Kollam	Good	49	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera, Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	83	03	1
74	Kota	Moderate	104	PM _{2.5}	1
75	Kozhikode	Good	38	PM ₁₀	1
76	Kurukshetra	Moderate	139	PM ₁₀	1
77	Lucknow	Satisfactory	76	PM ₁₀ , O ₃	4
78	Ludhiana	Moderate	127	PM ₁₀	1
79	Mandi Gobindgarh	Moderate	166	PM ₁₀	1
80	Mandideep	Satisfactory	61	PM ₁₀	1
81	Manesar	Moderate	129	PM _{2.5}	1
82	Manglore	Satisfactory	54	PM ₁₀	1
83	Medikeri	Good	35	PM ₁₀	1
84	Meerut	Poor	204	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera, Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Moderate	146	PM _{2.5}	1
86	Mumbai	Satisfactory	73	NO ₂ , PM ₁₀	17
87	Muzaffarnagar	Moderate	182	PM ₁₀	1
88	Muzaffarpur	Satisfactory	70	со	2
89	Nagpur	Satisfactory	75	PM ₁₀	1
90	Narnaul	Moderate	142	PM ₁₀	1
91	Noida	Moderate	153	PM ₁₀	2
92	Pali	Moderate	103	PM ₁₀	1
93	Palwal	Moderate	137	PM ₁₀	1
94	Panchkula	Good	47	PM _{2.5}	1
95	Panipat	Moderate	147	PM ₁₀	1
96	Patiala	Moderate	125	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Jood	William Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera, Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	61	SO ₂ , PM _{2.5} , PM ₁₀	5
98	Pithampur	Satisfactory	61	O ₃	1
99	Puducherry	Good	46	O ₃	1
100	Pune	Satisfactory	68	PM ₁₀ , PM _{2.5} , CO	4
101	Raichur	Satisfactory	63	PM ₁₀	1
102	Rajamahendravaram	Moderate	126	PM ₁₀	1
103	Ratlam	Satisfactory	81	PM ₁₀	1
104	Rohtak	Satisfactory	83	СО	1
105	Rupnagar	Moderate	110	PM ₁₀	1
106	Sagar	Satisfactory	73	PM _{2.5}	1
107	Satna	Satisfactory	72	PM ₁₀	1
108	Shivamogga	Good	48	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore,
 Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera,
 Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong,
 Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	53	O ₃	1
110	Singrauli	Satisfactory	63	со	1
111	Sirsa	Moderate	119	PM ₁₀	1
112	Sonipat	Moderate	158	PM ₁₀	1
113	Srinagar	Moderate	114	PM ₁₀	1
114	Thane	Satisfactory	98	PM ₁₀	1
115	Thiruvananthapuram	Good	50	CO, NO ₂	2
116	Thoothukudi	Satisfactory	62	со	1
117	Tirupati	Satisfactory	62	PM ₁₀	1
118	Udaipur	Satisfactory	74	PM ₁₀	1
119	Udupi	Satisfactory	78	со	1
120	Ujjain	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore,
 Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera,
 Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong,
 Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Satisfactory	74	PM ₁₀	1
122	Varanasi	Good	37	PM ₁₀	1
123	Vatva	Moderate	126	PM ₁₀	1
124	Visakhapatnam	Moderate	145	PM ₁₀	1
125	Yadgir	Satisfactory	54	PM ₁₀	1
126	Yamunanagar	Poor	253	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Davanagere, Ernakulam, Gandhinagar, Jorapokhar, Kolar, Maihar, Mandikhera, Mysuru, Naharlagun, Nandesari, Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Talcher, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.