

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	54	PM ₁₀	2
2	Agra	Moderate	105	PM ₁₀	5
3	Ahmedabad	Moderate	101	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	53	PM ₁₀	1
5	Ajmer	Moderate	182	PM _{2.5}	1
6	Alwar	Moderate	111	PM ₁₀	1
7	Amaravati	Satisfactory	91	PM ₁₀	1
8	Ambala	Moderate	119	PM ₁₀	1
9	Amritsar	Satisfactory	80	PM ₁₀	1
10	Ankleshwar	Satisfactory	63	PM ₁₀	1
11	Araria	Poor	202	PM _{2.5}	1
12	Arrah	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	101	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	146	PM ₁₀	1
15	Baddi	Moderate	124	PM ₁₀	1
16	Bagalkot	Satisfactory	51	PM ₁₀	1
17	Baghpat	Moderate	186	PM _{2.5}	1
18	Bahadurgarh	Moderate	187	PM _{2.5}	1
19	Ballabgarh	Satisfactory	59	PM _{2.5}	1
20	Bathinda	Good	47	PM ₁₀	1
21	Bengaluru	Satisfactory	73	PM _{2.5} , PM ₁₀	5
22	Bettiah	Poor	248	PM ₁₀	1
23	Bhagalpur	Moderate	129	PM ₁₀	1
24	Bhiwadi	Poor	214	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	168	PM _{2.5}	1
26	Bhopal	Moderate	133	PM ₁₀	1
27	Bihar Sharif	Moderate	173	PM ₁₀	1
28	Bilaspur	Satisfactory	58	PM ₁₀	1
29	Bulandshahr	Moderate	186	03	1
30	Buxar	Poor	214	PM _{2.5}	1
31	Chandigarh	Moderate	193	O ₃ , PM _{2.5} , PM ₁₀	3
32	Chandrapur	Moderate	109	O ₃ , PM ₁₀	2
33	Charkhi Dadri	Moderate	157	PM ₁₀	1
34	Chennai	Satisfactory	67	PM ₁₀ , PM _{2.5} , CO	7
35	Chhapra	Moderate	135	PM ₁₀	1
36	Chikkaballapur	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
38	Damoh	Satisfactory	52	PM ₁₀	1
39	Darbhanga	Moderate	199	PM ₁₀	1
40	Davanagere	Satisfactory	80	PM ₁₀	1
41	Dehradun	Satisfactory	88	PM ₁₀	1
42	Delhi	Poor	206	PM _{2.5} , PM ₁₀	39
43	Dewas	Moderate	122	PM ₁₀	1
44	Dharuhera	Poor	239	PM _{2.5}	1
45	Durgapur	Moderate	158	PM _{2.5}	1
46	Ernakulam	Good	39	со	1
47	Faridabad	Poor	255	PM _{2.5} , PM ₁₀	2
48	Firozabad	Moderate	124	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	35	PM _{2.5}	1
50	Gandhinagar	Moderate	122	PM _{2.5} , PM ₁₀	3
51	Gangtok	Good	31	O ₃	1
52	Gaya	Moderate	139	O ₃ , PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	201	PM _{2.5} , PM ₁₀	4
54	Gorakhpur	Satisfactory	66	03	1
55	Greater Noida	Poor	220	PM _{2.5} , PM ₁₀	2
56	Gummidipoondi	Satisfactory	56	PM _{2.5}	1
57	Gurugram	Poor	226	PM _{2.5} , PM ₁₀	4
58	Guwahati	Satisfactory	78	PM ₁₀	2
59	Gwalior	Moderate	117	PM ₁₀	1
60	Hajipur	Moderate	136	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Satisfactory	89	PM ₁₀	1
62	Hapur	Poor	215	PM _{2.5}	1
63	Hassan	Satisfactory	93	PM ₁₀	1
64	Howrah	Moderate	109	PM _{2.5} , PM ₁₀	3
65	Hubballi	Satisfactory	88	PM ₁₀	1
66	Hyderabad	Moderate	109	O ₃ , PM ₁₀	10
67	Imphal	Satisfactory	75	PM ₁₀	1
68	Indore	Satisfactory	93	PM ₁₀	1
69	Jabalpur	Moderate	147	PM ₁₀	1
70	Jaipur	Moderate	159	PM ₁₀ , PM _{2.5}	3
71	Jalandhar	Moderate	134	PM ₁₀	1
72	Jind	Moderate	135	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	112	PM _{2.5}	1
74	Kalaburgi	Satisfactory	100	PM ₁₀	1
75	Kalyan	Satisfactory	85	PM ₁₀	1
76	Kannur	Satisfactory	64	PM ₁₀	1
77	Kanpur	Moderate	148	PM ₁₀	3
78	Karnal	Moderate	121	PM _{2.5}	1
79	Katihar	Moderate	134	PM ₁₀	1
80	Katni	Moderate	165	PM ₁₀	1
81	Khanna	Satisfactory	100	PM ₁₀	1
82	Kishanganj	Poor	207	PM _{2.5}	1
83	Kochi	Satisfactory	88	PM _{2.5}	1
84	Kohima	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	61	PM ₁₀	1
86	Kolkata	Moderate	121	O ₃ , PM ₁₀	6
87	Koppal	Satisfactory	55	PM ₁₀	1
88	Kota	Moderate	131	PM _{2.5}	1
89	Kozhikode	Satisfactory	58	PM ₁₀	1
90	Kurukshetra	Poor	248	03	1
91	Lucknow	Moderate	114	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Satisfactory	84	PM _{2.5}	1
93	Madikeri	Good	49	PM ₁₀	1
94	Maihar	Good	40	PM ₁₀	1
95	Mandi Gobindgarh	Poor	254	PM _{2.5}	1
96	Mandideep	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	96	PM ₁₀	1
98	Manesar	Poor	223	PM _{2.5}	1
99	Manglore	Satisfactory	56	со	1
100	Meerut	Moderate	198	PM _{2.5}	2
101	Moradabad	Moderate	168	O ₃ , PM _{2.5}	3
102	Motihari	Poor	235	03	1
103	Mumbai	Satisfactory	76	O ₃ , PM ₁₀	17
104	Muzaffarnagar	Poor	278	PM _{2.5}	1
105	Muzaffarpur	Poor	214	PM _{2.5}	2
106	Mysuru	Satisfactory	56	03	1
107	Nagpur	Moderate	120	PM ₁₀	1
108	Narnaul	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	80	CO, PM ₁₀	3
110	Noida	Poor	220	PM _{2.5} , PM ₁₀	4
111	Pali	Moderate	117	PM ₁₀	1
112	Palwal	Moderate	144	PM ₁₀	1
113	Panchkula	Moderate	107	PM _{2.5}	1
114	Panipat	Moderate	137	PM ₁₀	1
115	Patiala	Satisfactory	93	PM ₁₀	1
116	Patna	Moderate	161	PM _{2.5} , O ₃ , NO ₂	6
117	Pithampur	Satisfactory	87	PM ₁₀	1
118	Prayagraj	Moderate	143	PM ₁₀	3
119	Puducherry	Good	45	PM ₁₀	1
120	Pune	Satisfactory	90	PM _{2.5} , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	172	PM ₁₀	1
122	Raichur	Satisfactory	100	PM ₁₀	1
123	Rajamahendravaram	Satisfactory	78	со	1
124	Ramanagara	Good	41	PM ₁₀	1
125	Ratlam	Moderate	122	PM ₁₀	1
126	Rohtak	Poor	204	PM _{2.5}	1
127	Rupnagar	Moderate	110	PM ₁₀	1
128	Sagar	Satisfactory	63	со	1
129	Saharsa	Moderate	157	PM ₁₀	1
130	Samastipur	Poor	235	PM ₁₀	1
131	Satna	Moderate	102	PM ₁₀	1
132	Shillong	Satisfactory	54	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	55	PM ₁₀	1
134	Siliguri	Satisfactory	56	PM ₁₀	1
135	Singrauli	Poor	262	PM ₁₀	1
136	Sirsa	Moderate	121	PM ₁₀	1
137	Solapur	Moderate	102	PM ₁₀	1
138	Sonipat	Poor	203	PM ₁₀	1
139	Srinagar	Satisfactory	56	PM ₁₀	1
140	Talcher	Moderate	107	PM ₁₀	1
141	Thane	Moderate	120	PM ₁₀	1
142	Thiruvananthapuram	Good	48	CO, PM _{2.5}	2
143	Thoothukudi	Good	40	PM ₁₀	1
144	Tirupati	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	100	PM ₁₀	1
146	Ujjain	Moderate	148	PM ₁₀	1
147	Varanasi	Satisfactory	99	O ₃ , NO ₂ , PM ₁₀	4
148	Vatva	Satisfactory	85	PM ₁₀	1
149	Vijayapura	Satisfactory	56	PM ₁₀	1
150	Visakhapatnam	Moderate	107	PM ₁₀	1
151	Vrindavan	Moderate	106	PM ₁₀	1
152	Yadgir	Satisfactory	93	PM ₁₀	1
153	Yamunanagar	Poor	276	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Eloor, Fatehabad, Haveri, Hisar, Jhansi, Jodhpur, Jorapokhar, Kollam, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Rajgir, Sasaram, Siwan, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.