

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	144	PM <sub>2.5</sub>	2
2	Agra	Moderate	184	PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Moderate	176	PM <sub>10</sub>	1
4	Aizawl	Good	28	PM <sub>10</sub>	1
5	Ajmer	Moderate	124	PM <sub>10</sub>	1
6	Alwar	Satisfactory	97	PM <sub>10</sub>	1
7	Ambala	Moderate	199	PM <sub>2.5</sub>	1
8	Amritsar	Poor	236	PM <sub>2.5</sub>	1
9	Anantapur	Moderate	105	PM <sub>2.5</sub>	1
10	Araria	Poor	267	PM <sub>2.5</sub>	1
11	Arrah	Moderate	175	03	1
12	Asansol	Moderate	185	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	172	PM <sub>10</sub>	1
14	Aurangabad	Moderate	148	PM <sub>2.5</sub>	1
15	Baddi	Poor	205	O <sub>3</sub>	1
16	Bagalkot	Satisfactory	56	PM <sub>10</sub>	1
17	Baghpat	Poor	296	PM <sub>2.5</sub>	1
18	Bahadurgarh	Very Poor	336	PM <sub>2.5</sub>	1
19	Ballabgarh	Moderate	125	PM <sub>10</sub>	1
20	Bareilly	Moderate	116	PM <sub>2.5</sub>	2
21	Begusarai	Very Poor	347	PM <sub>2.5</sub>	1
22	Belgaum	Moderate	122	PM <sub>10</sub>	1
23	Bengaluru	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub>	9
24	Bettiah	Very Poor	303	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Moderate	175	PM <sub>2.5</sub>	2
26	Bhilai	Moderate	170	PM <sub>2.5</sub>	2
27	Bhiwadi	Poor	263	PM <sub>2.5</sub>	1
28	Bhiwani	Poor	300	PM <sub>2.5</sub>	1
29	Bhopal	Moderate	159	PM <sub>2.5</sub> , PM <sub>10</sub>	2
30	Bidar	Satisfactory	58	со	1
31	Bihar Sharif	Poor	284	PM <sub>2.5</sub>	1
32	Bilaspur	Satisfactory	64	PM <sub>10</sub>	1
33	Bulandshahr	Very Poor	317	PM <sub>2.5</sub>	1
34	Buxar	Poor	221	PM <sub>10</sub>	1
35	Chamarajanagar	Good	48	PM <sub>10</sub>	1
36	Chandigarh	Moderate	159	O <sub>3</sub> , PM <sub>2.5</sub>	3

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	149	PM <sub>2.5</sub>	1
38	Charkhi Dadri	Very Poor	339	PM <sub>2.5</sub>	1
39	Chennai	Satisfactory	59	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	8
40	Chhapra	Poor	276	PM <sub>2.5</sub>	1
41	Chikkaballapur	Satisfactory	86	PM <sub>10</sub>	1
42	Coimbatore	Satisfactory	73	СО	1
43	Damoh	Satisfactory	68	PM <sub>10</sub>	1
44	Darbhanga	Poor	283	PM <sub>2.5</sub>	1
45	Davanagere	Satisfactory	63	PM <sub>10</sub>	1
46	Delhi	Very Poor	357	PM <sub>10</sub> , PM <sub>2.5</sub>	36
47	Dewas	Moderate	124	PM <sub>10</sub>	1
48	Dharuhera	Very Poor	337	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dindigul	Satisfactory	86	PM <sub>2.5</sub>	1
50	Durgapur	Moderate	119	PM <sub>10</sub>	1
51	Eloor	Satisfactory	66	PM <sub>10</sub>	1
52	Ernakulam	Good	46	со	1
53	Faridabad	Very Poor	346	PM <sub>2.5</sub>	3
54	Fatehabad	Very Poor	302	PM <sub>2.5</sub>	1
55	Firozabad	Moderate	109	PM <sub>2.5</sub>	2
56	Gadag	Satisfactory	59	O <sub>3</sub>	1
57	Gandhinagar	Satisfactory	100	PM <sub>10</sub>	1
58	Gangtok	Good	40	PM <sub>2.5</sub>	1
59	Gaya	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	2
60	Ghaziabad	Very Poor	384	PM <sub>10</sub> , PM <sub>2.5</sub>	4

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	135	PM <sub>2.5</sub>	1
62	Greater Noida	Very Poor	364	PM <sub>10</sub> , PM <sub>2.5</sub>	2
63	Gummidipoondi	Moderate	156	PM <sub>2.5</sub>	1
64	Gurugram	Very Poor	333	PM <sub>2.5</sub>	3
65	Guwahati	Satisfactory	100	PM <sub>2.5</sub>	3
66	Gwalior	Moderate	174	PM <sub>10</sub> , PM <sub>2.5</sub>	2
67	Hajipur	Poor	290	PM <sub>2.5</sub>	1
68	Haldia	Moderate	114	PM <sub>10</sub>	1
69	Hapur	Poor	280	PM <sub>2.5</sub>	1
70	Hassan	Satisfactory	60	PM <sub>2.5</sub>	1
71	Haveri	Satisfactory	79	PM <sub>10</sub>	1
72	Hisar	Very Poor	306	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	75	PM <sub>10</sub>	1
74	Howrah	Moderate	174	PM <sub>2.5</sub>	2
75	Hubballi	Satisfactory	72	PM <sub>10</sub>	1
76	Hyderabad	Satisfactory	83	PM <sub>2.5</sub> , PM <sub>10</sub>	14
77	Imphal	Moderate	146	O <sub>3</sub> , PM <sub>10</sub>	2
78	Indore	Moderate	148	PM <sub>10</sub>	1
79	Jabalpur	Moderate	181	PM <sub>2.5</sub>	1
80	Jaipur	Moderate	178	PM <sub>2.5</sub>	2
81	Jalandhar	Moderate	196	PM <sub>10</sub>	1
82	Jhansi	Moderate	157	PM <sub>10</sub>	1
83	Jind	Very Poor	337	PM <sub>2.5</sub>	1
84	Jodhpur	Moderate	141	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Moderate	110	PM <sub>10</sub>	1
86	Kaithal	Very Poor	312	PM <sub>2.5</sub>	1
87	Kalaburgi	Satisfactory	94	PM <sub>2.5</sub>	1
88	Kalyan	Moderate	140	PM <sub>10</sub>	1
89	Kanchipuram	Satisfactory	55	SO <sub>2</sub>	1
90	Kannur	Satisfactory	66	PM <sub>10</sub>	1
91	Kanpur	Moderate	176	PM <sub>2.5</sub> , PM <sub>10</sub>	4
92	Karnal	Poor	207	PM <sub>2.5</sub>	1
93	Katihar	Poor	266	PM <sub>2.5</sub>	1
94	Katni	Moderate	175	PM <sub>10</sub>	1
95	Khanna	Moderate	192	PM <sub>2.5</sub>	1
96	Khurja	Poor	239	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Moderate	193	PM <sub>2.5</sub>	1
98	Kochi	Poor	211	PM <sub>2.5</sub>	1
99	Kohima	Moderate	116	SO <sub>2</sub>	1
100	Kolar	Satisfactory	86	PM <sub>10</sub>	1
101	Kolkata	Moderate	167	PM <sub>2.5</sub> , PM <sub>10</sub>	7
102	Kollam	Satisfactory	97	PM <sub>10</sub>	1
103	Koppal	Moderate	105	03	1
104	Korba	Moderate	116	PM <sub>10</sub>	2
105	Kota	Satisfactory	98	PM <sub>10</sub>	1
106	Kozhikode	Satisfactory	73	PM <sub>10</sub>	1
107	Kurukshetra	Poor	250	PM <sub>2.5</sub>	1
108	Lucknow	Moderate	193	PM <sub>2.5</sub> , PM <sub>10</sub>	6

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ludhiana	Poor	209	PM <sub>2.5</sub>	1
110	Madikeri	Satisfactory	73	O <sub>3</sub>	1
111	Maihar	Good	40	PM <sub>10</sub>	1
112	Mandi Gobindgarh	Moderate	168	PM <sub>10</sub>	1
113	Mandideep	Poor	208	PM <sub>10</sub>	1
114	Mandikhera	Moderate	135	PM <sub>10</sub>	1
115	Manesar	Very Poor	354	PM <sub>2.5</sub>	1
116	Manglore	Satisfactory	59	PM <sub>10</sub>	1
117	Manguraha	Satisfactory	94	PM <sub>2.5</sub>	1
118	Meerut	Poor	246	PM <sub>2.5</sub>	3
119	Moradabad	Moderate	132	PM <sub>2.5</sub>	6
120	Motihari	Very Poor	346	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Moderate	151	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	18
122	Muzaffarnagar	Poor	254	PM <sub>2.5</sub>	1
123	Muzaffarpur	Poor	228	PM <sub>2.5</sub> , PM <sub>10</sub>	3
124	Mysuru	Satisfactory	51	PM <sub>10</sub>	1
125	Nagpur	Moderate	143	PM <sub>2.5</sub>	1
126	Naharlagun	Good	19	PM <sub>10</sub>	1
127	Narnaul	Moderate	145	PM <sub>2.5</sub>	1
128	Nashik	Moderate	137	PM <sub>2.5</sub>	1
129	Navi Mumbai	Poor	207	PM <sub>2.5</sub> , PM <sub>10</sub>	3
130	Noida	Very Poor	371	PM <sub>2.5</sub> , PM <sub>10</sub>	4
131	Ooty	Satisfactory	82	PM <sub>2.5</sub>	1
132	Pali	Satisfactory	89	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Palwal	Moderate	189	PM <sub>10</sub>	1
134	Panchkula	Satisfactory	94	PM <sub>2.5</sub>	1
135	Panipat	Moderate	195	PM <sub>10</sub>	1
136	Patiala	Moderate	176	PM <sub>2.5</sub>	1
137	Patna	Poor	269	PM <sub>2.5</sub>	6
138	Pithampur	Moderate	134	PM <sub>10</sub>	1
139	Prayagraj	Moderate	168	PM <sub>2.5</sub>	3
140	Puducherry	Good	47	PM <sub>10</sub>	1
141	Purnia	Poor	287	PM <sub>2.5</sub>	1
142	Raipur	Moderate	116	NO <sub>2</sub> , PM <sub>10</sub>	3
143	Rajamahendravaram	Satisfactory	78	PM <sub>10</sub>	1
144	Rajgir	Moderate	164	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Satisfactory	71	PM <sub>10</sub>	1
146	Ramanathapuram	Satisfactory	95	PM <sub>10</sub>	1
147	Ratlam	Moderate	121	PM <sub>10</sub>	1
148	Rohtak	Moderate	111	PM <sub>2.5</sub>	1
149	Rupnagar	Moderate	155	PM <sub>2.5</sub>	1
150	Sagar	Satisfactory	92	PM <sub>10</sub> , CO	2
151	Samastipur	Very Poor	366	PM <sub>2.5</sub>	1
152	Sasaram	Moderate	131	O <sub>3</sub>	1
153	Satna	Good	45	O <sub>3</sub>	1
154	Shillong	Good	35	PM <sub>2.5</sub>	1
155	Shivamogga	Satisfactory	64	PM <sub>10</sub>	1
156	Siliguri	Moderate	103	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Singrauli	Poor	237	PM <sub>2.5</sub>	1
158	Sirsa	Moderate	179	PM <sub>10</sub>	1
159	Sivasagar	Good	22	PM <sub>10</sub>	1
160	Siwan	Very Poor	345	PM <sub>2.5</sub>	1
161	Solapur	Satisfactory	73	PM <sub>10</sub>	1
162	Sonipat	Poor	276	PM <sub>2.5</sub>	1
163	Srinagar	Moderate	197	PM <sub>2.5</sub>	1
164	Talcher	Moderate	156	PM <sub>2.5</sub>	1
165	Thiruvananthapuram	Satisfactory	88	PM <sub>2.5</sub> , CO	2
166	Thoothukudi	Satisfactory	85	PM <sub>10</sub>	1
167	Tirupati	Satisfactory	56	PM <sub>2.5</sub>	1
168	Tiruppur	Poor	237	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Udaipur	Moderate	119	PM <sub>10</sub>	1
170	Udupi	Poor	217	O <sub>3</sub>	1
171	Ujjain	Moderate	139	PM <sub>10</sub>	1
172	Varanasi	Moderate	144	PM <sub>10</sub> , PM <sub>2.5</sub>	4
173	Vatva	Moderate	165	PM <sub>2.5</sub>	1
174	Vijayapura	Good	46	PM <sub>10</sub>	1
175	Visakhapatnam	Moderate	116	PM <sub>10</sub>	1
176	Vrindavan	Moderate	139	PM <sub>2.5</sub>	1
177	Yamunanagar	Moderate	165	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dehradun, Munger, Nandesari, Pune, Raichur, Saharsa, Salem, Thane, Thrissur, Vapi, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.