

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	208	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	120	NO <sub>2</sub>	1
3	Ajmer	Moderate	108	PM <sub>10</sub>	1
4	Alwar	Satisfactory	88	OZONE	1
5	Amaravati	Satisfactory	89	PM <sub>2.5</sub>	1
6	Ambala	Poor	230	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	119	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	166	PM <sub>2.5</sub>	1
9	Asanol	Poor	299	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	93	PM <sub>2.5</sub>	1
11	Baghpat	Very Poor	387	PM <sub>2.5</sub>	1
12	Bahadurgarh	Poor	286	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	317	PM <sub>10</sub>	1
14	Bathinda	Moderate	148	PM <sub>2.5</sub>	1
15	Bengaluru	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub>	9
16	Bhiwadi	Very Poor	339	PM <sub>2.5</sub>	1
17	Bhiwani	Poor	298	PM <sub>2.5</sub>	1
18	Bhopal	Poor	235	PM <sub>2.5</sub>	1
19	Brajrajnagar	Moderate	151	PM <sub>2.5</sub>	1
20	Bulandshahr	Very Poor	327	PM <sub>2.5</sub>	1
21	Chandigarh	Poor	271	PM <sub>2.5</sub>	1
22	Chennai	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	2
23	Chikkaballapur	Satisfactory	88	PM <sub>2.5</sub>	1
24	Damoh	Moderate	135	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	360	PM <sub>2.5</sub>	35
26	Dewas	Poor	202	OZONE	1
27	Dharuhera	Poor	271	PM <sub>2.5</sub>	1
28	Eloor	Good	42	со	1
29	Fatehabad	Poor	256	PM <sub>10</sub>	1
30	GandhiNagar	Satisfactory	59	PM <sub>10</sub>	1
31	Gaya	Poor	259	PM <sub>2.5</sub>	1
32	Ghaziabad	Very Poor	400	PM <sub>2.5</sub>	4
33	Greater_Noida	Very Poor	390	PM <sub>2.5</sub>	2
34	Gurugram	Poor	288	PM <sub>2.5</sub>	1
35	Guwahati	Moderate	138	PM <sub>2.5</sub>	1
36	Haldia	Moderate	106	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Poor	282	PM <sub>10</sub>	1
38	Hisar	Very Poor	332	PM <sub>2.5</sub>	1
39	Howrah	Very Poor	310	PM <sub>10</sub> , PM <sub>2.5</sub>	2
40	Hyderabad	Moderate	158	PM <sub>2.5</sub> , PM <sub>10</sub>	5
41	Indore	Moderate	189	PM <sub>2.5</sub>	1
42	Jabalpur	Poor	234	PM <sub>2.5</sub>	1
43	Jaipur	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub>	3
44	Jalandhar	Poor	259	PM <sub>2.5</sub>	1
45	Jind	Very Poor	346	PM <sub>2.5</sub>	1
46	Jodhpur	Moderate	132	PM <sub>10</sub>	1
47	Kaithal	Moderate	167	PM <sub>2.5</sub>	1
48	Kalaburagi	Moderate	145	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Poor	210	PM <sub>2.5</sub>	1
50	Kanpur	Very Poor	360	PM <sub>2.5</sub>	1
51	Karnal	Poor	274	PM <sub>2.5</sub>	1
52	Katni	Poor	218	PM <sub>2.5</sub>	1
53	Khanna	Moderate	151	PM <sub>10</sub>	1
54	Kolkata	Moderate	195	PM <sub>2.5</sub> , OZONE	7
55	Kota	Moderate	191	PM <sub>10</sub>	1
56	Kurukshetra	Poor	259	PM <sub>2.5</sub>	1
57	Lucknow	Very Poor	314	PM <sub>2.5</sub>	4
58	Ludhiana	Moderate	148	PM <sub>2.5</sub>	1
59	Maihar	Satisfactory	67	PM <sub>10</sub>	1
60	Mandi Gobindgarh	Very Poor	323	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Poor	284	PM <sub>10</sub>	1
62	Mandikhera	Moderate	199	PM <sub>2.5</sub>	1
63	Manesar	Poor	292	PM <sub>2.5</sub>	1
64	Meerut	Very Poor	315	PM <sub>2.5</sub>	3
65	Moradabad	Poor	280	PM <sub>2.5</sub>	1
66	Mumbai	Poor	205	PM <sub>2.5</sub>	8
67	Muzaffarpur	Very Poor	360	PM <sub>2.5</sub>	1
68	Mysuru	Satisfactory	74	PM <sub>10</sub>	1
69	Nagpur	Poor	211	PM <sub>2.5</sub>	1
70	Narnaul	Moderate	171	PM <sub>2.5</sub>	1
71	Nashik	Moderate	125	PM <sub>2.5</sub>	1
72	Navi Mumbai	Poor	224	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Very Poor	380	PM <sub>2.5</sub>	4
74	Pali	Moderate	108	PM <sub>2.5</sub>	1
75	Palwal	Very Poor	374	PM <sub>2.5</sub>	1
76	Panchkula	Moderate	125	PM <sub>2.5</sub>	1
77	Panipat	Poor	297	PM <sub>2.5</sub>	1
78	Patiala	Moderate	150	PM <sub>2.5</sub>	1
79	Patna	Very Poor	372	PM <sub>2.5</sub>	1
80	Pithampur	Moderate	126	PM <sub>2.5</sub>	1
81	Pune	Poor	206	PM <sub>2.5</sub>	1
82	Rajamahendravaram	Satisfactory	86	PM <sub>10</sub>	1
83	Ramanagara	Satisfactory	72	PM <sub>10</sub>	1
84	Rohtak	Very Poor	319	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Moderate	121	PM <sub>10</sub>	1
86	Siliguri	Moderate	125	PM <sub>10</sub>	1
87	Sirsa	Moderate	182	PM <sub>2.5</sub>	1
88	Solapur	Moderate	128	PM <sub>10</sub>	1
89	Sonipat	Moderate	137	PM <sub>10</sub>	1
90	Talcher	Poor	242	PM <sub>10</sub>	1
91	Thane	Satisfactory	92	PM <sub>10</sub>	1
92	Thiruvananthapuram	Satisfactory	51	СО	1
93	Tirupati	Satisfactory	57	PM <sub>10</sub>	1
94	Udaipur	Moderate	107	PM <sub>10</sub>	1
95	Ujjain	Moderate	196	OZONE	1
96	Vapi	Poor	245	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Very Poor	304	PM <sub>2.5</sub>	1
98	Vatva	Moderate	129	PM <sub>10</sub>	1
99	Visakhapatnam	Satisfactory	95	OZONE	1
100	Yadgir	Moderate	111	PM <sub>2.5</sub>	1
101	Yamunanagar	Very Poor	311	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chandrapur, Coimbatore, Faridabad, Hubballi, Jorapokhar, Muzaffarnagar, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.