

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	SO ₂ , PM ₁₀	2
2	Agra	Moderate	145	PM ₁₀	5
3	Ahmedabad	Moderate	134	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	72	PM ₁₀	1
5	Alwar	Moderate	107	PM ₁₀	1
6	Amaravati	Satisfactory	53	PM ₁₀	1
7	Amritsar	Satisfactory	96	PM ₁₀	1
8	Ankleshwar	Moderate	191	PM _{2.5}	1
9	Araria	Poor	203	PM _{2.5}	1
10	Arrah	Moderate	194	PM ₁₀	1
11	Aurangabad	Satisfactory	88	PM ₁₀	1
12	Baddi	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	51	PM ₁₀	1
14	Baghpat	Poor	202	PM ₁₀	1
15	Bahadurgarh	Poor	271	PM _{2.5}	1
16	Ballabgarh	Moderate	157	PM ₁₀	1
17	Bathinda	Moderate	125	PM ₁₀	1
18	Bengaluru	Moderate	106	PM ₁₀ , CO, PM _{2.5}	8
19	Bettiah	Poor	244	PM _{2.5}	1
20	Bhagalpur	Poor	295	PM ₁₀ , PM _{2.5}	2
21	Bhiwadi	Poor	294	PM _{2.5}	1
22	Bhiwani	Moderate	140	PM ₁₀	1
23	Bhopal	Moderate	138	PM ₁₀	1
24	Bidar	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	216	PM ₁₀	1
26	Bilaspur	Satisfactory	53	PM ₁₀	1
27	Brajrajnagar	Moderate	182	03	1
28	Bulandshahr	Poor	237	PM ₁₀	1
29	Buxar	Poor	232	PM ₁₀	1
30	Chamarajanagar	Good	47	PM ₁₀	1
31	Chandigarh	Moderate	131	O ₃ , PM ₁₀	3
32	Chandrapur	Moderate	136	O ₃ , PM ₁₀	2
33	Charkhi Dadri	Poor	205	PM _{2.5}	1
34	Chennai	Satisfactory	60	PM ₁₀	8
35	Chhapra	Moderate	191	PM _{2.5}	1
36	Chikkaballapur	Satisfactory	95	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	120	PM ₁₀	1
38	Darbhanga	Poor	223	PM ₁₀	1
39	Davanagere	Satisfactory	78	PM ₁₀	1
40	Delhi	Poor	211	PM _{2.5} , PM ₁₀	38
41	Dewas	Moderate	130	PM ₁₀	1
42	Dharuhera	Poor	276	PM ₁₀	1
43	Durgapur	Poor	275	PM _{2.5}	1
44	Eloor	Moderate	106	PM _{2.5}	1
45	Faridabad	Moderate	193	PM ₁₀ , PM _{2.5}	3
46	Firozabad	Moderate	197	O ₃	1
47	Gadag	Satisfactory	70	PM _{2.5}	1
48	Gandhinagar	Moderate	141	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	144	PM ₁₀ , PM _{2.5}	3
50	Ghaziabad	Poor	269	PM ₁₀	4
51	Gorakhpur	Satisfactory	81	PM ₁₀	1
52	Greater Noida	Poor	246	PM ₁₀	2
53	Gummidipoondi	Good	35	PM ₁₀	1
54	Gurugram	Poor	248	PM _{2.5}	3
55	Guwahati	Poor	220	PM _{2.5}	2
56	Gwalior	Satisfactory	88	PM ₁₀	1
57	Hajipur	Moderate	178	PM _{2.5}	1
58	Haldia	Good	36	PM _{2.5}	1
59	Hapur	Moderate	159	PM ₁₀	1
60	Hassan	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	214	PM _{2.5}	1
62	Howrah	Moderate	104	PM ₁₀ , PM _{2.5}	2
63	Hyderabad	Moderate	127	PM _{2.5} , PM ₁₀	5
64	Indore	Moderate	128	PM ₁₀	1
65	Jabalpur	Moderate	182	PM ₁₀	1
66	Jaipur	Moderate	183	PM _{2.5}	3
67	Jalandhar	Moderate	108	PM ₁₀	1
68	Jhansi	Moderate	159	PM ₁₀	1
69	Jind	Moderate	145	PM ₁₀	1
70	Jodhpur	Moderate	164	PM ₁₀	1
71	Kaithal	Moderate	139	PM _{2.5}	1
72	Kalaburgi	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	52	со	1
74	Kanpur	Moderate	127	PM ₁₀ , PM _{2.5}	3
75	Karnal	Satisfactory	96	PM ₁₀	1
76	Katihar	Poor	271	PM ₁₀	1
77	Katni	Poor	225	PM ₁₀	1
78	Khanna	Moderate	114	PM ₁₀	1
79	Kishanganj	Poor	274	PM _{2.5}	1
80	Kochi	Satisfactory	71	PM _{2.5}	1
81	Kohima	Satisfactory	90	PM ₁₀	1
82	Kolar	Satisfactory	91	PM _{2.5}	1
83	Kolkata	Satisfactory	89	PM ₁₀	7
84	Kollam	Satisfactory	59	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	118	PM _{2.5}	1
86	Kozhikode	Satisfactory	54	PM ₁₀	1
87	Kurukshetra	Moderate	184	PM _{2.5}	1
88	Lucknow	Moderate	181	PM _{2.5} , PM ₁₀	6
89	Ludhiana	Moderate	101	PM ₁₀	1
90	Madikeri	Satisfactory	53	PM ₁₀	1
91	Mandi Gobindgarh	Satisfactory	90	PM _{2.5}	1
92	Mandideep	Poor	202	PM ₁₀	1
93	Mandikhera	Satisfactory	100	PM ₁₀	1
94	Manesar	Poor	263	PM _{2.5}	1
95	Manglore	Satisfactory	57	со	1
96	Manguraha	Moderate	115	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	239	PM ₁₀ , PM _{2.5}	3
98	Moradabad	Moderate	140	PM _{2.5} , PM ₁₀	3
99	Motihari	Poor	203	PM ₁₀	1
100	Mumbai	Moderate	132	PM _{2.5} , PM ₁₀	16
101	Munger	Poor	243	PM ₁₀	1
102	Muzaffarnagar	Poor	235	PM _{2.5}	1
103	Muzaffarpur	Poor	281	PM ₁₀ , PM _{2.5}	3
104	Mysuru	Satisfactory	58	PM ₁₀	1
105	Nagpur	Satisfactory	87	PM ₁₀	1
106	Narnaul	Moderate	157	PM _{2.5}	1
107	Nashik	Satisfactory	80	PM ₁₀	1
108	Navi Mumbai	Moderate	148	O ₃ , CO, PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Moderate	190	PM ₁₀	4
110	Pali	Moderate	124	PM _{2.5}	1
111	Palwal	Moderate	142	PM ₁₀	1
112	Panchkula	Moderate	133	PM _{2.5}	1
113	Panipat	Moderate	155	PM ₁₀	1
114	Patiala	Moderate	133	PM _{2.5}	1
115	Patna	Poor	244	PM ₁₀ , PM _{2.5}	6
116	Pithampur	Satisfactory	81	PM ₁₀	1
117	Prayagraj	Moderate	124	PM ₁₀	3
118	Puducherry	Satisfactory	54	PM ₁₀	1
119	Pune	Moderate	149	PM _{2.5} , PM ₁₀	4
120	Purnia	Poor	235	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	69	PM ₁₀	1
122	Ramanagara	Moderate	131	PM ₁₀	1
123	Ratlam	Moderate	116	PM ₁₀	1
124	Rohtak	Poor	217	PM _{2.5}	1
125	Rupnagar	Moderate	198	PM ₁₀	1
126	Sagar	Moderate	110	PM _{2.5}	1
127	Saharsa	Poor	237	PM ₁₀	1
128	Samastipur	Poor	286	PM ₁₀	1
129	Sasaram	Moderate	173	PM ₁₀	1
130	Satna	Satisfactory	63	PM ₁₀	1
131	Shillong	Satisfactory	87	PM ₁₀	1
132	Shivamogga	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	122	PM ₁₀	1
134	Singrauli	Very Poor	379	PM ₁₀	1
135	Sirsa	Satisfactory	92	03	1
136	Siwan	Poor	212	PM ₁₀	1
137	Solapur	Moderate	106	PM ₁₀	1
138	Srinagar	Good	27	PM ₁₀	1
139	Thane	Poor	224	PM ₁₀	1
140	Thiruvananthapuram	Satisfactory	58	PM ₁₀ , CO	2
141	Thoothukudi	Satisfactory	83	PM ₁₀	1
142	Thrissur	Satisfactory	75	со	1
143	Tirupati	Satisfactory	90	PM _{2.5}	1
144	Udaipur	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	140	PM ₁₀	1
146	Varanasi	Moderate	112	PM ₁₀	4
147	Vatva	Moderate	141	PM ₁₀	1
148	Vijayapura	Good	50	PM ₁₀	1
149	Visakhapatnam	Moderate	111	PM ₁₀	1
150	Vrindavan	Moderate	166	PM ₁₀	1
151	Yadgir	Satisfactory	97	PM ₁₀	1
152	Yamunanagar	Poor	204	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ambala, Asansol, Bhilai, Chikkamagaluru, Coimbatore, Ernakulam, Fatehabad, Hubballi, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Raichur, Rajgir, Sonipat, Talcher, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.