

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	188	PM ₁₀ , PM _{2.5}	2
2	Agra	Good	38	NO ₂ , PM ₁₀	6
3	Ahmedabad	Moderate	182	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	83	PM ₁₀	1
5	Ajmer	Satisfactory	75	PM ₁₀	1
6	Alwar	Satisfactory	92	PM ₁₀	1
7	Amaravati	Satisfactory	66	PM ₁₀	1
8	Ambala	Satisfactory	93	PM ₁₀	1
9	Amritsar	Moderate	163	PM _{2.5}	1
10	Anantapur	Moderate	150	03	1
11	Ankleshwar	Poor	232	PM _{2.5}	1
12	Araria	Poor	242	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	57	PM _{2.5}	1
14	Arrah	Poor	266	PM _{2.5}	1
15	Asansol	Moderate	172	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	122	PM ₁₀	1
17	Baddi	Moderate	148	PM ₁₀	1
18	Bagalkot	Good	50	PM ₁₀	1
19	Bahadurgarh	Moderate	104	PM ₁₀	1
20	Ballabgarh	Satisfactory	64	со	1
21	Bareilly	Moderate	102	PM ₁₀	2
22	Baripada	Moderate	198	O ₃	1
23	Bathinda	Moderate	117	PM ₁₀	1
24	Begusarai	Very Poor	367	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Poor	212	PM _{2.5}	1
26	Bengaluru	Satisfactory	93	PM ₁₀	10
27	Bettiah	Very Poor	354	PM _{2.5}	1
28	Bhagalpur	Poor	240	PM _{2.5}	2
29	Bharatpur	Moderate	124	PM _{2.5}	1
30	Bhilai	Moderate	122	O ₃ , PM ₁₀	3
31	Bhiwadi	Moderate	173	PM _{2.5}	1
32	Bhiwani	Satisfactory	100	PM ₁₀	1
33	Bhopal	Moderate	146	PM ₁₀ , O ₃	2
34	Bidar	Satisfactory	78	со	1
35	Bihar Sharif	Moderate	117	PM ₁₀	1
36	Bilaspur	Satisfactory	57	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	147	PM ₁₀	1
38	Brajrajnagar	Satisfactory	94	PM ₁₀	1
39	Bulandshahr	Moderate	128	PM _{2.5}	1
40	Byrnihat	Poor	293	PM _{2.5}	1
41	Chamarajanagar	Good	38	PM ₁₀	1
42	Chandigarh	Moderate	187	PM _{2.5}	3
43	Chandrapur	Moderate	157	PM ₁₀	1
44	Charkhi Dadri	Moderate	133	PM ₁₀	1
45	Chengalpattu	Satisfactory	100	PM ₁₀	1
46	Chennai	Satisfactory	91	PM _{2.5} , PM ₁₀	8
47	Chhapra	Poor	281	PM ₁₀	1
48	Chikkaballapur	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	68	PM ₁₀	1
50	Chittoor	Satisfactory	84	PM _{2.5}	1
51	Coimbatore	Moderate	147	PM _{2.5}	1
52	Damoh	Good	49	PM ₁₀	1
53	Dehradun	Satisfactory	90	PM ₁₀	1
54	Delhi	Moderate	187	PM _{2.5}	37
55	Dewas	Moderate	122	PM ₁₀	1
56	Dharuhera	Moderate	194	PM ₁₀	1
57	Dindigul	Poor	285	NO ₂	1
58	Faridabad	Moderate	143	PM ₁₀	4
59	Firozabad	Satisfactory	52	PM ₁₀	2
60	Gadag	Satisfactory	64	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Poor	246	PM _{2.5}	3
62	Gaya	Moderate	163	PM _{2.5}	3
63	Ghaziabad	Moderate	141	PM ₁₀	3
64	Gorakhpur	Satisfactory	95	PM ₁₀	1
65	Greater Noida	Moderate	150	PM ₁₀	2
66	Gummidipoondi	Moderate	123	PM _{2.5}	1
67	Gurugram	Moderate	182	PM ₁₀ , PM _{2.5}	4
68	Guwahati	Moderate	120	PM _{2.5} , PM ₁₀	4
69	Gwalior	Moderate	169	PM ₁₀ , PM _{2.5}	3
70	Hajipur	Poor	282	PM ₁₀	1
71	Haldia	Moderate	152	PM ₁₀	1
72	Hapur	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur,

Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	94	PM ₁₀	1
74	Haveri	Moderate	104	PM _{2.5}	1
75	Hosur	Moderate	182	PM _{2.5}	1
76	Howrah	Poor	232	PM _{2.5}	3
77	Hubballi	Moderate	165	PM _{2.5}	1
78	Hyderabad	Moderate	114	PM _{2.5} , PM ₁₀	13
79	Indore	Moderate	111	PM ₁₀	1
80	Jabalpur	Moderate	161	PM ₁₀	1
81	Jaipur	Moderate	119	PM _{2.5} , PM ₁₀	3
82	Jalandhar	Satisfactory	90	PM ₁₀	1
83	Jhansi	Satisfactory	66	PM ₁₀	1
84	Jind	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	119	PM _{2.5}	1
86	Jorapokhar	Moderate	159	PM ₁₀	1
87	Kadapa	Moderate	191	PM _{2.5}	1
88	Kaithal	Moderate	119	PM _{2.5}	1
89	Kalaburgi	Moderate	153	PM _{2.5}	1
90	Kalyan	Poor	243	PM ₁₀	1
91	Kanchipuram	Satisfactory	69	PM ₁₀	1
92	Kanpur	Moderate	125	PM _{2.5}	3
93	Karnal	Moderate	105	PM _{2.5}	1
94	Keonjhar	Moderate	112	PM ₁₀	1
95	Khanna	Moderate	108	PM ₁₀	1
96	Khurja	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Poor	224	PM _{2.5}	1
98	Kochi	Poor	203	PM _{2.5}	1
99	Kohima	Moderate	119	PM _{2.5}	1
100	Kolar	Moderate	175	SO ₂	1
101	Kolkata	Moderate	187	PM _{2.5}	7
102	Kollam	Satisfactory	79	PM ₁₀	1
103	Koppal	Satisfactory	98	PM ₁₀	1
104	Korba	Satisfactory	90	PM _{2.5} , PM ₁₀	2
105	Kota	Satisfactory	99	PM ₁₀	3
106	Kozhikode	Satisfactory	75	PM _{2.5}	1
107	Kurukshetra	Moderate	130	PM _{2.5}	1
108	Lucknow	Moderate	186	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ludhiana	Moderate	195	PM _{2.5}	1
110	Madikeri	Satisfactory	60	O ₃	1
111	Maihar	Good	29	PM ₁₀	1
112	Mandi Gobindgarh	Satisfactory	81	PM ₁₀	1
113	Mandideep	Moderate	179	PM ₁₀	1
114	Mandikhera	Satisfactory	97	PM ₁₀	1
115	Manesar	Satisfactory	93	PM ₁₀	1
116	Mangalore	Moderate	126	PM ₁₀	1
117	Manguraha	Moderate	188	PM _{2.5}	1
118	Meerut	Poor	245	PM _{2.5}	3
119	Moradabad	Satisfactory	98	PM _{2.5} , PM ₁₀	6
120	Motihari	Poor	249	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Moderate	200	PM _{2.5} , PM ₁₀	18
122	Munger	Poor	224	PM ₁₀	1
123	Muzaffarnagar	Moderate	185	PM _{2.5}	1
124	Muzaffarpur	Poor	286	PM _{2.5}	3
125	Mysuru	Satisfactory	56	PM ₁₀	1
126	Nagpur	Moderate	138	PM _{2.5}	1
127	Naharlagun	Good	36	PM _{2.5}	1
128	Nalbari	Moderate	112	PM ₁₀	1
129	Nandesari	Good	38	PM _{2.5}	1
130	Narnaul	Moderate	122	PM _{2.5}	1
131	Navi Mumbai	Very Poor	305	PM _{2.5}	3
132	Nayagarh	Poor	236	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Noida	Moderate	122	PM _{2.5}	4
134	Ooty	Satisfactory	65	PM _{2.5}	1
135	Pali	Satisfactory	84	PM ₁₀	1
136	Palwal	Satisfactory	56	PM ₁₀	1
137	Panchkula	Satisfactory	85	PM _{2.5}	1
138	Panipat	Moderate	123	PM ₁₀	1
139	Patiala	Moderate	119	PM ₁₀	1
140	Patna	Poor	258	PM ₁₀ , PM _{2.5}	5
141	Pithampur	Satisfactory	95	PM ₁₀	1
142	Prayagraj	Satisfactory	83	PM ₁₀	3
143	Puducherry	Good	41	PM ₁₀	1
144	Pune	Moderate	196	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raichur	Good	43	PM _{2.5}	1
146	Raipur	Moderate	111	PM _{2.5} , PM ₁₀	4
147	Rairangpur	Moderate	112	PM ₁₀	1
148	Rajamahendravaram	Satisfactory	77	PM ₁₀	1
149	Rajgir	Moderate	189	PM _{2.5}	1
150	Ramanagara	Satisfactory	89	PM ₁₀	1
151	Ramanathapuram	Good	39	PM ₁₀	1
152	Ratlam	Moderate	145	PM ₁₀	1
153	Rishikesh	Satisfactory	89	PM ₁₀	1
154	Rohtak	Satisfactory	88	PM _{2.5}	1
155	Rourkela	Moderate	167	PM ₁₀	3
156	Sagar	Moderate	116	СО	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Saharsa	Very Poor	354	PM ₁₀	1
158	Samastipur	Very Poor	303	PM ₁₀	1
159	Sasaram	Moderate	165	PM _{2.5}	1
160	Satna	Moderate	102	PM ₁₀	1
161	Shillong	Moderate	178	PM _{2.5}	1
162	Shivamogga	Satisfactory	68	03	1
163	Singrauli	Poor	285	PM ₁₀	1
164	Sirsa	Satisfactory	100	PM ₁₀	1
165	Sivasagar	Satisfactory	75	PM _{2.5}	1
166	Siwan	Poor	293	PM _{2.5}	1
167	Solapur	Moderate	133	PM ₁₀	1
168	Suakati	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Surat	Poor	241	PM _{2.5}	1
170	Talcher	Moderate	183	PM ₁₀	1
171	Thane	Poor	213	PM ₁₀	1
172	Thiruvananthapuram	Satisfactory	93	PM _{2.5}	2
173	Thoothukudi	Poor	228	03	1
174	Thrissur	Moderate	138	PM ₁₀	1
175	Tirupati	Satisfactory	91	PM _{2.5}	2
176	Tirupur	Satisfactory	84	PM ₁₀	1
177	Udaipur	Satisfactory	89	PM ₁₀	1
178	Udupi	Moderate	105	со	1
179	Ujjain	Moderate	136	PM ₁₀	1
180	Varanasi	Satisfactory	74	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vatva	Poor	292	PM _{2.5}	1
182	Vijayapura	Good	46	PM ₁₀	1
183	Vijayawada	Moderate	177	O ₃	1
184	Visakhapatnam	Moderate	127	PM ₁₀	1
185	Vrindavan	Moderate	199	PM ₁₀	1
186	Yadgir	Satisfactory	97	PM ₁₀	1
187	Yamunanagar	Moderate	184	PM _{2.5}	1
188	vellore	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Baghpat, Bikaner, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Hisar, Imphal, Kannur, Katihar, Katni, Kunjemura, Milupara, Nagaon, Nashik, Purnia, Rupnagar, Salem, Silchar, Siliguri, Sirohi, Sonipat, Srinagar, Tensa, Tonk, Tumakuru, Tumidih, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.