

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	239	PM _{2.5}	1
2	Agra	Moderate	150	PM _{2.5} , PM ₁₀ , O ₃	6
3	Ahmedabad	Moderate	149	PM _{2.5} , PM ₁₀ , NO ₂	7
4	Aizawl	Good	29	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	78	PM _{2.5}	1
8	Ambala	Moderate	174	PM _{2.5}	1
9	Amritsar	Moderate	118	PM ₁₀	1
10	Ankleshwar	Moderate	150	PM _{2.5}	1
11	Araria	Poor	241	PM _{2.5}	1
12	Arrah	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	98	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bahadurgarh	Poor	255	PM _{2.5}	1
16	Ballabgarh	Poor	266	PM _{2.5}	1
17	Bathinda	Moderate	149	PM ₁₀	1
18	Bengaluru	Satisfactory	97	PM _{2.5} , PM ₁₀ , CO	10
19	Bettiah	Poor	300	PM _{2.5}	1
20	Bhagalpur	Poor	249	PM _{2.5}	2
21	Bhiwadi	Poor	217	PM _{2.5}	1
22	Bhiwani	Moderate	197	PM _{2.5}	1
23	Bhopal	Satisfactory	99	O ₃	1
24	Bidar	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	141	PM _{2.5}	1
26	Bilaspur	Good	48	PM ₁₀	1
27	Bulandshahr	Moderate	200	PM ₁₀	1
28	Buxar	Poor	283	PM _{2.5}	1
29	Chamarajanagar	Good	34	PM ₁₀	1
30	Chandigarh	Moderate	163	PM _{2.5} , O ₃ , PM ₁₀	3
31	Chandrapur	Moderate	160	O ₃ , PM ₁₀	2
32	Charkhi Dadri	Moderate	175	PM _{2.5}	1
33	Chennai	Satisfactory	91	O ₃ , PM ₁₀	5
34	Chhapra	Poor	289	PM _{2.5}	1
35	Chikkaballapur	Satisfactory	91	PM _{2.5}	1
36	Chikkamagaluru	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	43	PM _{2.5}	1
38	Darbhanga	Poor	248	PM _{2.5}	1
39	Davanagere	Satisfactory	98	PM ₁₀	1
40	Delhi	Poor	272	PM ₁₀ , PM _{2.5}	35
41	Dewas	Satisfactory	78	PM ₁₀	1
42	Dharuhera	Poor	226	PM ₁₀	1
43	Durgapur	Poor	210	PM ₁₀	1
44	Eloor	Satisfactory	65	PM _{2.5}	1
45	Ernakulam	Satisfactory	58	NO ₂	1
46	Faridabad	Very Poor	335	PM ₁₀ , PM _{2.5}	3
47	Fatehabad	Moderate	105	PM ₁₀	1
48	Firozabad	Moderate	194	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	80	PM _{2.5}	1
50	Gandhinagar	Moderate	140	PM _{2.5} , PM ₁₀	3
51	Gaya	Moderate	164	PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Poor	287	PM _{2.5} , PM ₁₀	4
53	Gorakhpur	Moderate	106	PM _{2.5}	1
54	Greater Noida	Poor	248	PM ₁₀ , PM _{2.5}	2
55	Gummidipoondi	Satisfactory	51	PM ₁₀	1
56	Gurugram	Poor	242	PM ₁₀ , PM _{2.5}	4
57	Guwahati	Poor	202	PM ₁₀ , PM _{2.5}	2
58	Gwalior	Moderate	148	PM _{2.5}	1
59	Hajipur	Moderate	143	PM _{2.5}	1
60	Haldia	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	237	PM _{2.5}	1
62	Hassan	Moderate	102	PM ₁₀	1
63	Hisar	Poor	264	PM _{2.5}	1
64	Howrah	Poor	212	PM _{2.5}	3
65	Hubballi	Moderate	110	PM ₁₀	1
66	Hyderabad	Moderate	107	PM _{2.5} , PM ₁₀	5
67	Indore	Satisfactory	95	PM ₁₀	1
68	Jabalpur	Moderate	123	PM ₁₀	1
69	Jaipur	Moderate	114	PM ₁₀	3
70	Jalandhar	Moderate	146	PM ₁₀	1
71	Jhansi	Moderate	165	PM _{2.5}	1
72	Jind	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Poor	205	PM _{2.5}	1
74	Kaithal	Moderate	191	PM _{2.5}	1
75	Kalaburgi	Satisfactory	96	PM ₁₀	1
76	Kalyan	Moderate	153	PM _{2.5}	1
77	Kannur	Satisfactory	72	PM _{2.5}	1
78	Kanpur	Moderate	137	PM _{2.5} , PM ₁₀	3
79	Karnal	Moderate	191	PM _{2.5}	1
80	Katihar	Poor	266	PM _{2.5}	1
81	Katni	Moderate	142	PM ₁₀	1
82	Khanna	Moderate	102	PM ₁₀	1
83	Kishanganj	Poor	280	PM _{2.5}	1
84	Kochi	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	69	PM ₁₀	1
86	Kolkata	Poor	201	PM ₁₀ , PM _{2.5}	7
87	Kollam	Moderate	103	PM ₁₀	1
88	Koppal	Moderate	106	O ₃	1
89	Kota	Moderate	145	PM _{2.5}	1
90	Kozhikode	Satisfactory	58	PM ₁₀	1
91	Kurukshetra	Poor	243	PM _{2.5}	1
92	Lucknow	Moderate	147	PM _{2.5} , PM ₁₀	6
93	Ludhiana	Satisfactory	95	PM ₁₀	1
94	Madikeri	Satisfactory	86	PM _{2.5}	1
95	Maihar	Good	26	PM _{2.5}	1
96	Mandi Gobindgarh	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	73	O ₃	1
98	Mandikhera	Moderate	106	PM ₁₀	1
99	Manesar	Poor	264	PM _{2.5}	1
100	Manglore	Satisfactory	53	со	1
101	Meerut	Very Poor	316	PM ₁₀ , PM _{2.5}	3
102	Moradabad	Moderate	185	PM _{2.5}	4
103	Motihari	Poor	245	PM _{2.5}	1
104	Mumbai	Satisfactory	93	PM ₁₀ , PM _{2.5} , CO	17
105	Munger	Very Poor	324	PM _{2.5}	1
106	Muzaffarnagar	Very Poor	327	PM _{2.5}	1
107	Muzaffarpur	Poor	285	PM _{2.5}	3
108	Mysuru	Satisfactory	63	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	98	со	1
110	Nandesari	Satisfactory	75	со	1
111	Narnaul	Moderate	121	PM _{2.5}	1
112	Nashik	Satisfactory	61	PM ₁₀	1
113	Navi Mumbai	Moderate	145	PM ₁₀ , CO	3
114	Noida	Poor	277	PM ₁₀ , PM _{2.5}	4
115	Pali	Moderate	120	PM ₁₀	1
116	Palwal	Moderate	159	PM _{2.5}	1
117	Panchkula	Satisfactory	94	PM _{2.5}	1
118	Patiala	Moderate	174	PM _{2.5}	1
119	Patna	Poor	266	PM _{2.5}	6
120	Pithampur	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	142	O ₃ , PM _{2.5}	3
122	Puducherry	Satisfactory	63	PM ₁₀	1
123	Pune	Satisfactory	91	PM _{2.5} , PM ₁₀	5
124	Purnia	Poor	260	PM _{2.5}	1
125	Raichur	Moderate	122	PM ₁₀	1
126	Rajamahendravaram	Moderate	113	PM ₁₀	1
127	Rajgir	Moderate	195	PM _{2.5}	1
128	Ramanagara	Satisfactory	88	PM ₁₀	1
129	Ratlam	Satisfactory	68	PM ₁₀	1
130	Rohtak	Poor	245	PM _{2.5}	1
131	Rupnagar	Moderate	158	PM _{2.5}	1
132	Sagar	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Poor	290	PM _{2.5}	1
134	Sasaram	Poor	232	PM _{2.5}	1
135	Satna	Satisfactory	61	PM ₁₀	1
136	Shillong	Good	40	PM _{2.5}	1
137	Shivamogga	Satisfactory	61	PM ₁₀	1
138	Siliguri	Moderate	118	PM _{2.5}	1
139	Singrauli	Poor	289	PM ₁₀	1
140	Sirsa	Moderate	166	03	1
141	Siwan	Poor	258	PM _{2.5}	1
142	Sonipat	Poor	278	PM ₁₀	1
143	Srinagar	Moderate	128	PM ₁₀	1
144	Talcher	Satisfactory	97	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Good	49	PM _{2.5}	1
146	Thoothukudi	Satisfactory	55	O ₃	1
147	Thrissur	Satisfactory	100	PM _{2.5}	1
148	Tirupati	Satisfactory	76	PM _{2.5}	1
149	Udaipur	Moderate	152	PM ₁₀	1
150	Udupi	Satisfactory	88	SO ₂	1
151	Ujjain	Moderate	132	PM _{2.5}	1
152	Vapi	Moderate	125	PM ₁₀	1
153	Varanasi	Moderate	105	PM ₁₀	4
154	Vatva	Moderate	145	PM ₁₀	1
155	Vijayapura	Good	50	PM ₁₀	1
156	Visakhapatnam	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Moderate	193	PM _{2.5}	1
158	Yadgir	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Brajrajnagar, Coimbatore, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Solapur, Thane, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.