

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	118	PM <sub>2.5</sub>	1
2	Agra	Moderate	127	PM <sub>2.5</sub>	1
3	Ahmedabad	Poor	210	PM <sub>10</sub>	1
4	Aizawl	Moderate	107	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	99	PM <sub>10</sub>	1
6	Alwar	Satisfactory	95	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	62	PM <sub>10</sub>	1
8	Ambala	Satisfactory	96	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	97	PM <sub>10</sub>	1
10	Ankleshwar	Poor	213	PM <sub>2.5</sub>	1
11	Asansol	Moderate	180	PM <sub>2.5</sub>	1
12	Bagalkot	Good	50	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	175	PM <sub>10</sub>	1
14	Bahadurgarh	Moderate	155	PM <sub>2.5</sub>	1
15	Ballabgarh	Moderate	136	PM <sub>10</sub>	1
16	Bathinda	Moderate	120	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	75	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	8
18	Bhiwadi	Poor	237	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	126	PM <sub>10</sub>	1
20	Bhopal	Moderate	123	PM <sub>10</sub>	1
21	Bidar	Satisfactory	97	PM <sub>10</sub>	1
22	Brajrajnagar	Poor	258	PM <sub>2.5</sub>	1
23	Chamarajanagar	Moderate	114	PM <sub>2.5</sub>	1
24	Chandigarh	Moderate	107	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	2
26	Charkhi Dadri	Moderate	136	PM <sub>10</sub>	1
27	Chennai	Satisfactory	67	PM <sub>10</sub> , PM <sub>2.5</sub>	7
28	Chikkaballapur	Satisfactory	67	PM <sub>10</sub>	1
29	Chikkamagaluru	Satisfactory	60	PM <sub>10</sub>	1
30	Damoh	Satisfactory	63	PM <sub>10</sub>	1
31	Davanagere	Satisfactory	99	PM <sub>10</sub>	1
32	Delhi	Poor	204	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	36
33	Dewas	Moderate	112	PM <sub>10</sub>	1
34	Dharuhera	Moderate	175	PM <sub>10</sub>	1
35	Durgapur	Poor	239	PM <sub>2.5</sub>	1
36	Eloor	Good	48	СО	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	93	PM <sub>10</sub>	1
38	Faridabad	Moderate	169	PM <sub>2.5</sub> , PM <sub>10</sub>	4
39	Fatehabad	Moderate	140	PM <sub>10</sub>	1
40	Gandhinagar	Moderate	107	PM <sub>10</sub>	1
41	Gaya	Satisfactory	87	PM <sub>10</sub>	1
42	Ghaziabad	Poor	213	PM <sub>2.5</sub> , PM <sub>10</sub>	3
43	Greater Noida	Poor	204	PM <sub>10</sub> , PM <sub>2.5</sub>	2
44	Gummidipoondi	Moderate	120	PM <sub>10</sub>	1
45	Gurugram	Moderate	177	PM <sub>2.5</sub>	4
46	Guwahati	Moderate	190	PM <sub>10</sub>	2
47	Gwalior	Moderate	142	PM <sub>10</sub>	1
48	Hajipur	Poor	250	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	129	PM <sub>10</sub>	1
50	Hisar	Moderate	169	PM <sub>2.5</sub>	1
51	Howrah	Moderate	142	PM <sub>10</sub> , PM <sub>2.5</sub>	3
52	Hubballi	Moderate	118	PM <sub>2.5</sub>	1
53	Hyderabad	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	6
54	Indore	Moderate	141	PM <sub>10</sub>	1
55	Jabalpur	Moderate	123	PM <sub>10</sub>	1
56	Jaipur	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	3
57	Jalandhar	Satisfactory	97	PM <sub>10</sub>	1
58	Jind	Moderate	156	PM <sub>2.5</sub>	1
59	Jodhpur	Moderate	185	PM <sub>10</sub>	1
60	Jorapokhar	Moderate	126	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	149	PM <sub>10</sub>	1
62	Kalaburgi	Moderate	104	PM <sub>10</sub>	1
63	Kalyan	Poor	243	PM <sub>2.5</sub>	1
64	Kannur	Moderate	109	PM <sub>10</sub>	1
65	Kanpur	Moderate	112	PM <sub>2.5</sub>	2
66	Karnal	Satisfactory	99	PM <sub>10</sub>	1
67	Katni	Moderate	185	PM <sub>10</sub>	1
68	Khanna	Moderate	115	PM <sub>10</sub>	1
69	Kohima	Moderate	101	PM <sub>10</sub>	1
70	Kolar	Satisfactory	64	03	1
71	Kolkata	Moderate	150	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
72	Kollam	Moderate	117	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	92	PM <sub>10</sub>	1
74	Kota	Moderate	101	PM <sub>2.5</sub>	1
75	Kozhikode	Satisfactory	79	PM <sub>10</sub>	1
76	Kurukshetra	Moderate	126	PM <sub>10</sub>	1
77	Lucknow	Moderate	166	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	4
78	Ludhiana	Moderate	105	PM <sub>10</sub>	1
79	Maihar	Satisfactory	70	PM <sub>10</sub>	1
80	Mandi Gobindgarh	Poor	218	PM <sub>2.5</sub>	1
81	Mandideep	Satisfactory	62	PM <sub>10</sub>	1
82	Mandikhera	Satisfactory	72	PM <sub>10</sub>	1
83	Manesar	Moderate	184	PM <sub>2.5</sub>	1
84	Manglore	Satisfactory	94	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Satisfactory	63	PM <sub>10</sub>	1
86	Meerut	Moderate	182	NO <sub>2</sub> , PM <sub>10</sub>	2
87	Moradabad	Moderate	171	PM <sub>10</sub>	1
88	Mumbai	Moderate	147	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	20
89	Muzaffarnagar	Moderate	153	PM <sub>10</sub>	1
90	Muzaffarpur	Moderate	126	PM <sub>10</sub>	1
91	Mysuru	Satisfactory	92	PM <sub>10</sub>	1
92	Nagpur	Satisfactory	79	PM <sub>2.5</sub>	1
93	Nandesari	Moderate	108	со	1
94	Narnaul	Moderate	111	PM <sub>10</sub>	1
95	Nashik	Satisfactory	96	PM <sub>2.5</sub>	1
96	Navi Mumbai	Moderate	170	PM <sub>2.5</sub> , PM <sub>10</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Moderate	182	PM <sub>2.5</sub> , PM <sub>10</sub>	4
98	Pali	Moderate	151	PM <sub>10</sub>	1
99	Palwal	Satisfactory	61	со	1
100	Panchkula	Good	48	PM <sub>2.5</sub>	1
101	Panipat	Satisfactory	63	со	1
102	Patiala	Moderate	116	PM <sub>10</sub>	1
103	Patna	Poor	217	PM <sub>2.5</sub> , PM <sub>10</sub>	5
104	Pithampur	Moderate	110	PM <sub>10</sub>	1
105	Puducherry	Satisfactory	60	PM <sub>10</sub>	1
106	Pune	Moderate	117	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	6
107	Rajamahendravaram	Satisfactory	100	PM <sub>10</sub>	1
108	Ramanagara	Satisfactory	88	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	162	PM <sub>2.5</sub>	1
110	Rupnagar	Satisfactory	78	PM <sub>10</sub>	1
111	Sagar	Moderate	140	PM <sub>2.5</sub>	1
112	Satna	Satisfactory	92	PM <sub>10</sub>	1
113	Shillong	Satisfactory	67	O <sub>3</sub>	1
114	Shivamogga	Satisfactory	60	O <sub>3</sub>	1
115	Siliguri	Poor	205	PM <sub>2.5</sub>	1
116	Singrauli	Poor	228	PM <sub>2.5</sub>	1
117	Solapur	Moderate	129	PM <sub>10</sub>	1
118	Sonipat	Moderate	167	PM <sub>10</sub>	1
119	Srinagar	Satisfactory	84	PM <sub>10</sub>	1
120	Talcher	Moderate	147	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Moderate	139	PM <sub>10</sub>	1
122	Thiruvananthapuram	Satisfactory	74	PM <sub>10</sub>	2
123	Thoothukudi	Satisfactory	67	PM <sub>10</sub>	1
124	Thrissur	Moderate	101	03	1
125	Tirupati	Satisfactory	72	PM <sub>10</sub>	1
126	Udaipur	Moderate	119	PM <sub>10</sub>	1
127	Ujjain	Moderate	162	PM <sub>10</sub>	1
128	Vapi	Moderate	138	PM <sub>10</sub>	1
129	Varanasi	Poor	204	PM <sub>2.5</sub>	1
130	Vatva	Very Poor	353	PM <sub>10</sub>	1
131	Vijayapura	Satisfactory	60	PM <sub>10</sub>	1
132	Visakhapatnam	Moderate	157	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Moderate	158	O <sub>3</sub>	1
134	Yamunanagar	Moderate	145	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Coimbatore, Gadag, Haldia, Kochi, Raichur, Ratlam, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.