

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	204	PM _{2.5}	1
2	Agra	Very Poor	361	PM _{2.5}	1
3	Ahmedabad	Moderate	189	PM ₁₀	1
4	Aizawl	Good	17	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM ₁₀	1
6	Alwar	Moderate	111	PM ₁₀	1
7	Amaravati	Satisfactory	76	PM ₁₀	1
8	Ambala	Poor	272	PM _{2.5}	1
9	Amritsar	Poor	271	PM _{2.5}	1
10	Baghpat	Severe	421	PM _{2.5}	1
11	Bahadurgarh	Very Poor	344	PM _{2.5}	1
12	Ballabgarh	Very Poor	364	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Poor	213	PM ₁₀	1
14	Bengaluru	Satisfactory	63	PM _{2.5} , PM ₁₀ , CO	8
15	Bhopal	Moderate	152	PM ₁₀	1
16	Brajrajnagar	Poor	204	PM _{2.5}	1
17	Bulandshahr	Severe	434	PM _{2.5}	1
18	Chandigarh	Moderate	120	PM ₁₀	1
19	Chandrapur	Moderate	132	PM ₁₀	2
20	Charkhi Dadri	Poor	278	PM _{2.5}	1
21	Chennai	Good	30	PM ₁₀ , CO, O ₃	5
22	Chikkaballapur	Good	35	со	1
23	Chikkamagaluru	Satisfactory	67	03	1
24	Coimbatore	Good	48	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol,
 Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam,
 Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat,
 Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	152	PM ₁₀	1
26	Delhi	Very Poor	382	PM _{2.5}	38
27	Dewas	Moderate	167	O ₃	1
28	Dharuhera	Very Poor	375	PM _{2.5}	1
29	Eloor	Good	36	со	1
30	Faridabad	Very Poor	383	PM ₁₀ , PM _{2.5}	4
31	Fatehabad	Very Poor	328	PM _{2.5}	1
32	Gandhinagar	Moderate	112	PM ₁₀	1
33	Gaya	Moderate	192	PM _{2.5}	2
34	Ghaziabad	Severe	440	PM _{2.5}	3
35	Greater Noida	Severe	415	PM _{2.5}	1
36	Gurugram	Very Poor	318	PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Moderate	173	PM _{2.5}	1
38	Gwalior	Poor	263	PM _{2.5}	1
39	Hajipur	Poor	215	PM _{2.5}	1
40	Hapur	Poor	206	PM _{2.5}	1
41	Hisar	Very Poor	381	PM _{2.5}	1
42	Howrah	Very Poor	351	PM ₁₀ , PM _{2.5}	3
43	Hubballi	Satisfactory	89	PM ₁₀	1
44	Hyderabad	Moderate	138	PM _{2.5} , PM ₁₀	4
45	Indore	Moderate	156	PM _{2.5}	1
46	Jabalpur	Moderate	171	PM ₁₀	1
47	Jaipur	Poor	203	PM ₁₀ , PM _{2.5}	3
48	Jalandhar	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Michaellana

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Very Poor	360	PM _{2.5}	1
50	Jodhpur	Poor	286	PM _{2.5}	1
51	Jorapokhar	Satisfactory	89	PM ₁₀	1
52	Kaithal	Very Poor	311	PM _{2.5}	1
53	Kalyan	Moderate	151	PM _{2.5}	1
54	Kannur	Satisfactory	60	PM ₁₀	1
55	Kanpur	Severe	455	PM _{2.5}	1
56	Karnal	Very Poor	313	PM _{2.5}	1
57	Katni	Poor	245	PM ₁₀	1
58	Khanna	Moderate	182	PM _{2.5}	1
59	Kochi	Good	48	PM ₁₀	1
60	Kohima	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Very Poor	322	PM _{2.5}	7
62	Kota	Moderate	133	PM _{2.5}	1
63	Kozhikode	Satisfactory	100	PM _{2.5}	1
64	Kurukshetra	Very Poor	343	PM _{2.5}	1
65	Lucknow	Severe	441	PM ₁₀ , PM _{2.5}	3
66	Ludhiana	Poor	294	PM _{2.5}	1
67	Maihar	Good	47	PM _{2.5}	1
68	Mandi Gobindgarh	Poor	210	PM _{2.5}	1
69	Mandideep	Poor	248	PM ₁₀	1
70	Mandikhera	Moderate	159	PM _{2.5}	1
71	Medikeri	Good	40	03	1
72	Meerut	Severe	403	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Moderate	167	O ₃ , PM _{2.5}	12
74	Muzaffarpur	Very Poor	364	PM _{2.5} , PM ₁₀	2
75	Nagpur	Satisfactory	68	PM ₁₀	1
76	Nandesari	Moderate	101	со	1
77	Narnaul	Poor	262	PM _{2.5}	1
78	Nashik	Moderate	127	PM _{2.5}	1
79	Navi Mumbai	Moderate	186	PM _{2.5}	3
80	Noida	Severe	414	PM _{2.5} , PM ₁₀	4
81	Pali	Moderate	155	PM ₁₀	1
82	Palwal	Moderate	180	PM ₁₀	1
83	Panchkula	Poor	207	PM _{2.5}	1
84	Patiala	Moderate	174	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Severe	404	PM _{2.5} , PM ₁₀	6
86	Pithampur	Moderate	102	PM ₁₀	1
87	Pune	Moderate	130	PM _{2.5}	4
88	Rajamahendravaram	Moderate	112	PM ₁₀	1
89	Ramanagara	Good	33	SO ₂	1
90	Ratlam	Poor	201	PM ₁₀	1
91	Rohtak	Poor	290	PM _{2.5}	1
92	Rupnagar	Moderate	129	PM _{2.5}	1
93	Sagar	Moderate	106	PM _{2.5}	1
94	Satna	Satisfactory	89	PM ₁₀	1
95	Shivamogga	Satisfactory	77	O ₃	1
96	Singrauli	Very Poor	320	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Outstand Annual Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sirsa	Moderate	191	PM _{2.5}	1
98	Solapur	Moderate	151	PM ₁₀	1
99	Sonipat	Poor	297	PM _{2.5}	1
100	Talcher	Moderate	159	O ₃	1
101	Thane	Moderate	179	PM ₁₀	1
102	Thiruvananthapuram	Satisfactory	60	PM ₁₀ , CO	2
103	Thrissur	Satisfactory	53	PM ₁₀	1
104	Tirupati	Good	35	со	1
105	Udaipur	Moderate	123	PM ₁₀	1
106	Ujjain	Moderate	191	PM _{2.5}	1
107	Vapi	Poor	232	PM _{2.5}	1
108	Varanasi	Very Poor	353	PM _{2.5}	1

Possible Health Impacts

Minimal Impact

Coou	Willima Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vatva	Moderate	175	PM ₁₀	1
110	Vijayapura	Satisfactory	74	PM _{2.5}	1
111	Visakhapatnam	Moderate	141	PM _{2.5}	1
112	Yadgir	Satisfactory	59	O ₃	1
113	Yamunanagar	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bagalkot, Bhiwadi, Bhiwani, Chamarajanagar, Ernakulam, Kalaburgi, Kollam, Manesar, Moradabad, Muzaffarnagar, Mysuru, Panipat, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.