

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	112	PM _{2.5}	1
2	Agra	Moderate	160	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	86	PM _{2.5} , NO ₂ , PM ₁₀	6
4	Aizawl	Good	35	PM ₁₀	1
5	Ajmer	Moderate	125	PM _{2.5}	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Good	38	03	1
8	Ambala	Moderate	141	PM ₁₀	1
9	Amritsar	Satisfactory	91	PM ₁₀	1
10	Ankleshwar	Satisfactory	88	PM _{2.5}	1
11	Asansol	Satisfactory	68	PM ₁₀	1
12	Bagalkot	Good	31	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	179	PM _{2.5}	1
14	Bahadurgarh	Moderate	136	PM ₁₀	1
15	Ballabgarh	Very Poor	330	PM _{2.5}	1
16	Bengaluru	Good	48	CO, PM ₁₀ , NO ₂	8
17	Bhiwadi	Poor	259	PM _{2.5}	1
18	Bhiwani	Moderate	113	PM ₁₀	1
19	Bhopal	Moderate	167	PM ₁₀	1
20	Bidar	Good	40	SO ₂	1
21	Bilaspur	Satisfactory	75	PM ₁₀	1
22	Brajrajnagar	Satisfactory	70	PM ₁₀	1
23	Bulandshahr	Poor	269	03	1
24	Chamarajanagar	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	128	O ₃ , PM ₁₀	2
26	Chandrapur	Satisfactory	70	PM ₁₀	2
27	Charkhi Dadri	Moderate	180	PM ₁₀	1
28	Chennai	Satisfactory	59	PM ₁₀	6
29	Chikkaballapur	Good	32	NO ₂	1
30	Chikkamagaluru	Good	29	03	1
31	Damoh	Satisfactory	70	PM _{2.5}	1
32	Delhi	Moderate	171	PM ₁₀ , PM _{2.5}	36
33	Dewas	Satisfactory	95	PM _{2.5}	1
34	Dharuhera	Moderate	170	PM _{2.5}	1
35	Durgapur	Moderate	112	PM ₁₀	1
36	Eloor	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	48	СО	1
38	Faridabad	Poor	211	PM _{2.5} , PM ₁₀ , O ₃	4
39	Fatehabad	Moderate	112	PM ₁₀	1
40	Firozabad	Moderate	114	PM ₁₀	1
41	Gandhinagar	Moderate	102	PM _{2.5} , PM ₁₀	3
42	Gaya	Moderate	112	PM _{2.5}	1
43	Ghaziabad	Poor	235	PM _{2.5} , PM ₁₀	3
44	Gorakhpur	Moderate	166	PM _{2.5}	1
45	Greater Noida	Poor	223	PM ₁₀	2
46	Gummidipoondi	Satisfactory	53	PM ₁₀	1
47	Gurugram	Poor	206	PM ₁₀ , PM _{2.5}	2
48	Guwahati	Moderate	101	SO ₂ , PM _{2.5}	2

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Moderate	130	PM ₁₀	1
50	Hajipur	Moderate	157	PM _{2.5}	1
51	Haldia	Satisfactory	82	PM ₁₀	1
52	Hapur	Poor	211	PM _{2.5}	1
53	Hassan	Satisfactory	51	PM ₁₀	1
54	Hisar	Moderate	131	PM _{2.5}	1
55	Howrah	Moderate	101	PM ₁₀ , PM _{2.5}	3
56	Hubballi	Good	28	PM ₁₀	1
57	Hyderabad	Good	42	PM ₁₀ , NO ₂ , PM _{2.5}	4
58	Indore	Satisfactory	89	PM ₁₀	1
59	Jabalpur	Satisfactory	97	PM ₁₀	1
60	Jaipur	Moderate	122	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Moderate	115	PM ₁₀	1
62	Jind	Moderate	160	PM _{2.5}	1
63	Jodhpur	Moderate	152	PM _{2.5}	1
64	Kaithal	Moderate	157	PM ₁₀	1
65	Kalyan	Good	48	PM ₁₀	1
66	Kannur	Good	40	со	1
67	Kanpur	Moderate	167	PM ₁₀	3
68	Karnal	Moderate	109	PM _{2.5}	1
69	Katni	Moderate	185	PM ₁₀	1
70	Khanna	Moderate	118	PM ₁₀	1
71	Kochi	Good	41	со	1
72	Kohima	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Coou	Willimia impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Good	43	СО	1
74	Kolkata	Moderate	141	PM _{2.5} , PM ₁₀	7
75	Kollam	Satisfactory	90	со	1
76	Koppal	Satisfactory	67	03	1
77	Kota	Satisfactory	96	PM _{2.5}	1
78	Kozhikode	Good	50	со	1
79	Lucknow	Moderate	151	PM _{2.5} , PM ₁₀	6
80	Ludhiana	Moderate	107	PM ₁₀	1
81	Maihar	Satisfactory	62	PM ₁₀	1
82	Mandi Gobindgarh	Moderate	177	PM ₁₀	1
83	Mandideep	Moderate	130	PM ₁₀	1
84	Mandikhera	Satisfactory	88	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Poor	210	PM _{2.5}	1
86	Manglore	Satisfactory	55	со	1
87	Medikeri	Good	30	03	1
88	Meerut	Poor	206	PM _{2.5} , O ₃	2
89	Moradabad	Poor	209	PM _{2.5}	1
90	Mumbai	Satisfactory	54	NO ₂ , CO	17
91	Muzaffarnagar	Moderate	152	PM ₁₀	1
92	Muzaffarpur	Moderate	108	PM _{2.5} , PM ₁₀	2
93	Mysuru	Good	31	PM ₁₀	1
94	Nandesari	Poor	229	PM _{2.5}	1
95	Narnaul	Satisfactory	83	PM _{2.5}	1
96	Nashik	Good	45	PM _{2.5}	1

Possible Health Impacts

·

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Satisfactory	51	PM ₁₀ , CO	3
98	Noida	Moderate	188	PM ₁₀	3
99	Pali	Satisfactory	88	PM ₁₀	1
100	Palwal	Moderate	138	PM ₁₀	1
101	Panchkula	Moderate	140	PM _{2.5}	1
102	Panipat	Moderate	153	PM ₁₀	1
103	Patiala	Moderate	116	PM ₁₀	1
104	Patna	Moderate	123	PM ₁₀ , PM _{2.5}	5
105	Pithampur	Satisfactory	71	PM _{2.5}	1
106	Prayagraj	Moderate	138	PM ₁₀ , PM _{2.5}	2
107	Puducherry	Good	34	O ₃	1
108	Pune	Satisfactory	64	SO ₂ , PM _{2.5} , CO	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rajamahendravaram	Satisfactory	53	PM ₁₀	1
110	Ramanagara	Good	26	03	1
111	Rohtak	Moderate	176	PM _{2.5}	1
112	Rupnagar	Satisfactory	85	PM ₁₀	1
113	Sagar	Good	43	PM _{2.5}	1
114	Satna	Satisfactory	69	PM ₁₀	1
115	Shillong	Good	20	PM _{2.5}	1
116	Shivamogga	Good	38	PM ₁₀	1
117	Siliguri	Good	48	PM _{2.5}	1
118	Singrauli	Moderate	187	PM ₁₀	1
119	Sirsa	Moderate	110	PM ₁₀	1
120	Sonipat	Moderate	162	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Good	45	PM ₁₀	1
122	Talcher	Moderate	101	PM ₁₀	1
123	Thane	Satisfactory	56	PM ₁₀	1
124	Thiruvananthapuram	Good	44	CO, O ₃	2
125	Thoothukudi	Good	34	PM ₁₀	1
126	Thrissur	Good	50	03	1
127	Tirupati	Good	50	со	1
128	Udaipur	Satisfactory	85	PM ₁₀	1
129	Ujjain	Moderate	143	PM ₁₀	1
130	Vapi	Satisfactory	56	со	1
131	Varanasi	Moderate	124	PM _{2.5} , PM ₁₀	4
132	Vatva	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vijayapura	Good	42	PM ₁₀	1
134	Visakhapatnam	Moderate	111	PM ₁₀	1
135	Vrindavan	Moderate	145	PM ₁₀	1
136	Yamunanagar	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.