

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	PM _{2.5}	1
2	Agra	Moderate	123	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	82	PM ₁₀ , PM _{2.5} , CO	6
4	Aizawl	Good	34	PM ₁₀	1
5	Ajmer	Moderate	124	PM _{2.5}	1
6	Alwar	Satisfactory	68	PM ₁₀	1
7	Amaravati	Satisfactory	58	O ₃	1
8	Ambala	Good	45	O ₃	1
9	Amritsar	Good	36	NO ₂	1
10	Ankleshwar	Moderate	122	PM _{2.5}	1
11	Asansol	Moderate	173	PM _{2.5}	1
12	Aurangabad	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	56	PM _{2.5}	1
14	Baghpat	Satisfactory	77	PM ₁₀	1
15	Ballabgarh	Satisfactory	88	PM ₁₀	1
16	Bengaluru	Satisfactory	60	PM ₁₀ , NO ₂ , CO	7
17	Bhiwadi	Moderate	132	PM _{2.5}	1
18	Bhiwani	Satisfactory	93	03	1
19	Bhopal	Satisfactory	98	PM ₁₀	1
20	Bilaspur	Moderate	106	PM ₁₀	1
21	Bulandshahr	Satisfactory	99	03	1
22	Chamarajanagar	Good	39	PM ₁₀	1
23	Chandigarh	Satisfactory	52	O ₃ , CO	2
24	Chandrapur	Moderate	137	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	69	PM ₁₀	1
26	Chennai	Satisfactory	63	PM _{2.5} , PM ₁₀	7
27	Chikkaballapur	Good	43	PM _{2.5}	1
28	Chikkamagaluru	Good	33	PM ₁₀	1
29	Damoh	Satisfactory	76	PM _{2.5}	1
30	Delhi	Satisfactory	82	O ₃ , PM ₁₀ , PM _{2.5}	27
31	Dewas	Satisfactory	81	PM ₁₀	1
32	Durgapur	Moderate	189	PM _{2.5}	1
33	Ernakulam	Good	44	со	1
34	Faridabad	Satisfactory	77	O ₃ , PM ₁₀	3
35	Fatehabad	Satisfactory	67	PM ₁₀	1
36	Firozabad	Moderate	117	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	92	PM _{2.5} , PM ₁₀	3
38	Gaya	Moderate	154	PM _{2.5}	2
39	Ghaziabad	Satisfactory	80	O ₃ , PM _{2.5}	3
40	Gorakhpur	Moderate	195	PM _{2.5}	1
41	Greater Noida	Satisfactory	90	O ₃ , PM ₁₀	2
42	Gummidipoondi	Satisfactory	77	PM _{2.5}	1
43	Gurugram	Satisfactory	90	PM _{2.5} , PM ₁₀	2
44	Guwahati	Moderate	140	PM _{2.5}	2
45	Gwalior	Moderate	109	PM ₁₀	1
46	Hajipur	Moderate	199	PM _{2.5}	1
47	Haldia	Moderate	114	PM _{2.5}	1
48	Hapur	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Good	37	PM _{2.5}	1
50	Hisar	Moderate	113	PM _{2.5}	1
51	Howrah	Moderate	130	PM _{2.5}	3
52	Hubballi	Satisfactory	62	PM ₁₀	1
53	Hyderabad	Moderate	118	PM _{2.5} , PM ₁₀	6
54	Indore	Moderate	112	PM ₁₀	1
55	Jabalpur	Moderate	129	PM ₁₀	1
56	Jaipur	Satisfactory	94	PM ₁₀	2
57	Jalandhar	Satisfactory	59	PM _{2.5}	1
58	Jind	Satisfactory	72	PM _{2.5}	1
59	Jodhpur	Moderate	168	PM _{2.5}	1
60	Kaithal	Satisfactory	61	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Satisfactory	91	PM ₁₀	1
62	Kannur	Good	46	O ₃	1
63	Kanpur	Satisfactory	81	PM _{2.5}	4
64	Karnal	Good	40	PM _{2.5}	1
65	Katni	Moderate	190	PM ₁₀	1
66	Khanna	Good	38	PM ₁₀	1
67	Kochi	Good	43	NO ₂	1
68	Kohima	Satisfactory	68	PM ₁₀	1
69	Kolkata	Moderate	168	PM _{2.5} , PM ₁₀	7
70	Kollam	Moderate	119	со	1
71	Koppal	Good	49	O ₃	1
72	Kota	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Good	47	PM ₁₀	1
74	Kurukshetra	Satisfactory	69	O ₃	1
75	Lucknow	Moderate	128	PM ₁₀ , PM _{2.5}	6
76	Ludhiana	Satisfactory	66	PM ₁₀	1
77	Mandi Gobindgarh	Good	47	PM ₁₀	1
78	Mandideep	Moderate	139	PM ₁₀	1
79	Manglore	Satisfactory	67	со	1
80	Medikeri	Good	47	03	1
81	Meerut	Satisfactory	73	CO, O ₃	3
82	Moradabad	Moderate	107	PM ₁₀	1
83	Mumbai	Satisfactory	58	CO, PM ₁₀ , SO ₂	12
84	Muzaffarnagar	Satisfactory	85	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	250	PM _{2.5}	1
86	Mysuru	Good	40	O ₃	1
87	Narnaul	Good	45	PM _{2.5}	1
88	Nashik	Satisfactory	52	O ₃	1
89	Navi Mumbai	Satisfactory	62	PM ₁₀	3
90	Noida	Moderate	150	03	2
91	Pali	Satisfactory	75	PM ₁₀	1
92	Panchkula	Satisfactory	52	O ₃	1
93	Panipat	Satisfactory	54	PM ₁₀	1
94	Patiala	Good	49	PM _{2.5}	1
95	Patna	Moderate	198	NO ₂ , PM _{2.5} , PM ₁₀	5
96	Pithampur	Satisfactory	82	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Prayagraj	Moderate	185	PM _{2.5}	3
98	Puducherry	Satisfactory	54	03	1
99	Pune	Satisfactory	82	CO, PM ₁₀ , PM _{2.5}	3
100	Raichur	Satisfactory	96	PM ₁₀	1
101	Rajamahendravaram	Satisfactory	98	PM ₁₀	1
102	Ramanagara	Satisfactory	75	03	1
103	Ratlam	Satisfactory	81	PM ₁₀	1
104	Rohtak	Satisfactory	93	NO ₂	1
105	Rupnagar	Satisfactory	52	PM ₁₀	1
106	Sagar	Good	39	PM _{2.5}	1
107	Shillong	Good	18	PM _{2.5}	1
108	Shivamogga	Good	40	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	76	PM ₁₀	1
110	Singrauli	Poor	215	PM ₁₀	1
111	Sonipat	Satisfactory	85	PM ₁₀	1
112	Srinagar	Good	40	PM ₁₀	1
113	Talcher	Moderate	117	PM _{2.5}	1
114	Thane	Moderate	136	PM ₁₀	1
115	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
116	Thoothukudi	Good	41	O ₃	1
117	Tirupati	Satisfactory	63	PM _{2.5}	1
118	Udaipur	Moderate	102	PM ₁₀	1
119	Ujjain	Moderate	111	PM ₁₀	1
120	Vapi	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Moderate	114	PM _{2.5} , PM ₁₀	3
122	Vatva	Satisfactory	87	NO ₂	1
123	Vijayapura	Good	50	PM ₁₀	1
124	Visakhapatnam	Moderate	138	PM ₁₀	1
125	Vrindavan	Satisfactory	93	PM _{2.5}	1
126	Yamunanagar	Satisfactory	59	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Dharuhera, Eloor, Gadag, Jorapokhar, Kalaburgi, Kolar, Maihar, Mandikhera, Manesar, Motihari, Nagpur, Naharlagun, Nandesari, Palwal, Satna, Sirsa, Solapur, Thrissur, Udupi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.