

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	154	PM _{2.5}	6
3	Ahmedabad	Moderate	136	PM ₁₀	1
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Moderate	113	PM _{2.5}	1
6	Alwar	Moderate	155	PM _{2.5}	1
7	Amaravati	Moderate	147	PM _{2.5}	1
8	Ambala	Poor	227	PM _{2.5}	1
9	Amritsar	Poor	277	PM _{2.5}	1
10	Anantapur	Satisfactory	76	O ₃	1
11	Araria	Poor	290	PM _{2.5}	1
12	Ariyalur	Moderate	163	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	356	PM _{2.5}	1
14	Asansol	Poor	265	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	391	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	89	PM ₁₀	1
17	Baddi	Very Poor	398	PM _{2.5}	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Poor	240	PM _{2.5}	1
20	Bahadurgarh	Very Poor	318	PM _{2.5}	1
21	Ballabgarh	Poor	201	PM _{2.5}	1
22	Bareilly	Moderate	133	PM _{2.5}	2
23	Baripada	Moderate	115	PM ₁₀	1
24	Bathinda	Moderate	159	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Debradur, Dharwad, Dindigul, Ernakulam, Gadag, Hayeri, Hisar, Hos

Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	437	PM _{2.5}	1
26	Belgaum	Moderate	136	PM ₁₀	1
27	Bengaluru	Moderate	118	PM _{2.5}	9
28	Bettiah	Poor	224	PM ₁₀	1
29	Bhagalpur	Very Poor	398	PM _{2.5}	2
30	Bhilai	Satisfactory	62	PM ₁₀	2
31	Bhiwadi	Very Poor	375	PM ₁₀	1
32	Bhiwani	Moderate	180	PM _{2.5}	1
33	Bhopal	Moderate	154	PM ₁₀ , PM _{2.5}	2
34	Bidar	Satisfactory	88	PM ₁₀	1
35	Bulandshahr	Poor	223	PM _{2.5}	1
36	Byrnihat	Very Poor	382	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	50	PM ₁₀	1
38	Chandigarh	Very Poor	370	PM _{2.5}	2
39	Chandrapur	Moderate	121	PM ₁₀ , PM _{2.5}	2
40	Charkhi Dadri	Poor	241	PM _{2.5}	1
41	Chennai	Moderate	118	PM _{2.5} , PM ₁₀	7
42	Chhapra	Severe	451	PM _{2.5}	1
43	Chikkaballapur	Moderate	137	PM ₁₀	1
44	Chikkamagaluru	Satisfactory	68	PM ₁₀	1
45	Chittoor	Satisfactory	75	03	1
46	Coimbatore	Poor	287	PM ₁₀	1
47	Damoh	Good	35	PM ₁₀	1
48	Darbhanga	Very Poor	342	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Severe	434	PM _{2.5}	37
50	Dewas	Satisfactory	97	PM ₁₀	1
51	Dharuhera	Very Poor	322	PM _{2.5}	1
52	Durgapur	Moderate	148	PM ₁₀	1
53	Eloor	Satisfactory	62	PM ₁₀	1
54	Faridabad	Severe	434	PM _{2.5}	4
55	Fatehabad	Moderate	143	PM _{2.5}	1
56	Firozabad	Moderate	134	PM _{2.5}	2
57	Gandhinagar	Satisfactory	95	PM ₁₀	1
58	Gangtok	Good	30	03	1
59	Gaya	Very Poor	376	PM _{2.5}	2
60	Ghaziabad	Very Poor	385	PM _{2.5}	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	131	PM ₁₀	1
62	Greater Noida	Severe	415	PM _{2.5}	2
63	Gummidipoondi	Moderate	190	PM _{2.5}	1
64	Gurugram	Very Poor	397	PM _{2.5}	4
65	Guwahati	Poor	251	PM _{2.5}	3
66	Gwalior	Very Poor	351	PM _{2.5}	3
67	Hajipur	Poor	207	PM ₁₀	1
68	Haldia	Moderate	166	PM ₁₀	1
69	Hapur	Moderate	165	PM _{2.5}	1
70	Hassan	Satisfactory	89	PM ₁₀	1
71	Howrah	Poor	282	PM _{2.5}	3
72	Hubballi	Satisfactory	99	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Moderate	103	PM _{2.5} , PM ₁₀	13
74	Imphal	Moderate	133	PM _{2.5} , SO ₂	2
75	Indore	Moderate	133	PM ₁₀	1
76	Jabalpur	Poor	231	PM ₁₀	1
77	Jaipur	Moderate	177	PM _{2.5} , PM ₁₀	3
78	Jalandhar	Poor	208	PM _{2.5}	1
79	Jhansi	Moderate	147	PM ₁₀	1
80	Jind	Poor	244	PM _{2.5}	1
81	Jodhpur	Poor	252	PM _{2.5}	1
82	Jorapokhar	Moderate	163	PM ₁₀	1
83	Kaithal	Poor	270	PM _{2.5}	1
84	Kalaburgi	Satisfactory	100	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	143	PM ₁₀	1
86	Kannur	Satisfactory	93	PM _{2.5}	1
87	Kanpur	Poor	241	PM _{2.5}	4
88	Karnal	Poor	215	PM _{2.5}	1
89	Katihar	Very Poor	391	PM _{2.5}	1
90	Katni	Poor	218	PM _{2.5}	1
91	Khanna	Poor	211	PM _{2.5}	1
92	Khurja	Poor	229	PM _{2.5}	1
93	Kochi	Moderate	169	PM _{2.5}	1
94	Kohima	Satisfactory	68	PM ₁₀	1
95	Kolkata	Poor	292	PM _{2.5}	7
96	Kollam	Moderate	111	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	69	СО	1
98	Korba	Moderate	106	PM ₁₀	2
99	Kota	Poor	221	PM _{2.5}	1
100	Kozhikode	Satisfactory	75	PM _{2.5}	1
101	Kurukshetra	Very Poor	316	PM _{2.5}	1
102	Lucknow	Poor	220	PM _{2.5}	6
103	Ludhiana	Very Poor	326	PM _{2.5}	1
104	Madikeri	Satisfactory	54	03	1
105	Maihar	Good	31	PM ₁₀	1
106	Mandi Gobindgarh	Poor	281	PM _{2.5}	1
107	Mandideep	Moderate	108	NO ₂	1
108	Mandikhera	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Very Poor	320	PM _{2.5}	1
110	Mangalore	Moderate	129	PM _{2.5}	1
111	Manguraha	Moderate	156	PM _{2.5}	1
112	Meerut	Very Poor	348	PM _{2.5}	3
113	Moradabad	Moderate	136	PM _{2.5}	6
114	Mumbai	Moderate	137	PM _{2.5} , PM ₁₀	17
115	Munger	Very Poor	338	PM _{2.5}	1
116	Muzaffarnagar	Very Poor	329	PM _{2.5}	1
117	Muzaffarpur	Very Poor	357	PM _{2.5}	3
118	Mysuru	Satisfactory	66	PM ₁₀	1
119	Nagpur	Moderate	143	PM _{2.5}	1
120	Naharlagun	Good	43	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nandesari	Good	45	PM _{2.5}	1
122	Narnaul	Poor	251	PM _{2.5}	1
123	Nashik	Moderate	114	PM _{2.5}	1
124	Navi Mumbai	Moderate	200	PM _{2.5}	3
125	Nayagarh	Moderate	134	PM ₁₀	1
126	Noida	Severe	434	PM _{2.5}	4
127	Ooty	Satisfactory	65	PM ₁₀	1
128	Pali	Moderate	162	PM _{2.5}	1
129	Palwal	Moderate	149	PM _{2.5}	1
130	Panchkula	Very Poor	308	PM _{2.5}	1
131	Panipat	Moderate	169	PM ₁₀	1
132	Patiala	Poor	204	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Very Poor	373	PM ₁₀ , PM _{2.5}	6
134	Pithampur	Moderate	121	PM ₁₀	1
135	Prayagraj	Poor	207	PM _{2.5} , PM ₁₀	3
136	Puducherry	Moderate	113	PM _{2.5}	1
137	Purnia	Very Poor	353	PM _{2.5}	1
138	Raichur	Moderate	110	PM ₁₀	1
139	Raipur	Moderate	114	NO ₂ , PM ₁₀	4
140	Rairangpur	Moderate	135	PM _{2.5}	1
141	Rajamahendravaram	Moderate	162	PM _{2.5}	1
142	Rajgir	Severe	406	PM _{2.5}	1
143	Ramanagara	Moderate	151	PM _{2.5}	1
144	Ramanathapuram	Moderate	119	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Satisfactory	94	PM ₁₀	1
146	Rohtak	Poor	232	PM _{2.5}	1
147	Rourkela	Moderate	121	PM ₁₀	1
148	Rupnagar	Poor	264	PM _{2.5}	1
149	Sagar	Satisfactory	66	O ₃ , CO	2
150	Samastipur	Very Poor	380	PM _{2.5}	1
151	Sasaram	Very Poor	372	PM _{2.5}	1
152	Satna	Satisfactory	62	PM ₁₀	1
153	Shillong	Satisfactory	51	PM _{2.5}	1
154	Shivamogga	Good	45	O ₃	1
155	Siliguri	Moderate	191	PM _{2.5}	1
156	Singrauli	Poor	267	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur, Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Poor	207	PM _{2.5}	1
158	Sivasagar	Satisfactory	51	PM ₁₀	1
159	Siwan	Very Poor	389	PM _{2.5}	1
160	Solapur	Moderate	155	PM _{2.5}	1
161	Sonipat	Moderate	177	PM _{2.5}	1
162	Suakati	Moderate	118	PM ₁₀	1
163	Surat	Moderate	156	PM _{2.5}	1
164	Talcher	Moderate	194	PM _{2.5}	1
165	Thane	Moderate	153	PM ₁₀	1
166	Thiruvananthapuram	Satisfactory	95	PM _{2.5}	2
167	Thoothukudi	Satisfactory	87	PM ₁₀	1
168	Thrissur	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Notes: Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur,

Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Moderate	106	PM _{2.5}	2
170	Tirupur	Satisfactory	82	PM _{2.5}	1
171	Udaipur	Moderate	177	PM _{2.5}	1
172	Udupi	Moderate	105	со	1
173	Ujjain	Poor	224	PM _{2.5}	1
174	Vapi	Poor	235	PM _{2.5}	1
175	Varanasi	Moderate	106	PM _{2.5}	4
176	Vatva	Moderate	153	PM ₁₀	1
177	Vijayapura	Good	46	PM ₁₀	1
178	Visakhapatnam	Poor	202	PM ₁₀	1
179	Yadgir	Satisfactory	78	PM _{2.5}	1
180	Yamunanagar	Very Poor	329	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bihar Sharif, Bilaspur, Bileipada, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haveri, Hisar, Hosur,

Kanchipuram, Keonjhar, Kishanganj, Kolar, Motihari, Nalbari, Pune, Saharsa, Salem, Srinagar, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.