



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	128	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	77	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	7
4	Aizawl	Satisfactory	97	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	74	PM <sub>10</sub>	1
6	Alwar	Satisfactory	68	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	58	CO	1
8	Ambala	Moderate	152	PM <sub>2.5</sub>	1
9	Amritsar	Poor	220	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	61	PM <sub>2.5</sub>	1
11	Ankleshwar	Satisfactory	98	PM <sub>10</sub>	1
12	Ariyalur	Good	48	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhiwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	192	PM <sub>10</sub>	1
14	Asansol	Moderate	138	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Moderate	148	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Moderate	127	PM <sub>10</sub>	1
17	Baddi	Poor	272	O <sub>3</sub>	1
18	Bagalkot	Good	48	O <sub>3</sub>	1
19	Baghpat	Poor	298	PM <sub>10</sub>	1
20	Bahadurgarh	Poor	231	PM <sub>2.5</sub>	1
21	Ballabgarh	Poor	204	PM <sub>2.5</sub>	1
22	Banswara	Moderate	182	O <sub>3</sub>	1
23	Bareilly	Satisfactory	78	PM <sub>10</sub>	2
24	Baripada	Moderate	122	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arraria, Belgaum, Bhillwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	112	O <sub>3</sub>	1
26	Bathinda	Satisfactory	79	PM <sub>10</sub>	1
27	Begusarai	Poor	292	PM <sub>10</sub>	1
28	Bengaluru	Satisfactory	74	CO, PM <sub>2.5</sub>	9
29	Bettiah	Poor	202	O <sub>3</sub>	1
30	Bhagalpur	Poor	205	PM <sub>10</sub>	2
31	Bharatpur	Moderate	152	PM <sub>10</sub>	1
32	Bhilai	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub>	2
33	Bhiwadi	Poor	261	PM <sub>10</sub>	1
34	Bhiwani	Moderate	155	PM <sub>2.5</sub>	1
35	Bhopal	Moderate	122	O <sub>3</sub> , PM <sub>2.5</sub>	3
36	Bikaner	Moderate	196	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhiwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	90	PM <sub>10</sub>	1
38	Brajrajnagar	Satisfactory	79	CO	1
39	Bulandshahr	Moderate	178	PM <sub>2.5</sub>	1
40	Byrnihat	Very Poor	301	PM <sub>10</sub>	1
41	Chamarajanagar	Good	45	PM <sub>10</sub>	1
42	Chandigarh	Moderate	168	O <sub>3</sub> , PM <sub>10</sub>	3
43	Chandrapur	Satisfactory	82	PM <sub>10</sub>	1
44	Charkhi Dadri	Poor	226	PM <sub>2.5</sub>	1
45	Chengalpattu	Satisfactory	92	PM <sub>2.5</sub>	1
46	Chennai	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub>	6
47	Chhal	Satisfactory	61	PM <sub>10</sub>	1
48	Chikkaballapur	Satisfactory	72	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	82	PM <sub>10</sub>	1
50	Chittorgarh	Moderate	132	PM <sub>10</sub>	1
51	Churu	Moderate	159	O <sub>3</sub>	1
52	Cuddalore	Satisfactory	66	PM <sub>2.5</sub>	1
53	Damoh	Good	19	PM <sub>2.5</sub>	1
54	Davanagere	Good	44	PM <sub>2.5</sub>	1
55	Dehradun	Satisfactory	85	CO	1
56	Delhi	Poor	274	PM <sub>10</sub> , PM <sub>2.5</sub>	39
57	Dewas	Moderate	125	PM <sub>10</sub>	1
58	Dhanbad	Moderate	192	PM <sub>2.5</sub>	1
59	Dharuhera	Moderate	155	PM <sub>2.5</sub>	1
60	Dholpur	Moderate	158	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	134	PM <sub>10</sub>	1
62	Faridabad	Moderate	151	PM <sub>10</sub>	3
63	Fatehabad	Satisfactory	95	O <sub>3</sub>	1
64	Firozabad	Moderate	134	O <sub>3</sub>	2
65	Gadag	Satisfactory	68	O <sub>3</sub>	1
66	Gandhinagar	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	3
67	Gangtok	Satisfactory	73	O <sub>3</sub>	1
68	Gaya	Moderate	122	PM <sub>10</sub> , PM <sub>2.5</sub>	3
69	Ghaziabad	Poor	262	PM <sub>10</sub>	4
70	Gorakhpur	Moderate	135	PM <sub>2.5</sub>	1
71	Greater Noida	Poor	277	PM <sub>10</sub>	2
72	Gurugram	Poor	260	PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Guwahati	Moderate	105	O <sub>3</sub>	4
74	Gwalior	Moderate	143	O <sub>3</sub> , PM <sub>2.5</sub>	4
75	Hajipur	Poor	242	PM <sub>10</sub>	1
76	Haldia	Good	42	PM <sub>10</sub>	1
77	Hapur	Moderate	163	O <sub>3</sub>	1
78	Haveri	Good	39	CO	1
79	Hisar	Moderate	150	PM <sub>2.5</sub>	1
80	Hosur	Satisfactory	88	CO	1
81	Howrah	Satisfactory	74	PM <sub>10</sub>	2
82	Hubballi	Moderate	102	PM <sub>2.5</sub> , CO	2
83	Hyderabad	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	10
84	Indore	Moderate	123	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Moderate	132	O <sub>3</sub>	1
86	Jaipur	Moderate	115	O <sub>3</sub> , PM <sub>10</sub>	6
87	Jalandhar	Moderate	130	PM <sub>10</sub>	1
88	Jhalawar	Moderate	118	PM <sub>10</sub>	1
89	Jhansi	Moderate	153	PM <sub>10</sub>	1
90	Jhunjhunu	Moderate	168	O <sub>3</sub>	1
91	Jind	Moderate	190	PM <sub>2.5</sub>	1
92	Jodhpur	Moderate	140	O <sub>3</sub> , PM <sub>10</sub>	3
93	Jorapokhar	Moderate	197	PM <sub>10</sub>	1
94	Kadapa	Satisfactory	74	O <sub>3</sub>	1
95	Kaithal	Moderate	174	PM <sub>10</sub>	1
96	Kalaburgi	Satisfactory	69	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanchipuram	Satisfactory	71	PM <sub>10</sub>	1
98	Kannur	Satisfactory	76	PM <sub>10</sub>	1
99	Kanpur	Moderate	103	PM <sub>10</sub>	3
100	Karauli	Moderate	129	O <sub>3</sub>	1
101	Karnal	Moderate	182	PM <sub>2.5</sub>	1
102	Katihar	Moderate	159	PM <sub>2.5</sub>	1
103	Katni	Moderate	165	PM <sub>10</sub>	1
104	Keonjhar	Moderate	106	PM <sub>10</sub>	1
105	Khanna	Moderate	104	PM <sub>10</sub>	1
106	Kishanganj	Moderate	183	PM <sub>10</sub>	1
107	Kochi	Satisfactory	96	SO <sub>2</sub>	1
108	Kohima	Satisfactory	91	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Satisfactory	92	O <sub>3</sub>	2
110	Kolkata	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	7
111	Kollam	Satisfactory	90	PM <sub>10</sub>	1
112	Korba	Satisfactory	84	NO <sub>2</sub> , PM <sub>10</sub>	2
113	Kota	Moderate	145	O <sub>3</sub> , PM <sub>10</sub>	3
114	Kurukshetra	Poor	217	PM <sub>2.5</sub>	1
115	Lucknow	Moderate	118	PM <sub>2.5</sub>	6
116	Ludhiana	Moderate	192	PM <sub>2.5</sub>	1
117	Madikeri	Good	32	O <sub>3</sub>	1
118	Mandi Gobindgarh	Moderate	126	PM <sub>10</sub>	1
119	Mandideep	Poor	222	PM <sub>10</sub>	1
120	Manesar	Poor	217	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mangalore	Satisfactory	58	PM <sub>10</sub>	1
122	Manguraha	Moderate	199	O <sub>3</sub>	1
123	Meerut	Poor	260	PM <sub>10</sub>	3
124	Moradabad	Moderate	135	PM <sub>2.5</sub> , PM <sub>10</sub>	6
125	Motihari	Satisfactory	100	NO <sub>2</sub>	1
126	Mumbai	Moderate	121	PM <sub>10</sub>	18
127	Munger	Poor	270	PM <sub>10</sub>	1
128	Muzaffarnagar	Poor	281	PM <sub>2.5</sub>	1
129	Muzaffarpur	Poor	250	PM <sub>10</sub> , PM <sub>2.5</sub>	3
130	Mysuru	Good	43	PM <sub>10</sub>	1
131	Nagaon	Moderate	126	O <sub>3</sub>	1
132	Nagpur	Moderate	114	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nalbari	Moderate	164	PM <sub>10</sub>	1
134	Nandesari	Poor	299	PM <sub>2.5</sub>	1
135	Narnaul	Moderate	105	PM <sub>10</sub>	1
136	Nashik	Satisfactory	86	PM <sub>10</sub>	1
137	Navi Mumbai	Moderate	130	PM <sub>10</sub>	2
138	Nayagarh	Moderate	121	PM <sub>10</sub>	1
139	Noida	Poor	270	PM <sub>10</sub>	4
140	Ooty	Satisfactory	75	PM <sub>10</sub>	1
141	Pali	Satisfactory	87	PM <sub>10</sub>	1
142	Palkalaiperur	Satisfactory	61	SO <sub>2</sub>	1
143	Palwal	Satisfactory	83	PM <sub>10</sub>	1
144	Panchkula	Satisfactory	88	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panipat	Moderate	159	PM <sub>10</sub>	1
146	Patiala	Moderate	173	O <sub>3</sub>	1
147	Patna	Poor	248	PM <sub>10</sub> , PM <sub>2.5</sub>	5
148	Pithampur	Moderate	111	PM <sub>10</sub>	1
149	Pratapgarh	Moderate	112	PM <sub>10</sub>	1
150	Prayagraj	Satisfactory	64	PM <sub>10</sub>	3
151	Puducherry	Satisfactory	66	PM <sub>2.5</sub>	1
152	Pune	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
153	Purnia	Poor	217	PM <sub>10</sub>	1
154	Raichur	Satisfactory	51	PM <sub>2.5</sub>	1
155	Raipur	Satisfactory	87	PM <sub>10</sub>	3
156	Rairangpur	Satisfactory	92	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Good	43	PM <sub>10</sub>	1
158	Rajgir	Moderate	189	O <sub>3</sub>	1
159	Rajsamand	Satisfactory	79	PM <sub>10</sub>	1
160	Ramanagara	Satisfactory	68	O <sub>3</sub>	1
161	Ramanathapuram	Good	22	CO	1
162	Ratlam	Moderate	122	PM <sub>10</sub>	1
163	Rishikesh	Satisfactory	73	O <sub>3</sub>	1
164	Rohtak	Satisfactory	56	PM <sub>2.5</sub>	1
165	Rourkela	Moderate	130	PM <sub>10</sub>	1
166	Rupnagar	Poor	211	PM <sub>10</sub>	1
167	Sagar	Moderate	181	O <sub>3</sub>	1
168	Saharsa	Poor	213	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Salem	Satisfactory	96	SO <sub>2</sub>	1
170	Samastipur	Poor	272	PM <sub>10</sub>	1
171	Sasaram	Poor	229	O <sub>3</sub>	1
172	Satna	Moderate	113	PM <sub>10</sub>	1
173	Sawai Madhopur	Satisfactory	97	PM <sub>10</sub>	1
174	Shivamogga	Satisfactory	54	PM <sub>10</sub>	1
175	Sikar	Moderate	158	PM <sub>10</sub>	1
176	Silchar	Good	32	CO	1
177	Siliguri	Satisfactory	91	PM <sub>10</sub>	1
178	Singrauli	Moderate	133	PM <sub>10</sub>	1
179	Sirsa	Satisfactory	93	PM <sub>10</sub>	1
180	Sivasagar	Good	37	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siwan	Poor	207	PM <sub>10</sub>	1
182	Solapur	Moderate	110	PM <sub>10</sub>	1
183	Sonipat	Poor	258	PM <sub>10</sub>	1
184	Sri Ganganagar	Poor	294	PM <sub>10</sub>	1
185	Suakati	Moderate	153	O <sub>3</sub>	1
186	Surat	Satisfactory	93	PM <sub>10</sub>	1
187	Talcher	Satisfactory	54	CO	1
188	Tensa	Moderate	102	PM <sub>10</sub>	1
189	Thiruvananthapuram	Good	30	PM <sub>10</sub> , CO	2
190	Thoothukudi	Satisfactory	90	O <sub>3</sub>	1
191	Thrissur	Satisfactory	56	PM <sub>10</sub>	1
192	Tirupur	Good	49	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bileipada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on May 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Moderate	134	PM <sub>10</sub>	1
194	Tumakuru	Satisfactory	92	PM <sub>10</sub>	1
195	Tumidih	Moderate	111	PM <sub>10</sub>	1
196	Udaipur	Moderate	115	PM <sub>10</sub>	1
197	Vapi	Moderate	129	PM <sub>2.5</sub>	1
198	Varanasi	Satisfactory	70	PM <sub>10</sub> , O <sub>3</sub>	4
199	Vatva	Moderate	124	PM <sub>2.5</sub>	1
200	Vijayapura	Good	49	PM <sub>10</sub>	1
201	Visakhapatnam	Satisfactory	76	PM <sub>10</sub>	1
202	Vrindavan	Moderate	119	PM <sub>10</sub>	1
203	Yadgir	Satisfactory	59	PM <sub>2.5</sub>	1
204	Yamunanagar	Moderate	137	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Belgaum, Bhilwara,

Bidar, Bihar Sharif, Bilepada, Bundi, Buxar, Chhapra, Chittoor,

Coimbatore, Darbhanga, Dausa, Dharwad, Dindigul, Eloor, Ernakulam,

Gummidipoondi, Hanumangarh, Hassan, Imphal, Jaisalmer, Kalyan, Kashipur,

Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Milupara,

Naharlagun, Pimpri Chinchwad, Shillong, Sirohi, Srinagar, Thane, Tirupati,

Udupi, Ujjain, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.