

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	SO ₂	1
2	Agra	Good	46	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	61	PM ₁₀	1
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Alwar	Satisfactory	51	PM ₁₀	1
7	Amaravati	Good	33	со	1
8	Ambala	Good	46	PM ₁₀	1
9	Amritsar	Satisfactory	65	NO ₂	1
10	Araria	Satisfactory	56	03	1
11	Asansol	Satisfactory	68	NO ₂	1
12	Baddi	Satisfactory	59	03	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	42	PM ₁₀	1
14	Baghpat	Satisfactory	58	O ₃	1
15	Bahadurgarh	Satisfactory	56	PM ₁₀	1
16	Ballabgarh	Satisfactory	60	со	1
17	Bareilly	Satisfactory	51	PM ₁₀	1
18	Bathinda	Good	34	PM ₁₀	1
19	Bengaluru	Satisfactory	65	PM ₁₀ , PM _{2.5}	9
20	Bettiah	Satisfactory	94	PM ₁₀	1
21	Bhagalpur	Satisfactory	56	PM ₁₀ , O ₃	2
22	Bhiwadi	Satisfactory	80	PM ₁₀	1
23	Bhiwani	Satisfactory	59	03	1
24	Bhopal	Good	47	со	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Good	23	СО	1
26	Bilaspur	Satisfactory	68	PM ₁₀	1
27	Brajrajnagar	Good	49	со	1
28	Bulandshahr	Satisfactory	64	PM ₁₀	1
29	Buxar	Satisfactory	88	со	1
30	Chandigarh	Good	37	O ₃ , CO	3
31	Chandrapur	Satisfactory	78	PM _{2.5} , CO	2
32	Charkhi Dadri	Satisfactory	59	PM ₁₀	1
33	Chennai	Satisfactory	60	O ₃ , PM ₁₀ , CO	8
34	Chhapra	Good	46	со	1
35	Chikkaballapur	Good	28	со	1
36	Coimbatore	Moderate	110	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Satisfactory	90	PM ₁₀	1
38	Davanagere	Good	14	PM ₁₀	1
39	Delhi	Satisfactory	79	PM ₁₀ , PM _{2.5}	35
40	Dewas	Good	32	PM ₁₀	1
41	Dharuhera	Satisfactory	91	PM ₁₀	1
42	Durgapur	Good	43	PM ₁₀	1
43	Eloor	Good	48	PM _{2.5}	1
44	Faridabad	Moderate	113	PM ₁₀	1
45	Fatehabad	Good	42	PM ₁₀	1
46	Firozabad	Satisfactory	87	03	1
47	Gadag	Good	33	PM _{2.5}	1
48	Gandhinagar	Good	35	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	16	O ₃	1
50	Gaya	Satisfactory	65	PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Satisfactory	68	PM ₁₀	4
52	Gorakhpur	Good	47	SO ₂	1
53	Greater Noida	Satisfactory	82	PM ₁₀	2
54	Gummidipoondi	Good	12	PM ₁₀	1
55	Gurugram	Satisfactory	74	PM ₁₀	2
56	Guwahati	Good	44	PM ₁₀	1
57	Gwalior	Good	49	03	1
58	Hajipur	Satisfactory	53	PM ₁₀	1
59	Haldia	Good	38	со	1
60	Hapur	Satisfactory	52	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	38	SO ₂	1
62	Haveri	Satisfactory	52	со	1
63	Hisar	Good	42	PM ₁₀	1
64	Howrah	Good	42	CO, PM ₁₀	3
65	Hubballi	Good	47	со	1
66	Hyderabad	Good	46	CO, PM ₁₀ , PM _{2.5}	12
67	Imphal	Satisfactory	72	O ₃ , PM ₁₀	2
68	Indore	Good	43	NO ₂	1
69	Jabalpur	Satisfactory	52	со	1
70	Jaipur	Satisfactory	63	PM ₁₀ , O ₃	3
71	Jalandhar	Good	30	PM ₁₀	1
72	Jhansi	Satisfactory	64	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Satisfactory	86	PM ₁₀	1
74	Kaithal	Good	30	PM ₁₀	1
75	Kalaburgi	Good	31	PM ₁₀	1
76	Kalyan	Satisfactory	69	PM ₁₀	1
77	Kannur	Satisfactory	58	PM ₁₀	1
78	Kanpur	Good	46	PM ₁₀	2
79	Karnal	Good	27	PM ₁₀	1
80	Katihar	Moderate	101	PM ₁₀	1
81	Katni	Good	31	PM ₁₀	1
82	Khanna	Satisfactory	54	со	1
83	Kishanganj	Satisfactory	59	O ₃	1
84	Kochi	Moderate	103	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Good	50	SO ₂	1
86	Kolkata	Good	35	O ₃ , CO	6
87	Kollam	Good	50	PM ₁₀	1
88	Koppal	Good	24	NO ₂	1
89	Kota	Satisfactory	58	PM ₁₀	1
90	Kozhikode	Satisfactory	74	PM ₁₀	1
91	Kurukshetra	Good	45	O ₃	1
92	Lucknow	Satisfactory	73	PM ₁₀	6
93	Ludhiana	Good	44	PM ₁₀	1
94	Mandi Gobindgarh	Moderate	112	PM _{2.5}	1
95	Mandideep	Satisfactory	63	O ₃	1
96	Mandikhera	Good	42	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Satisfactory	65	PM _{2.5}	1
98	Manglore	Satisfactory	52	со	1
99	Meerut	Satisfactory	58	PM ₁₀	3
100	Moradabad	Satisfactory	63	PM ₁₀ , CO, O ₃	6
101	Motihari	Satisfactory	77	03	1
102	Mumbai	Satisfactory	56	CO, SO ₂ , PM ₁₀	8
103	Muzaffarnagar	Satisfactory	51	PM ₁₀	1
104	Muzaffarpur	Satisfactory	68	PM ₁₀ , CO	2
105	Mysuru	Good	38	PM ₁₀	1
106	Nagpur	Good	20	со	1
107	Navi Mumbai	Satisfactory	63	CO, PM ₁₀	2
108	Noida	Satisfactory	77	CO, PM ₁₀	3

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	63	PM ₁₀	1
110	Palwal	Satisfactory	58	PM ₁₀	1
111	Panchkula	Good	34	SO ₂	1
112	Panipat	Good	36	PM _{2.5}	1
113	Patiala	Good	32	PM ₁₀	1
114	Patna	Satisfactory	93	PM ₁₀ , NO ₂	4
115	Pithampur	Good	45	PM ₁₀	1
116	Prayagraj	Satisfactory	86	PM ₁₀ , SO ₂	2
117	Puducherry	Good	43	PM ₁₀	1
118	Pune	Satisfactory	63	со	1
119	Purnia	Satisfactory	66	PM ₁₀	1
120	Rajamahendravaram	Good	47	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Good	37	PM ₁₀	1
122	Ratlam	Good	18	PM ₁₀	1
123	Rohtak	Good	50	NO ₂	1
124	Rupnagar	Good	34	PM ₁₀	1
125	Samastipur	Moderate	116	PM ₁₀	1
126	Satna	Satisfactory	54	PM ₁₀	1
127	Shillong	Good	32	O ₃	1
128	Singrauli	Satisfactory	88	NO ₂	1
129	Sirsa	Good	45	O ₃	1
130	Siwan	Satisfactory	59	PM ₁₀	1
131	Solapur	Satisfactory	59	PM ₁₀	1
132	Sonipat	Satisfactory	76	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Satisfactory	54	PM ₁₀	1
134	Thiruvananthapuram	Satisfactory	60	PM _{2.5} , CO	2
135	Thoothukudi	Good	29	PM ₁₀	1
136	Tirupati	Good	45	PM ₁₀	1
137	Udaipur	Satisfactory	52	PM ₁₀	1
138	Ujjain	Satisfactory	70	PM ₁₀	1
139	Varanasi	Satisfactory	57	O ₃ , PM ₁₀	3
140	Vijayapura	Good	49	PM ₁₀	1
141	Visakhapatnam	Satisfactory	100	PM ₁₀	1
142	Vrindavan	Good	41	SO ₂	1
143	Yamunanagar	Moderate	102	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.