

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	68	PM _{2.5}	2
2	Agra	Good	34	PM ₁₀	6
3	Ahmedabad	Satisfactory	80	PM ₁₀	8
4	Aizawl	Good	30	PM ₁₀	1
5	Ajmer	Satisfactory	78	03	1
6	Alwar	Satisfactory	64	NO ₂	1
7	Amaravati	Satisfactory	58	со	1
8	Ambala	Good	41	03	1
9	Amritsar	Satisfactory	82	PM _{2.5}	1
10	Anantapur	Good	45	PM ₁₀	1
11	Ankleshwar	Satisfactory	67	PM ₁₀	1
12	Araria	Satisfactory	87	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	62	NO ₂	1
14	Arrah	Moderate	116	NO ₂	1
15	Aurangabad (Maharashtra)	Satisfactory	67	PM ₁₀	1
16	Baddi	Satisfactory	74	O ₃	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Satisfactory	79	СО	1
19	Bahadurgarh	Satisfactory	55	PM _{2.5}	1
20	Ballabgarh	Good	35	PM ₁₀	1
21	Banswara	Moderate	117	PM ₁₀	1
22	Baripada	Satisfactory	51	O ₃	1
23	Barmer	Satisfactory	93	O ₃	1
24	Bathinda	Good	42	СО	1

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad nar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	60	PM ₁₀	1
26	Bengaluru	Satisfactory	73	PM ₁₀	10
27	Bharatpur	Satisfactory	67	O ₃	1
28	Bhilai	Good	36	PM ₁₀ , CO	3
29	Bhiwadi	Satisfactory	79	PM ₁₀	1
30	Bhiwani	Moderate	195	PM ₁₀	1
31	Bhopal	Satisfactory	79	O ₃	3
32	Bidar	Moderate	105	со	1
33	Bihar Sharif	Satisfactory	82	PM ₁₀	1
34	Bikaner	Moderate	111	PM ₁₀	1
35	Bileipada	Good	50	O ₃	1
36	Brajrajnagar	Satisfactory	95	со	1

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad nar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Satisfactory	62	03	1
38	Chamarajanagar	Good	46	PM ₁₀	1
39	Chandigarh	Satisfactory	60	O ₃ , PM ₁₀	3
40	Chandrapur	Moderate	105	PM ₁₀	1
41	Charkhi Dadri	Satisfactory	78	PM _{2.5}	1
42	Chennai	Satisfactory	65	NO ₂ , O ₃	7
43	Chikkaballapur	Satisfactory	68	PM _{2.5}	1
44	Chikkamagaluru	Good	37	PM ₁₀	1
45	Chittorgarh	Satisfactory	81	03	1
46	Churu	Satisfactory	80	PM ₁₀	1
47	Coimbatore	Moderate	101	со	1
48	Cuddalore	Good	29	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	26	СО	1
50	Dausa	Satisfactory	86	СО	1
51	Davanagere	Good	50	PM ₁₀	1
52	Delhi	Moderate	106	03	38
53	Dewas	Moderate	104	PM ₁₀	1
54	Dharwad	Satisfactory	80	PM ₁₀	1
55	Dholpur	Good	46	PM ₁₀	1
56	Durgapur	Moderate	161	PM ₁₀	1
57	Eloor	Satisfactory	94	PM ₁₀	1
58	Faridabad	Satisfactory	61	PM ₁₀ , PM _{2.5}	4
59	Firozabad	Good	39	O ₃ , PM ₁₀	2
60	Gandhinagar	Satisfactory	83	PM _{2.5} , PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	32	O ₃	1
62	Gaya	Moderate	124	O ₃ , CO	3
63	Ghaziabad	Satisfactory	99	O ₃ , CO	4
64	Gorakhpur	Satisfactory	72	PM _{2.5}	1
65	Greater Noida	Moderate	134	NO ₂	1
66	Gummidipoondi	Satisfactory	87	PM ₁₀	1
67	Gurugram	Satisfactory	71	PM ₁₀ , O ₃	4
68	Guwahati	Moderate	150	PM ₁₀ , PM _{2.5}	4
69	Gwalior	Moderate	112	O ₃	3
70	Hajipur	Satisfactory	81	PM _{2.5}	1
71	Haldia	Good	39	PM ₁₀	1
72	Hanumangarh	Satisfactory	88	PM _{2.5}	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	82	PM ₁₀	1
74	Haveri	Good	50	PM ₁₀	1
75	Hosur	Moderate	121	СО	1
76	Howrah	Satisfactory	58	PM ₁₀ , NO ₂	3
77	Hubballi	Satisfactory	62	PM ₁₀	2
78	Hyderabad	Satisfactory	90	PM ₁₀	14
79	Imphal	Moderate	111	PM ₁₀	1
80	Indore	Satisfactory	93	PM ₁₀	2
81	Jabalpur	Satisfactory	76	PM ₁₀	1
82	Jaipur	Satisfactory	56	O ₃	5
83	Jalandhar	Satisfactory	51	PM ₁₀	1
84	Jhalawar	Satisfactory	67	O ₃	1

Notes:

(Bihar), Barcilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Buxal

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Byrnihat, Chengalpattu, Chhal, Chhapra, Chittoor, Darbhanga, Dehradun, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatehabad, Gadag, Hapur, Hisar, Karauli, Kashipur, Kishanganj, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Narnaul, Purnia, Raichur, Rairangpur, Rajgir, Sasaram, Sonipat, Srinagar, Talcher, Tensa, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Yadgir, vellore as data was not available.

 * AQI is not calculated for today's bulletin for Asansol, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhansi	Satisfactory	59	SO ₂	1
86	Jhunjhunu	Moderate	135	03	1
87	Jind	Satisfactory	94	со	1
88	Jodhpur	Satisfactory	84	03	2
89	Jorapokhar	Moderate	108	со	1
90	Kadapa	Moderate	126	PM _{2.5}	1
91	Kaithal	Satisfactory	52	PM ₁₀	1
92	Kalaburgi	Satisfactory	84	PM _{2.5} , PM ₁₀	2
93	Kalyan	Moderate	108	PM ₁₀	1
94	Kanchipuram	Good	44	PM ₁₀	1
95	Kannur	Satisfactory	79	PM ₁₀	1
96	Kanpur	Satisfactory	78	NO ₂	3

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad nar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Good	25	PM ₁₀	1
98	Katihar	Moderate	101	PM _{2.5}	1
99	Katni	Satisfactory	84	PM ₁₀	1
100	Keonjhar	Good	45	PM ₁₀	1
101	Khanna	Satisfactory	67	PM ₁₀	1
102	Khurja	Satisfactory	64	SO ₂	1
103	Kochi	Satisfactory	69	PM ₁₀	1
104	Kohima	Satisfactory	87	PM ₁₀	1
105	Kolar	Satisfactory	57	PM ₁₀	1
106	Kolkata	Satisfactory	52	PM ₁₀ , O ₃	7
107	Koppal	Moderate	124	O ₃	1
108	Korba	Satisfactory	64	NO ₂ , PM ₁₀	2

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kota	Satisfactory	63	O ₃ , PM ₁₀	3
110	Kurukshetra	Satisfactory	59	PM ₁₀	1
111	Lucknow	Satisfactory	58	O ₃ , PM _{2.5}	6
112	Ludhiana	Moderate	115	PM ₁₀	1
113	Madikeri	Good	31	03	1
114	Maihar	Good	40	со	1
115	Mandi Gobindgarh	Good	42	NO ₂	1
116	Mandideep	Satisfactory	83	PM ₁₀	1
117	Mandikhera	Good	29	PM ₁₀	1
118	Manesar	Satisfactory	62	PM ₁₀	1
119	Mangalore	Satisfactory	69	PM ₁₀	1
120	Meerut	Satisfactory	56	O ₃ , PM _{2.5}	3

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Milupara	Good	29	O ₃	1
122	Moradabad	Satisfactory	58	CO, SO ₂	5
123	Motihari	Satisfactory	90	NO ₂	1
124	Mumbai	Moderate	108	PM _{2.5} , PM ₁₀	18
125	Munger	Moderate	142	PM ₁₀	1
126	Muzaffarnagar	Satisfactory	75	O ₃	1
127	Muzaffarpur	Moderate	115	PM ₁₀ , PM _{2.5}	3
128	Mysuru	Satisfactory	55	PM ₁₀	1
129	Nagpur	Satisfactory	74	O ₃	1
130	Naharlagun	Good	29	PM ₁₀	1
131	Nalbari	Moderate	118	PM ₁₀	1
132	Nandesari	Good	41	СО	1

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad nar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nashik	Satisfactory	70	PM ₁₀	1
134	Navi Mumbai	Moderate	132	PM _{2.5} , PM ₁₀	3
135	Nayagarh	Good	42	PM ₁₀	1
136	Noida	Satisfactory	98	NO ₂ , CO	4
137	Ooty	Satisfactory	96	PM ₁₀	1
138	Pali	Satisfactory	61	03	1
139	Palkalaiperur	Satisfactory	51	SO ₂	1
140	Palwal	Good	36	PM ₁₀	1
141	Panchkula	Good	44	СО	1
142	Panipat	Good	37	PM ₁₀	1
143	Patiala	Good	44	O ₃	1
144	Patna	Moderate	113	PM _{2.5} , NO ₂	6

Notes:

nar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Byrnihat, Chengalpattu, Chhal, Chhapra, Chittoor, Darbhanga, Dehradun, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatehabad, Gadag, Hapur, Hisar, Karauli, Kashipur, Kishanganj, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Narnaul, Purnia, Raichur, Rairangpur, Rajgir, Sasaram, Sonipat, Srinagar, Talcher, Tensa, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Yadgir, vellore as data was not available.

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pithampur	Moderate	116	PM ₁₀	1
146	Pratapgarh	Satisfactory	68	PM ₁₀	1
147	Prayagraj	Satisfactory	58	O ₃ , PM ₁₀	3
148	Puducherry	Good	36	PM ₁₀	1
149	Pune	Satisfactory	90	NO ₂ , CO	3
150	Raipur	Satisfactory	54	NO ₂	4
151	Rajamahendravaram	Good	33	PM ₁₀	1
152	Rajsamand	Satisfactory	53	O ₃	1
153	Ramanagara	Satisfactory	67	PM ₁₀	1
154	Ramanathapuram	Good	50	PM ₁₀	1
155	Ratlam	Satisfactory	83	PM ₁₀	1
156	Rishikesh	Good	24	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rohtak	Satisfactory	67	PM _{2.5}	1
158	Rourkela	Satisfactory	73	PM ₁₀	3
159	Rupnagar	Satisfactory	68	PM ₁₀	1
160	Sagar	Good	34	PM _{2.5}	1
161	Saharsa	Moderate	104	PM _{2.5}	1
162	Salem	Satisfactory	83	SO ₂	1
163	Samastipur	Moderate	124	PM ₁₀	1
164	Satna	Satisfactory	99	PM ₁₀	1
165	Sawai Madhopur	Satisfactory	69	03	1
166	Shillong	Satisfactory	82	PM _{2.5}	1
167	Shivamogga	Satisfactory	51	03	1
168	Sikar	Satisfactory	73	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Silchar	Good	32	СО	1
170	Siliguri	Satisfactory	54	PM ₁₀	1
171	Singrauli	Satisfactory	79	со	1
172	Sirohi	Moderate	128	03	1
173	Sirsa	Satisfactory	67	03	1
174	Sivasagar	Satisfactory	66	PM ₁₀	1
175	Siwan	Moderate	148	PM _{2.5}	1
176	Solapur	Moderate	109	PM ₁₀	1
177	Sri Ganganagar	Moderate	101	PM ₁₀	1
178	Suakati	Good	48	O ₃	1
179	Surat	Satisfactory	81	со	1
180	Thiruvananthapuram	Satisfactory	52	PM ₁₀	2

Notes: Dhar

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thoothukudi	Moderate	102	PM ₁₀	1
182	Thrissur	Satisfactory	77	PM _{2.5}	1
183	Tirupati	Satisfactory	68	PM _{2.5}	2
184	Tonk	Satisfactory	58	O ₃	1
185	Udaipur	Satisfactory	57	03	1
186	Ujjain	Moderate	102	PM ₁₀	1
187	Vapi	Moderate	105	PM _{2.5}	1
188	Varanasi	Good	35	SO ₂ , CO	3
189	Vatva	Moderate	113	PM ₁₀	1
190	Vijayapura	Good	42	PM ₁₀	1
191	Vijayawada	Moderate	107	PM _{2.5}	1
192	Visakhapatnam	Satisfactory	55	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vrindavan	Satisfactory	67	PM ₁₀	1
194	Yamunanagar	Satisfactory	88	PM ₁₀	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Bareilly, Begusarai, Bettiah, Bhagalpur, Bilaspur, Bux

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Byrnihat, Chengalpattu, Chhal, Chhapra, Chittoor, Darbhanga, Dehradun, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatehabad, Gadag, Hapur, Hisar, Karauli, Kashipur, Kishanganj, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Narnaul, Purnia, Raichur, Rairangpur, Rajgir, Sasaram, Sonipat, Srinagar, Talcher, Tensa, Thane, Tirupur, Tumakuru, Tumidih, Udupi, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.