

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	186	PM _{2.5}	2
2	Agra	Satisfactory	87	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	98	PM _{2.5}	1
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Moderate	109	PM ₁₀	1
6	Alwar	Moderate	178	PM _{2.5}	1
7	Amaravati	Poor	237	PM _{2.5}	1
8	Ambala	Moderate	114	PM _{2.5}	1
9	Amritsar	Poor	258	PM _{2.5}	1
10	Anantapur	Satisfactory	88	03	1
11	Araria	Poor	255	PM _{2.5}	1
12	Ariyalur	Satisfactory	87	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	301	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	329	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Poor	246	PM _{2.5}	1
16	Baddi	Very Poor	317	PM _{2.5}	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Very Poor	341	PM _{2.5}	1
19	Bahadurgarh	Poor	271	PM _{2.5}	1
20	Bareilly	Moderate	106	PM _{2.5} , PM ₁₀	2
21	Baripada	Poor	261	PM _{2.5}	1
22	Bathinda	Satisfactory	97	PM _{2.5}	1
23	Begusarai	Very Poor	377	PM _{2.5}	1
24	Belgaum	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	104	O ₃ , CO	9
26	Bhagalpur	Very Poor	356	PM _{2.5}	2
27	Bhilai	Moderate	103	PM _{2.5}	2
28	Bhiwadi	Poor	287	PM _{2.5}	1
29	Bhiwani	Moderate	148	PM ₁₀	1
30	Bhopal	Moderate	152	PM _{2.5}	2
31	Bidar	Satisfactory	100	СО	1
32	Bihar Sharif	Very Poor	332	PM _{2.5}	1
33	Bileipada	Poor	284	PM _{2.5}	1
34	Brajrajnagar	Satisfactory	85	PM ₁₀	1
35	Bulandshahr	Poor	273	PM _{2.5}	1
36	Chamarajanagar	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Poor	284	PM _{2.5}	2
38	Chandrapur	Very Poor	339	PM _{2.5}	2
39	Charkhi Dadri	Moderate	192	PM _{2.5}	1
40	Chennai	Satisfactory	95	PM _{2.5} , PM ₁₀	8
41	Chhapra	Very Poor	355	PM _{2.5}	1
42	Chikkaballapur	Moderate	111	PM ₁₀	1
43	Chikkamagaluru	Satisfactory	58	PM ₁₀	1
44	Chittoor	Satisfactory	51	03	1
45	Coimbatore	Moderate	117	PM _{2.5}	1
46	Damoh	Good	46	PM _{2.5}	1
47	Darbhanga	Very Poor	354	PM _{2.5}	1
48	Davanagere	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	400	PM _{2.5}	38
50	Dewas	Moderate	124	PM _{2.5}	1
51	Dharuhera	Very Poor	347	PM _{2.5}	1
52	Durgapur	Poor	207	PM _{2.5}	1
53	Eloor	Satisfactory	68	PM ₁₀	1
54	Faridabad	Very Poor	400	PM ₁₀ , PM _{2.5}	4
55	Firozabad	Satisfactory	93	PM ₁₀	2
56	Gadag	Satisfactory	53	03	1
57	Gandhinagar	Satisfactory	84	PM ₁₀	1
58	Gangtok	Good	29	PM ₁₀	1
59	Gaya	Poor	279	PM _{2.5}	3
60	Ghaziabad	Severe	406	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	112	PM ₁₀	1
62	Greater Noida	Severe	434	PM ₁₀ , PM _{2.5}	2
63	Gummidipoondi	Poor	257	PM _{2.5}	1
64	Gurugram	Very Poor	354	PM _{2.5}	4
65	Guwahati	Poor	219	PM _{2.5}	4
66	Gwalior	Very Poor	342	PM _{2.5}	3
67	Hajipur	Moderate	177	PM ₁₀	1
68	Haldia	Moderate	146	PM ₁₀	1
69	Hapur	Very Poor	319	PM ₁₀	1
70	Hassan	Satisfactory	63	PM ₁₀	1
71	Haveri	Satisfactory	79	PM ₁₀	1
72	Hisar	Poor	297	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	248	PM _{2.5}	3
74	Hubballi	Satisfactory	87	PM ₁₀	2
75	Hyderabad	Moderate	134	PM _{2.5} , PM ₁₀	13
76	Imphal	Moderate	130	PM _{2.5} , SO ₂	2
77	Indore	Moderate	120	PM ₁₀	1
78	Jabalpur	Poor	294	PM _{2.5}	1
79	Jaipur	Moderate	178	PM _{2.5} , PM ₁₀	3
80	Jalandhar	Moderate	175	PM _{2.5}	1
81	Jhansi	Moderate	141	PM ₁₀	1
82	Jind	Poor	215	PM _{2.5}	1
83	Jodhpur	Moderate	162	PM _{2.5}	1
84	Kaithal	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Moderate	105	PM _{2.5}	1
86	Kalyan	Poor	215	PM ₁₀	1
87	Kannur	Satisfactory	74	PM _{2.5}	1
88	Kanpur	Moderate	147	PM _{2.5}	4
89	Karnal	Moderate	143	PM _{2.5}	1
90	Katni	Moderate	194	PM _{2.5}	1
91	Keonjhar	Poor	270	PM _{2.5}	1
92	Khanna	Moderate	181	PM _{2.5}	1
93	Khurja	Poor	256	PM _{2.5}	1
94	Kishanganj	Poor	248	PM _{2.5}	1
95	Kochi	Moderate	132	PM _{2.5}	1
96	Kohima	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	247	PM _{2.5}	6
98	Kollam	Moderate	113	PM ₁₀	1
99	Koppal	Satisfactory	84	СО	1
100	Korba	Satisfactory	77	PM ₁₀	2
101	Kota	Very Poor	356	PM _{2.5}	1
102	Kozhikode	Satisfactory	75	PM _{2.5}	1
103	Kurukshetra	Poor	206	PM _{2.5}	1
104	Lucknow	Poor	230	PM _{2.5}	6
105	Ludhiana	Very Poor	301	PM _{2.5}	1
106	Madikeri	Good	40	O ₃	1
107	Maihar	Satisfactory	70	PM ₁₀	1
108	Mandideep	Satisfactory	92	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Moderate	125	PM ₁₀	1
110	Manesar	Very Poor	338	PM _{2.5}	1
111	Mangalore	Satisfactory	97	PM ₁₀	1
112	Manguraha	Moderate	170	PM _{2.5}	1
113	Meerut	Very Poor	349	PM _{2.5}	3
114	Moradabad	Moderate	105	PM _{2.5}	6
115	Motihari	Moderate	156	PM ₁₀	1
116	Mumbai	Poor	255	PM _{2.5} , PM ₁₀	16
117	Munger	Very Poor	332	PM _{2.5}	1
118	Muzaffarnagar	Poor	299	PM _{2.5}	1
119	Muzaffarpur	Very Poor	310	PM _{2.5}	3
120	Mysuru	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Very Poor	311	PM _{2.5}	1
122	Naharlagun	Good	38	PM _{2.5}	1
123	Nalbari	Poor	265	PM _{2.5}	1
124	Narnaul	Moderate	159	PM _{2.5}	1
125	Nashik	Moderate	174	PM _{2.5}	1
126	Navi Mumbai	Very Poor	306	PM _{2.5}	3
127	Nayagarh	Poor	253	PM _{2.5}	1
128	Noida	Very Poor	398	PM _{2.5}	4
129	Ooty	Good	48	PM _{2.5}	1
130	Pali	Moderate	103	PM ₁₀	1
131	Palwal	Satisfactory	100	PM ₁₀	1
132	Panchkula	Poor	208	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Poor	211	PM ₁₀	1
134	Patiala	Moderate	154	PM _{2.5}	1
135	Patna	Very Poor	329	PM ₁₀ , PM _{2.5}	6
136	Pithampur	Moderate	146	PM _{2.5}	1
137	Prayagraj	Moderate	131	PM ₁₀	3
138	Puducherry	Satisfactory	91	PM _{2.5}	1
139	Purnia	Very Poor	325	PM _{2.5}	1
140	Raichur	Satisfactory	99	PM ₁₀	1
141	Raipur	Moderate	101	NO ₂ , PM _{2.5}	4
142	Rairangpur	Poor	272	PM _{2.5}	1
143	Rajamahendravaram	Poor	287	PM _{2.5}	1
144	Rajgir	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Satisfactory	76	PM _{2.5}	1
146	Ramanathapuram	Satisfactory	71	PM ₁₀	1
147	Ratlam	Satisfactory	96	PM ₁₀	1
148	Rohtak	Moderate	178	PM _{2.5}	1
149	Rourkela	Poor	242	PM _{2.5}	1
150	Rupnagar	Poor	233	PM ₁₀	1
151	Sagar	Satisfactory	88	PM _{2.5} , CO	2
152	Salem	Satisfactory	79	PM _{2.5}	1
153	Samastipur	Very Poor	323	PM _{2.5}	1
154	Sasaram	Very Poor	317	PM _{2.5}	1
155	Satna	Good	50	PM ₁₀	1
156	Shillong	Good	34	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Good	44	PM ₁₀	1
158	Siliguri	Moderate	191	PM _{2.5}	1
159	Singrauli	Poor	282	PM _{2.5}	1
160	Sirsa	Moderate	155	PM _{2.5}	1
161	Sivasagar	Good	48	PM _{2.5}	1
162	Siwan	Very Poor	356	PM _{2.5}	1
163	Sonipat	Moderate	134	PM _{2.5}	1
164	Suakati	Poor	225	PM _{2.5}	1
165	Surat	Very Poor	334	PM _{2.5}	1
166	Talcher	Moderate	182	PM _{2.5}	1
167	Tensa	Poor	250	PM _{2.5}	1
168	Thane	Moderate	189	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thiruvananthapuram	Moderate	102	PM _{2.5}	2
170	Thoothukudi	Moderate	142	03	1
171	Tirupati	Satisfactory	82	PM _{2.5}	2
172	Tirupur	Satisfactory	69	PM ₁₀	1
173	Udaipur	Moderate	132	PM _{2.5}	1
174	Udupi	Moderate	107	СО	1
175	Ujjain	Moderate	155	PM _{2.5}	1
176	Vapi	Very Poor	345	PM _{2.5}	1
177	Varanasi	Satisfactory	80	PM _{2.5} , PM ₁₀	4
178	Vatva	Moderate	108	PM ₁₀	1
179	Vijayapura	Satisfactory	53	PM ₁₀	1
180	Visakhapatnam	Very Poor	310	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yadgir	Satisfactory	92	PM _{2.5}	1
182	Yamunanagar	Moderate	168	PM _{2.5}	1
183	vellore	Moderate	103	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Arrah,
 Ballabgarh, Bettiah, Bilaspur, Buxar, Byrnihat, Chengalpattu, Dehradun,
 Dharwad, Dindigul, Ernakulam, Fatehabad, Hosur, Jorapokhar, Kanchipuram,
 Katihar, Kolar, Mandi Gobindgarh, Nandesari, Pune, Saharsa, Solapur,
 Srinagar, Thrissur, Tumakuru, Vrindavan as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.