

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	235	PM _{2.5}	1
2	Agra	Moderate	116	PM _{2.5}	1
3	Ahmedabad	Poor	203	PM ₁₀	1
4	Aizawl	Satisfactory	90	PM ₁₀	1
5	Ajmer	Moderate	136	PM _{2.5}	1
6	Alwar	Moderate	122	PM ₁₀	1
7	Amaravati	Satisfactory	96	PM ₁₀	1
8	Ambala	Satisfactory	74	PM ₁₀	1
9	Amritsar	Satisfactory	52	PM ₁₀	1
10	Ankleshwar	Moderate	177	03	1
11	Asansol	Moderate	182	PM _{2.5}	1
12	Bagalkot	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	263	PM ₁₀	1
14	Bahadurgarh	Moderate	183	PM ₁₀	1
15	Ballabgarh	Poor	208	PM ₁₀	1
16	Bathinda	Poor	213	PM ₁₀	1
17	Bengaluru	Satisfactory	93	PM _{2.5} , PM ₁₀	9
18	Bhiwadi	Poor	261	PM ₁₀	1
19	Bhopal	Moderate	187	O ₃	1
20	Brajrajnagar	Satisfactory	70	СО	1
21	Bulandshahr	Poor	246	PM ₁₀	1
22	Chandigarh	Satisfactory	82	PM ₁₀	1
23	Chandrapur	Moderate	110	PM ₁₀	1
24	Charkhi Dadri	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	93	PM ₁₀ , PM _{2.5}	6
26	Chikkaballapur	Satisfactory	92	PM ₁₀	1
27	Chikkamagaluru	Satisfactory	95	PM _{2.5}	1
28	Damoh	Satisfactory	51	PM _{2.5}	1
29	Davanagere	Moderate	118	PM ₁₀	1
30	Delhi	Poor	244	PM ₁₀	29
31	Dewas	Moderate	105	PM ₁₀	1
32	Dharuhera	Poor	256	PM ₁₀	1
33	Durgapur	Poor	283	PM _{2.5}	1
34	Eloor	Satisfactory	58	PM ₁₀	1
35	Faridabad	Poor	286	PM _{2.5} , PM ₁₀	3
36	Gandhinagar	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	100	O ₃	1
38	Ghaziabad	Poor	298	PM ₁₀	4
39	Greater Noida	Very Poor	338	PM ₁₀	1
40	Gurugram	Poor	226	PM _{2.5} , PM ₁₀	3
41	Guwahati	Poor	268	PM ₁₀ , PM _{2.5}	2
42	Gwalior	Satisfactory	89	03	1
43	Hajipur	Poor	289	PM ₁₀	1
44	Haldia	Moderate	142	PM ₁₀	1
45	Hapur	Poor	218	PM ₁₀	1
46	Hisar	Moderate	139	PM ₁₀	1
47	Howrah	Poor	249	PM _{2.5}	3
48	Hubballi	Moderate	154	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	141	PM ₁₀ , PM _{2.5}	6
50	Indore	Moderate	141	PM ₁₀	1
51	Jabalpur	Moderate	104	PM ₁₀	1
52	Jaipur	Moderate	129	PM ₁₀	3
53	Jalandhar	Satisfactory	51	PM _{2.5}	1
54	Jind	Satisfactory	94	PM ₁₀	1
55	Jodhpur	Very Poor	334	PM _{2.5}	1
56	Kaithal	Satisfactory	86	PM ₁₀	1
57	Kalaburgi	Moderate	101	PM _{2.5}	1
58	Kalyan	Poor	218	PM _{2.5}	1
59	Kannur	Moderate	134	PM ₁₀	1
60	Kanpur	Satisfactory	66	NO ₂ , PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	93	PM ₁₀	1
62	Katni	Moderate	150	PM ₁₀	1
63	Khanna	Good	50	PM ₁₀	1
64	Kohima	Moderate	186	PM ₁₀	1
65	Kolar	Satisfactory	57	со	1
66	Kolkata	Poor	222	PM _{2.5} , PM ₁₀	7
67	Kota	Moderate	131	PM _{2.5}	1
68	Kozhikode	Satisfactory	72	PM ₁₀	1
69	Kurukshetra	Satisfactory	96	PM ₁₀	1
70	Lucknow	Moderate	180	PM _{2.5} , PM ₁₀	4
71	Mandi Gobindgarh	Satisfactory	98	PM ₁₀	1
72	Mandideep	Good	50	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Moderate	114	PM ₁₀	1
74	Manesar	Poor	241	PM _{2.5}	1
75	Manglore	Good	38	PM _{2.5}	1
76	Medikeri	Satisfactory	74	PM ₁₀	1
77	Meerut	Poor	231	PM ₁₀	2
78	Moradabad	Poor	217	PM ₁₀	1
79	Mumbai	Moderate	160	PM _{2.5} , O ₃ , PM ₁₀	16
80	Muzaffarnagar	Moderate	193	PM ₁₀	1
81	Muzaffarpur	Poor	275	PM _{2.5}	1
82	Mysuru	Satisfactory	91	PM ₁₀	1
83	Nandesari	Good	50	со	1
84	Narnaul	Poor	220	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	98	PM _{2.5}	1
86	Navi Mumbai	Moderate	178	PM _{2.5} , PM ₁₀	3
87	Noida	Poor	279	PM ₁₀	3
88	Pali	Poor	285	PM _{2.5}	1
89	Palwal	Moderate	153	PM ₁₀	1
90	Panchkula	Satisfactory	66	со	1
91	Panipat	Moderate	152	PM ₁₀	1
92	Patiala	Satisfactory	70	PM ₁₀	1
93	Patna	Poor	283	PM ₁₀ , PM _{2.5}	4
94	Pithampur	Moderate	120	03	1
95	Puducherry	Satisfactory	74	PM ₁₀	1
96	Pune	Moderate	103	PM _{2.5} , PM ₁₀	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Moderate	134	PM ₁₀	1
98	Rajamahendravaram	Moderate	138	PM ₁₀	1
99	Ramanagara	Satisfactory	85	03	1
100	Ratlam	Moderate	131	PM ₁₀	1
101	Rupnagar	Satisfactory	85	PM ₁₀	1
102	Sagar	Good	49	PM _{2.5}	1
103	Satna	Satisfactory	77	PM ₁₀	1
104	Shillong	Satisfactory	71	O ₃	1
105	Siliguri	Very Poor	339	PM _{2.5}	1
106	Singrauli	Poor	206	PM _{2.5}	1
107	Sirsa	Satisfactory	99	PM ₁₀	1
108	Sonipat	Poor	300	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Satisfactory	96	PM _{2.5}	1
110	Thane	Moderate	139	PM ₁₀	1
111	Thiruvananthapuram	Satisfactory	81	PM ₁₀	2
112	Thoothukudi	Satisfactory	68	PM ₁₀	1
113	Thrissur	Satisfactory	80	PM ₁₀	1
114	Tirupati	Satisfactory	98	PM ₁₀	1
115	Udaipur	Moderate	129	PM ₁₀	1
116	Udupi	Moderate	132	O ₃	1
117	Ujjain	Moderate	160	PM ₁₀	1
118	Vapi	Moderate	133	PM ₁₀	1
119	Varanasi	Poor	226	PM ₁₀	1
120	Vatva	Poor	281	PM _{2.5}	1

Possible Health Impacts

Moderate

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	61	PM ₁₀	1
122	Visakhapatnam	Moderate	174	PM ₁₀	1
123	Yadgir	Moderate	108	O ₃	1
124	Yamunanagar	Moderate	142	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kollam, Koppal, Ludhiana, Maihar, Nagpur, Rohtak, Shivamogga, Solapur, Srinagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.