

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	21	SO ₂	1
2	Agra	Satisfactory	53	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Satisfactory	80	PM ₁₀ , CO	7
4	Aizawl	Good	9	SO ₂	1
5	Ajmer	Satisfactory	88	PM ₁₀	1
6	Alwar	Satisfactory	58	PM ₁₀	1
7	Amaravati	Good	45	PM ₁₀	1
8	Ambala	Good	43	03	1
9	Ankleshwar	Moderate	103	PM ₁₀	1
10	Asansol	Good	43	PM ₁₀	1
11	Aurangabad	Satisfactory	60	PM ₁₀	1
12	Bagalkot	Good	30	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Good	44	PM ₁₀	1
14	Bahadurgarh	Good	49	PM ₁₀	1
15	Ballabgarh	Satisfactory	86	со	1
16	Bathinda	Satisfactory	78	PM ₁₀	1
17	Bengaluru	Satisfactory	80	PM _{2.5} , PM ₁₀	9
18	Bhiwadi	Moderate	125	PM _{2.5}	1
19	Bhiwani	Satisfactory	64	PM ₁₀	1
20	Bhopal	Satisfactory	94	PM ₁₀	1
21	Bulandshahr	Good	39	03	1
22	Chamarajanagar	Good	38	PM ₁₀	1
23	Chandigarh	Good	30	PM ₁₀	1
24	Chandrapur	Moderate	150	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	123	PM _{2.5}	1
26	Chennai	Satisfactory	81	PM ₁₀ , PM _{2.5} , CO	7
27	Chikkamagaluru	Good	48	PM _{2.5}	1
28	Damoh	Good	37	PM _{2.5}	1
29	Davanagere	Good	42	PM ₁₀	1
30	Delhi	Satisfactory	62	PM ₁₀ , O ₃ , CO	33
31	Dewas	Satisfactory	79	PM ₁₀	1
32	Dharuhera	Satisfactory	80	PM ₁₀	1
33	Durgapur	Moderate	113	PM ₁₀	1
34	Eloor	Satisfactory	75	со	1
35	Ernakulam	Good	48	PM ₁₀	1
36	Faridabad	Satisfactory	69	O ₃ , PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	180	O ₃	1
38	Gandhinagar	Satisfactory	57	PM ₁₀ , PM _{2.5}	3
39	Gaya	Satisfactory	51	CO, SO ₂	2
40	Ghaziabad	Good	46	O ₃ , PM ₁₀ , CO	4
41	Greater Noida	Good	33	PM ₁₀ , CO	2
42	Gummidipoondi	Moderate	140	PM ₁₀	1
43	Gurugram	Satisfactory	67	PM ₁₀ , O ₃	4
44	Guwahati	Good	34	SO ₂	1
45	Gwalior	Satisfactory	87	03	1
46	Haldia	Satisfactory	76	PM ₁₀	1
47	Hapur	Good	26	NO ₂	1
48	Hassan	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Satisfactory	72	PM ₁₀	1
50	Howrah	Satisfactory	53	PM ₁₀ , PM _{2.5}	3
51	Hubballi	Good	35	PM ₁₀	1
52	Hyderabad	Satisfactory	51	NO ₂ , PM ₁₀ , PM _{2.5}	4
53	Indore	Satisfactory	85	PM ₁₀	1
54	Jabalpur	Satisfactory	94	PM ₁₀	1
55	Jaipur	Satisfactory	82	PM ₁₀ , PM _{2.5}	3
56	Jalandhar	Satisfactory	51	PM ₁₀	1
57	Jind	Good	43	PM ₁₀	1
58	Jodhpur	Satisfactory	98	PM ₁₀	1
59	Kaithal	Satisfactory	57	PM ₁₀	1
60	Kalaburgi	Good	48	PM ₁₀	1

Possible Health Impacts

Moderate

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	80	PM ₁₀	1
62	Kanpur	Good	43	PM _{2.5}	2
63	Karnal	Satisfactory	54	PM ₁₀	1
64	Katni	Moderate	109	PM ₁₀	1
65	Khanna	Good	47	PM ₁₀	1
66	Kochi	Good	38	PM ₁₀	1
67	Kohima	Good	30	SO ₂	1
68	Kolkata	Satisfactory	57	PM ₁₀ , PM _{2.5}	7
69	Kollam	Satisfactory	100	со	1
70	Koppal	Satisfactory	61	со	1
71	Kota	Satisfactory	55	03	1
72	Kozhikode	Good	41	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Good	45	03	1
74	Lucknow	Good	48	O ₃ , CO	5
75	Ludhiana	Satisfactory	57	PM ₁₀	1
76	Mandi Gobindgarh	Good	22	03	1
77	Mandideep	Good	34	PM ₁₀	1
78	Mandikhera	Good	49	03	1
79	Manesar	Satisfactory	71	PM _{2.5}	1
80	Medikeri	Good	36	PM ₁₀	1
81	Meerut	Good	30	NO ₂ , SO ₂ , PM ₁₀	3
82	Moradabad	Satisfactory	73	PM _{2.5}	1
83	Mumbai	Satisfactory	96	PM ₁₀ , PM _{2.5}	15
84	Muzaffarnagar	Satisfactory	69	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	88	со	1
86	Mysuru	Satisfactory	61	O ₃	1
87	Nagpur	Satisfactory	66	PM ₁₀	1
88	Naharlagun	Good	40	PM ₁₀	1
89	Narnaul	Moderate	116	PM ₁₀	1
90	Nashik	Satisfactory	66	PM ₁₀	1
91	Navi Mumbai	Moderate	170	PM ₁₀	2
92	Noida	Satisfactory	52	CO, O ₃ , PM ₁₀	4
93	Pali	Satisfactory	74	PM ₁₀	1
94	Palwal	Satisfactory	63	PM ₁₀	1
95	Panchkula	Good	39	со	1
96	Panipat	Good	50	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Good	34	PM ₁₀	1
98	Patna	Satisfactory	60	CO, PM ₁₀ , O ₃	4
99	Pithampur	Good	50	O ₃	1
100	Prayagraj	Good	40	PM ₁₀	2
101	Puducherry	Satisfactory	71	PM ₁₀	1
102	Pune	Satisfactory	63	PM _{2.5} , CO, PM ₁₀	6
103	Raichur	Good	45	PM ₁₀	1
104	Rajamahendravaram	Satisfactory	70	PM ₁₀	1
105	Ramanagara	Satisfactory	54	PM ₁₀	1
106	Ratlam	Satisfactory	56	PM ₁₀	1
107	Rohtak	Satisfactory	91	O ₃	1
108	Sagar	Good	34	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	75	PM ₁₀	1
110	Shivamogga	Good	39	PM ₁₀	1
111	Siliguri	Good	40	PM _{2.5}	1
112	Singrauli	Satisfactory	65	PM ₁₀	1
113	Sirsa	Satisfactory	71	03	1
114	Sonipat	Moderate	108	PM ₁₀	1
115	Srinagar	Satisfactory	91	PM ₁₀	1
116	Talcher	Moderate	110	со	1
117	Thane	Satisfactory	93	PM ₁₀	1
118	Thiruvananthapuram	Satisfactory	68	CO, PM ₁₀	2
119	Thoothukudi	Satisfactory	88	PM ₁₀	1
120	Thrissur	Satisfactory	75	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Satisfactory	94	PM ₁₀	1
122	Udaipur	Satisfactory	58	PM ₁₀	1
123	Udupi	Moderate	177	O ₃	1
124	Ujjain	Satisfactory	90	PM ₁₀	1
125	Vapi	Satisfactory	80	PM ₁₀	1
126	Varanasi	Good	33	PM ₁₀	1
127	Vatva	Satisfactory	94	PM _{2.5}	1
128	Vijayapura	Good	47	со	1
129	Visakhapatnam	Moderate	127	PM ₁₀	1
130	Yadgir	Good	45	PM ₁₀	1
131	Yamunanagar	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manglore, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.