

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM ₁₀	1
2	Agra	Good	44	PM ₁₀ , O ₃ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	72	PM _{2.5} , NO ₂ , CO	8
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Satisfactory	55	PM ₁₀	1
6	Alwar	Satisfactory	66	PM ₁₀	1
7	Amaravati	Good	30	03	1
8	Ambala	Satisfactory	57	PM ₁₀	1
9	Amritsar	Satisfactory	57	PM ₁₀	1
10	Asansol	Good	44	03	1
11	Bagalkot	Good	25	со	1
12	Baghpat	Good	45	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	54	NO ₂	1
14	Ballabgarh	Satisfactory	63	PM ₁₀	1
15	Bengaluru	Good	47	CO, PM ₁₀ , NO ₂	9
16	Bhiwadi	Moderate	182	03	1
17	Bhiwani	Satisfactory	75	PM _{2.5}	1
18	Bhopal	Good	47	PM ₁₀	1
19	Bidar	Good	46	SO ₂	1
20	Brajrajnagar	Good	43	со	1
21	Bulandshahr	Good	49	PM ₁₀	1
22	Chamarajanagar	Good	42	PM ₁₀	1
23	Chandigarh	Good	46	O ₃ , PM ₁₀	2
24	Chandrapur	Good	16	CO, O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	108	PM ₁₀	1
26	Chennai	Satisfactory	52	PM ₁₀ , CO	6
27	Chikkaballapur	Good	45	NO ₂	1
28	Chikkamagaluru	Good	27	03	1
29	Damoh	Good	18	NO ₂	1
30	Delhi	Satisfactory	70	PM ₁₀ , CO, O ₃	35
31	Dewas	Good	38	PM ₁₀	1
32	Dharuhera	Satisfactory	65	PM ₁₀	1
33	Durgapur	Satisfactory	56	PM ₁₀	1
34	Eloor	Satisfactory	70	со	1
35	Ernakulam	Good	36	со	1
36	Faridabad	Satisfactory	72	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	60	03	1
38	Firozabad	Good	26	PM ₁₀	1
39	Gadag	Good	19	со	1
40	Gandhinagar	Good	49	CO, PM ₁₀	3
41	Gaya	Satisfactory	68	CO, O ₃	2
42	Ghaziabad	Satisfactory	68	PM ₁₀ , CO	4
43	Gorakhpur	Good	17	со	1
44	Greater Noida	Satisfactory	66	PM ₁₀	2
45	Gummidipoondi	Satisfactory	63	PM ₁₀	1
46	Gurugram	Satisfactory	66	PM _{2.5} , PM ₁₀	3
47	Guwahati	Satisfactory	77	SO ₂	1
48	Gwalior	Good	37	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	56	со	1
50	Haldia	Good	25	со	1
51	Hapur	Good	47	со	1
52	Hassan	Good	34	SO ₂	1
53	Hisar	Moderate	105	PM ₁₀	1
54	Howrah	Good	37	со	3
55	Hubballi	Good	22	со	1
56	Hyderabad	Good	33	NO ₂ , CO	5
57	Indore	Good	37	PM ₁₀	1
58	Jabalpur	Good	36	O ₃	1
59	Jaipur	Satisfactory	52	PM ₁₀ , O ₃	2
60	Jalandhar	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Satisfactory	56	PM _{2.5}	1
62	Jodhpur	Satisfactory	91	PM ₁₀	1
63	Kaithal	Satisfactory	70	O ₃	1
64	Kalaburgi	Good	32	03	1
65	Kannur	Good	43	со	1
66	Kanpur	Good	46	NO ₂ , O ₃ , PM ₁₀	4
67	Katni	Good	34	O ₃	1
68	Khanna	Satisfactory	58	PM ₁₀	1
69	Kochi	Good	41	со	1
70	Kohima	Good	45	PM ₁₀	1
71	Kolar	Good	43	со	1
72	Kolkata	Good	36	O ₃ , CO, PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Moderate	109	PM ₁₀	1
74	Koppal	Satisfactory	55	со	1
75	Kota	Satisfactory	61	NO ₂	1
76	Kozhikode	Good	40	со	1
77	Kurukshetra	Good	49	PM _{2.5}	1
78	Lucknow	Satisfactory	55	PM ₁₀ , CO, O ₃	6
79	Ludhiana	Satisfactory	66	PM ₁₀	1
80	Mandi Gobindgarh	Good	28	СО	1
81	Mandideep	Satisfactory	72	PM ₁₀	1
82	Mandikhera	Moderate	122	PM ₁₀	1
83	Manesar	Satisfactory	81	PM ₁₀	1
84	Medikeri	Good	26	03	1

Possible Health Impacts

Minimal Impact

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	56	PM ₁₀ , O ₃	2
86	Mumbai	Good	47	PM ₁₀ , CO, NO ₂	18
87	Muzaffarnagar	Satisfactory	68	со	1
88	Muzaffarpur	Satisfactory	52	CO, PM ₁₀	2
89	Mysuru	Good	33	PM ₁₀	1
90	Naharlagun	Good	40	SO ₂	1
91	Narnaul	Good	45	NO ₂	1
92	Navi Mumbai	Good	43	CO, NO ₂	3
93	Noida	Satisfactory	71	NO ₂ , PM ₁₀	3
94	Pali	Satisfactory	74	PM _{2.5}	1
95	Palwal	Satisfactory	81	PM ₁₀	1
96	Panchkula	Satisfactory	52	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Satisfactory	62	PM ₁₀	1
98	Patiala	Good	41	PM ₁₀	1
99	Patna	Satisfactory	52	NO ₂ , CO, O ₃	5
100	Pithampur	Satisfactory	72	PM ₁₀	1
101	Prayagraj	Good	32	PM ₁₀ , CO	3
102	Puducherry	Good	48	03	1
103	Pune	Satisfactory	54	СО	4
104	Raichur	Good	37	PM ₁₀	1
105	Rajamahendravaram	Good	24	03	1
106	Ramanagara	Good	26	03	1
107	Ratlam	Satisfactory	74	PM ₁₀	1
108	Rupnagar	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	22	NO ₂	1
110	Satna	Good	41	PM ₁₀	1
111	Shillong	Good	16	SO ₂	1
112	Shivamogga	Good	42	PM ₁₀	1
113	Siliguri	Good	34	PM ₁₀	1
114	Singrauli	Good	40	PM ₁₀	1
115	Sirsa	Satisfactory	71	O ₃	1
116	Solapur	Good	41	PM ₁₀	1
117	Sonipat	Satisfactory	68	PM ₁₀	1
118	Srinagar	Moderate	116	PM ₁₀	1
119	Talcher	Good	38	СО	1
120	Thiruvananthapuram	Good	40	PM ₁₀ , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	47	PM ₁₀	1
122	Thrissur	Satisfactory	60	O ₃	1
123	Tirupati	Good	38	со	1
124	Udaipur	Satisfactory	67	PM ₁₀	1
125	Udupi	Satisfactory	99	со	1
126	Ujjain	Satisfactory	66	PM ₁₀	1
127	Vapi	Good	24	PM _{2.5}	1
128	Varanasi	Good	36	CO, PM ₁₀ , SO ₂	4
129	Vatva	Satisfactory	74	PM ₁₀	1
130	Vijayapura	Satisfactory	58	со	1
131	Visakhapatnam	Satisfactory	53	NO ₂	1
132	Vrindavan	Satisfactory	51	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	20	O ₃	1
134	Yamunanagar	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Karnal, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nandesari, Nashik, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.