

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	94	PM _{2.5}	1
2	Agra	Moderate	109	PM ₁₀	6
3	Ahmedabad	Satisfactory	81	PM _{2.5} , PM ₁₀	6
4	Aizawl	Satisfactory	60	PM ₁₀	1
5	Ajmer	Satisfactory	62	PM ₁₀	1
6	Akola	Satisfactory	73	PM ₁₀	1
7	Alwar	Satisfactory	74	PM ₁₀	1
8	Amaravati	Satisfactory	56	PM ₁₀	1
9	Ambala	Satisfactory	84	PM ₁₀	1
10	Amravati	Satisfactory	72	PM ₁₀	2
11	Amritsar	Moderate	125	PM ₁₀	1
12	Anantapur	Satisfactory	60	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Moderate	113	O ₃	1
14	Araria	Satisfactory	58	03	1
15	Arrah	Moderate	154	PM ₁₀	1
16	Asansol	Moderate	107	PM ₁₀	1
17	Aurangabad (Bihar)	Poor	210	PM ₁₀	1
18	Aurangabad (Maharashtra)	Satisfactory	99	PM ₁₀	2
19	Baddi	Moderate	165	O ₃	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Baghpat	Poor	256	PM ₁₀	1
22	Bahadurgarh	Moderate	163	PM ₁₀	1
23	Ballabgarh	Poor	201	PM ₁₀	1
24	Banswara	Moderate	108	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	91	PM ₁₀	2
26	Baripada	Satisfactory	73	PM ₁₀	1
27	Barmer	Moderate	101	PM ₁₀	1
28	Bathinda	Moderate	109	PM _{2.5}	1
29	Begusarai	Poor	214	PM _{2.5}	1
30	Belgaum	Good	47	со	1
31	Bengaluru	Good	50	CO, PM ₁₀	10
32	Bettiah	Moderate	126	PM ₁₀	1
33	Bhagalpur	Moderate	108	PM ₁₀	2
34	Bharatpur	Moderate	140	PM ₁₀	1
35	Bhilai	Good	40	PM ₁₀ , O ₃	2
36	Bhiwadi	Moderate	194	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Moderate	155	PM ₁₀	1
38	Bhopal	Satisfactory	69	PM ₁₀	3
39	Bidar	Good	50	NH ₃	1
40	Bikaner	Satisfactory	97	PM ₁₀	1
41	Bilaspur	Satisfactory	62	со	1
42	Brajrajnagar	Satisfactory	62	PM ₁₀	1
43	Bulandshahr	Moderate	140	PM ₁₀	1
44	Bundi	Moderate	102	PM ₁₀	1
45	Chamarajanagar	Good	44	PM ₁₀	1
46	Chandigarh	Moderate	145	O ₃ , PM ₁₀	3
47	Chandrapur	Satisfactory	60	PM ₁₀	1
48	Charkhi Dadri	Poor	246	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts No

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Baran, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengalpa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	58	NO ₂	7
50	Chhal	Satisfactory	59	PM ₁₀	1
51	Chhapra	Poor	243	PM ₁₀	1
52	Chikkaballapur	Good	38	PM ₁₀	1
53	Chikkamagaluru	Good	31	O ₃	1
54	Chittoor	Satisfactory	51	O ₃	1
55	Churu	Satisfactory	94	PM ₁₀	1
56	Damoh	Good	15	PM ₁₀	1
57	Dausa	Moderate	127	PM ₁₀	1
58	Davanagere	Satisfactory	99	PM ₁₀	1
59	Dehradun	Satisfactory	85	PM ₁₀	1
60	Delhi	Poor	205	PM ₁₀	33

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Satisfactory	91	PM ₁₀	1
62	Dhanbad	Moderate	151	со	1
63	Dharwad	Satisfactory	86	PM ₁₀	1
64	Dholpur	Moderate	113	PM ₁₀	1
65	Dindigul	Good	26	SO ₂	1
66	Durgapur	Moderate	114	PM ₁₀	1
67	Faridabad	Moderate	165	PM _{2.5}	3
68	Firozabad	Moderate	138	PM ₁₀	2
69	Gadag	Satisfactory	64	PM ₁₀	1
70	Gandhinagar	Satisfactory	63	PM _{2.5} , PM ₁₀	3
71	Gangtok	Good	43	SO ₂	1
72	Gaya	Moderate	131	PM ₁₀ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Cho

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Moderate	195	PM ₁₀	4
74	Gorakhpur	Satisfactory	96	PM ₁₀	1
75	Greater Noida	Poor	232	PM ₁₀	2
76	Gummidipoondi	Satisfactory	61	PM ₁₀	1
77	Gurugram	Poor	252	PM _{2.5}	3
78	Guwahati	Good	33	SO ₂ , PM ₁₀	4
79	Gwalior	Satisfactory	81	PM ₁₀ , O ₃	4
80	Hajipur	Moderate	104	PM ₁₀	1
81	Haldia	Good	49	PM ₁₀	1
82	Hanumangarh	Poor	226	PM ₁₀	1
83	Hapur	Satisfactory	83	PM ₁₀	1
84	Hassan	Good	46	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Satisfactory	88	PM _{2.5}	1
86	Howrah	Satisfactory	74	PM ₁₀	3
87	Hubballi	Satisfactory	78	PM ₁₀ , CO	2
88	Hyderabad	Satisfactory	70	PM _{2.5} , PM ₁₀	11
89	Indore	Satisfactory	76	PM ₁₀	2
90	Jabalpur	Satisfactory	83	PM ₁₀	1
91	Jaipur	Satisfactory	92	PM ₁₀	5
92	Jaisalmer	Satisfactory	87	PM ₁₀	1
93	Jalandhar	Moderate	138	PM ₁₀	1
94	Jalgaon	Moderate	110	PM ₁₀	1
95	Jalna	Satisfactory	87	PM ₁₀	1
96	Jhalawar	Satisfactory	54	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Satisfactory	55	SO ₂	1
98	Jhunjhunu	Moderate	101	PM ₁₀	1
99	Jind	Moderate	115	PM ₁₀	1
100	Jodhpur	Satisfactory	76	PM ₁₀	5
101	Kadapa	Good	31	03	1
102	Kaithal	Moderate	138	PM ₁₀	1
103	Kalyan	Satisfactory	88	O ₃	1
104	Kannur	Satisfactory	77	PM ₁₀	1
105	Kanpur	Moderate	153	PM ₁₀	3
106	Karauli	Satisfactory	93	O ₃	1
107	Karnal	Moderate	121	PM ₁₀	1
108	Katihar	Poor	235	03	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katni	Satisfactory	86	PM ₁₀	1
110	Khanna	Satisfactory	96	PM ₁₀	1
111	Kishanganj	Good	41	со	1
112	Kochi	Satisfactory	74	со	1
113	Kohima	Good	42	SO ₂	1
114	Kolhapur	Good	34	PM _{2.5}	1
115	Kolkata	Satisfactory	67	03	7
116	Kollam	Satisfactory	56	PM ₁₀	1
117	Korba	Satisfactory	64	PM ₁₀	2
118	Kota	Satisfactory	80	PM ₁₀ , PM _{2.5}	3
119	Kunjemura	Satisfactory	83	PM ₁₀	1
120	Kurukshetra	Moderate	135	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Cho Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Eloor, Ernakulam, Notes: Fatehabad, Haveri, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kashipur, Keonjhar, Khurja, Kolar, Koppal, Kozhikode, Manesar, Manguraha, Milupara, Naharlagun, Nalbari, Nandesari, Parbhani, Purnia, Rourkela, Rupnagar, Salem, Sasaram, Sonipat, Srinagar, Surat, Talcher, Thane, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Latur	Satisfactory	66	PM ₁₀	1
122	Lucknow	Moderate	193	PM _{2.5}	6
123	Ludhiana	Moderate	138	PM ₁₀	1
124	Madikeri	Good	22	PM ₁₀	1
125	Maihar	Satisfactory	54	PM _{2.5}	1
126	Mandi Gobindgarh	Moderate	131	PM ₁₀	1
127	Mandideep	Satisfactory	74	03	1
128	Mandikhera	Satisfactory	83	PM ₁₀	1
129	Mangalore	Good	50	PM ₁₀	1
130	Meerut	Poor	212	PM ₁₀	2
131	Moradabad	Moderate	133	PM ₁₀	6
132	Motihari	Satisfactory	88	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	83	SO ₂ , CO	16
134	Munger	Moderate	175	PM ₁₀	1
135	Muzaffarnagar	Moderate	177	PM ₁₀	1
136	Muzaffarpur	Moderate	184	PM _{2.5}	3
137	Mysuru	Satisfactory	59	03	1
138	Nagaon	Satisfactory	77	O ₃	1
139	Nagaur	Satisfactory	82	PM ₁₀	1
140	Nagpur	Satisfactory	68	O ₃ , PM ₁₀	3
141	Narnaul	Moderate	103	PM ₁₀	1
142	Nashik	Satisfactory	65	PM ₁₀	3
143	Navi Mumbai	Satisfactory	67	СО	1
144	Nayagarh	Moderate	123	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Poor	210	PM ₁₀	3
146	Ooty	Good	50	SO ₂	1
147	Pali	Satisfactory	100	PM ₁₀	1
148	Palkalaiperur	Satisfactory	63	SO ₂	1
149	Palwal	Moderate	111	PM ₁₀	1
150	Panchkula	Moderate	110	PM _{2.5}	1
151	Panipat	Satisfactory	61	со	1
152	Patiala	Moderate	119	PM ₁₀	1
153	Patna	Moderate	145	PM _{2.5}	6
154	Pimpri Chinchwad	Satisfactory	86	PM _{2.5} , PM ₁₀	2
155	Pithampur	Satisfactory	92	PM ₁₀	1
156	Pratapgarh	Satisfactory	92	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	96	PM ₁₀	3
158	Puducherry	Good	44	03	1
159	Pune	Satisfactory	97	NO ₂	4
160	Raichur	Satisfactory	59	PM ₁₀	1
161	Raipur	Satisfactory	67	PM ₁₀ , NO ₂	4
162	Rairangpur	Moderate	113	03	1
163	Rajamahendravaram	Satisfactory	65	PM ₁₀	1
164	Rajgir	Moderate	119	PM ₁₀	1
165	Rajsamand	Satisfactory	69	PM ₁₀	1
166	Ramanagara	Good	40	PM ₁₀	1
167	Ramanathapuram	Good	32	со	1
168	Ratlam	Satisfactory	77	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	oderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rishikesh	Satisfactory	59	PM ₁₀	1
170	Rohtak	Satisfactory	94	PM _{2.5}	1
171	Sagar	Satisfactory	76	03	1
172	Saharsa	Moderate	103	O ₃	1
173	Samastipur	Moderate	125	PM ₁₀	1
174	Sangli	Satisfactory	53	PM ₁₀	1
175	Satna	Satisfactory	100	PM ₁₀	1
176	Sawai Madhopur	Satisfactory	76	PM ₁₀	1
177	Shillong	Satisfactory	52	PM ₁₀	1
178	Shivamogga	Satisfactory	61	O ₃	1
179	Sikar	Moderate	107	PM ₁₀	1
180	Silchar	Good	39	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Good	43	O ₃	1
182	Singrauli	Moderate	105	PM ₁₀	1
183	Sirohi	Satisfactory	72	PM ₁₀	1
184	Sirsa	Poor	218	PM ₁₀	1
185	Sivasagar	Good	22	PM ₁₀	1
186	Siwan	Moderate	146	PM ₁₀	1
187	Solapur	Satisfactory	94	PM ₁₀	3
188	Sri Ganganagar	Poor	259	PM ₁₀	1
189	Suakati	Moderate	169	O ₃	1
190	Tensa	Satisfactory	90	PM ₁₀	1
191	Thiruvananthapuram	Good	28	PM ₁₀ , CO	2
192	Thoothukudi	Satisfactory	78	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thrissur	Satisfactory	52	PM _{2.5}	1
194	Tirupati	Good	46	PM ₁₀	1
195	Tirupur	Good	35	PM ₁₀	1
196	Tonk	Moderate	111	PM ₁₀	1
197	Tumakuru	Moderate	108	PM ₁₀	1
198	Udaipur	Moderate	101	PM ₁₀	1
199	Ujjain	Satisfactory	79	PM _{2.5}	1
200	Vapi	Good	43	PM ₁₀	1
201	Varanasi	Moderate	110	PM ₁₀	4
202	Vatva	Satisfactory	93	PM ₁₀	1
203	Vijayapura	Good	49	PM ₁₀	1
204	Vijayawada	Good	49	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	oderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Visakhapatnam	Moderate	122	PM ₁₀	1
206	Vrindavan	Moderate	170	PM ₁₀	1
207	Yadgir	Good	46	PM ₁₀	1
208	Yamunanagar	Moderate	114	PM ₁₀	1

 * AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

an, Bhilwara, Bihar Sharif, Bileipada, Buxar, Byrnihat, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.