

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	92	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	140	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	97	NO ₂	1
4	Aizawl	Good	33	PM ₁₀	1
5	Ajmer	Moderate	129	PM ₁₀	1
6	Alwar	Satisfactory	93	PM ₁₀	1
7	Amaravati	Satisfactory	82	PM ₁₀	1
8	Ambala	Poor	267	PM _{2.5}	1
9	Amritsar	Satisfactory	90	PM ₁₀	1
10	Anantapur	Satisfactory	76	PM _{2.5}	1
11	Ankleshwar	Moderate	179	PM _{2.5}	1
12	Araria	Moderate	191	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	152	PM ₁₀	1
14	Asansol	Moderate	149	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	153	PM ₁₀	1
16	Baddi	Moderate	197	03	1
17	Bagalkot	Good	43	PM ₁₀	1
18	Baghpat	Poor	225	NO ₂	1
19	Bahadurgarh	Poor	276	PM _{2.5}	1
20	Ballabgarh	Poor	238	PM _{2.5}	1
21	Bareilly	Moderate	166	PM ₁₀	2
22	Begusarai	Very Poor	330	PM _{2.5}	1
23	Belgaum	Moderate	102	PM _{2.5}	1
24	Bengaluru	Satisfactory	74	PM _{2.5} , PM ₁₀	9

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Moderate	182	PM _{2.5}	1
26	Bhagalpur	Moderate	146	PM _{2.5}	2
27	Bhiwadi	Poor	283	PM _{2.5}	1
28	Bhiwani	Moderate	195	PM _{2.5}	1
29	Bhopal	Moderate	158	PM _{2.5} , PM ₁₀	2
30	Bidar	Satisfactory	57	СО	1
31	Bihar Sharif	Poor	201	PM _{2.5}	1
32	Bilaspur	Satisfactory	60	СО	1
33	Bulandshahr	Poor	299	PM _{2.5}	1
34	Buxar	Poor	209	PM ₁₀	1
35	Chamarajanagar	Good	44	PM ₁₀	1
36	Chandigarh	Moderate	193	O ₃ , PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Satisfactory	94	PM ₁₀	1
38	Charkhi Dadri	Poor	225	PM _{2.5}	1
39	Chennai	Satisfactory	83	PM _{2.5} , PM ₁₀	8
40	Chikkaballapur	Satisfactory	74	PM ₁₀	1
41	Chikkamagaluru	Good	48	PM ₁₀	1
42	Coimbatore	Satisfactory	61	со	1
43	Damoh	Satisfactory	78	PM ₁₀	1
44	Darbhanga	Poor	259	PM _{2.5}	1
45	Davanagere	Good	46	PM ₁₀	1
46	Delhi	Poor	265	PM ₁₀	35
47	Dewas	Moderate	118	PM ₁₀	1
48	Dharuhera	Very Poor	325	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dindigul	Good	44	SO ₂	1
50	Durgapur	Moderate	104	PM ₁₀	1
51	Eloor	Satisfactory	70	PM ₁₀	1
52	Ernakulam	Good	48	PM ₁₀	1
53	Faridabad	Poor	280	PM ₁₀ , PM _{2.5}	4
54	Fatehabad	Poor	220	PM _{2.5}	1
55	Firozabad	Satisfactory	88	PM _{2.5}	2
56	Gadag	Good	49	O ₃	1
57	Gandhinagar	Satisfactory	81	PM ₁₀	1
58	Gangtok	Good	33	O ₃	1
59	Gaya	Moderate	164	PM _{2.5} , PM ₁₀	3
60	Ghaziabad	Very Poor	312	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	128	PM _{2.5}	1
62	Greater Noida	Poor	261	PM ₁₀	2
63	Gurugram	Poor	206	PM _{2.5} , O ₃	4
64	Guwahati	Satisfactory	73	PM ₁₀ , PM _{2.5}	3
65	Gwalior	Moderate	124	PM ₁₀	1
66	Hajipur	Poor	236	PM _{2.5}	1
67	Haldia	Satisfactory	78	PM ₁₀	1
68	Hapur	Moderate	180	PM _{2.5}	1
69	Hassan	Good	39	03	1
70	Haveri	Satisfactory	55	PM ₁₀	1
71	Hisar	Poor	252	PM _{2.5}	1
72	Howrah	Moderate	120	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	65	со	1
74	Hyderabad	Satisfactory	78	PM _{2.5} , PM ₁₀	14
75	Imphal	Moderate	133	O ₃ , PM ₁₀	2
76	Indore	Satisfactory	96	PM ₁₀	1
77	Jabalpur	Moderate	126	PM ₁₀	1
78	Jaipur	Moderate	171	PM _{2.5} , NO ₂	3
79	Jalandhar	Moderate	105	PM _{2.5}	1
80	Jhansi	Moderate	138	PM ₁₀	1
81	Jind	Poor	257	PM _{2.5}	1
82	Jodhpur	Poor	202	PM ₁₀	1
83	Kaithal	Poor	204	PM _{2.5}	1
84	Kalyan	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	66	PM ₁₀	1
86	Kanpur	Moderate	172	PM _{2.5}	4
87	Karnal	Moderate	180	PM _{2.5}	1
88	Katihar	Poor	268	PM ₁₀	1
89	Katni	Moderate	175	PM ₁₀	1
90	Khanna	Satisfactory	90	PM ₁₀	1
91	Khurja	Poor	218	PM ₁₀	1
92	Kishanganj	Satisfactory	81	PM ₁₀	1
93	Kochi	Moderate	155	PM _{2.5}	1
94	Kohima	Moderate	118	SO ₂	1
95	Kolkata	Satisfactory	99	PM _{2.5} , PM ₁₀ , O ₃	7
96	Kollam	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	66	PM ₁₀	1
98	Kota	Moderate	136	PM _{2.5}	1
99	Kozhikode	Satisfactory	75	PM ₁₀	1
100	Kurukshetra	Moderate	163	PM _{2.5}	1
101	Lucknow	Moderate	175	PM _{2.5}	6
102	Ludhiana	Moderate	178	PM _{2.5}	1
103	Madikeri	Good	48	03	1
104	Maihar	Good	38	PM ₁₀	1
105	Mandi Gobindgarh	Poor	227	PM ₁₀	1
106	Mandideep	Moderate	155	PM ₁₀	1
107	Mandikhera	Moderate	115	PM ₁₀	1
108	Manesar	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manguraha	Good	29	PM _{2.5}	1
110	Meerut	Very Poor	312	PM _{2.5}	2
111	Moradabad	Moderate	130	PM _{2.5}	5
112	Motihari	Moderate	144	PM ₁₀	1
113	Mumbai	Satisfactory	79	PM ₁₀ , NO ₂ , CO	17
114	Munger	Poor	219	PM _{2.5}	1
115	Muzaffarnagar	Poor	250	PM _{2.5}	1
116	Muzaffarpur	Poor	236	PM _{2.5}	3
117	Mysuru	Satisfactory	78	PM ₁₀	1
118	Nagpur	Moderate	137	PM _{2.5}	1
119	Nandesari	Moderate	178	PM _{2.5}	1
120	Nashik	Satisfactory	66	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Satisfactory	78	PM ₁₀	1
122	Noida	Poor	290	PM ₁₀ , PM _{2.5}	4
123	Ooty	Satisfactory	56	со	1
124	Pali	Moderate	121	PM _{2.5}	1
125	Palwal	Moderate	151	PM ₁₀	1
126	Panchkula	Satisfactory	74	PM _{2.5}	1
127	Panipat	Moderate	197	PM ₁₀	1
128	Patiala	Moderate	108	PM ₁₀	1
129	Patna	Poor	254	PM _{2.5} , PM ₁₀	6
130	Pithampur	Moderate	118	PM ₁₀	1
131	Prayagraj	Moderate	134	PM _{2.5}	3
132	Puducherry	Satisfactory	66	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Purnia	Moderate	145	PM ₁₀	1
134	Raichur	Satisfactory	68	PM ₁₀	1
135	Rajamahendravaram	Satisfactory	76	PM ₁₀	1
136	Rajgir	Moderate	133	PM ₁₀	1
137	Ramanagara	Satisfactory	56	03	1
138	Ramanathapuram	Good	41	PM ₁₀	1
139	Ratlam	Moderate	103	PM ₁₀	1
140	Rohtak	Moderate	176	PM _{2.5}	1
141	Rupnagar	Moderate	151	PM _{2.5}	1
142	Sagar	Satisfactory	54	со	1
143	Samastipur	Poor	291	PM ₁₀	1
144	Sasaram	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Satna	Satisfactory	51	PM ₁₀	1
146	Shillong	Good	19	SO ₂	1
147	Shivamogga	Satisfactory	69	O ₃	1
148	Siliguri	Satisfactory	82	PM ₁₀	1
149	Singrauli	Poor	248	PM _{2.5}	1
150	Sirsa	Moderate	141	PM ₁₀	1
151	Sivasagar	Good	29	PM ₁₀	1
152	Siwan	Poor	256	PM _{2.5}	1
153	Solapur	Satisfactory	60	PM ₁₀	1
154	Sonipat	Moderate	181	PM ₁₀	1
155	Srinagar	Satisfactory	85	PM ₁₀	1
156	Talcher	Moderate	102	PM ₁₀	1

Possible Health Impacts

od Minimal Impact

Good	Willima impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thane	Satisfactory	65	PM ₁₀	1
158	Thiruvananthapuram	Satisfactory	54	CO, PM _{2.5}	2
159	Thoothukudi	Satisfactory	64	PM ₁₀	1
160	Thrissur	Satisfactory	58	PM ₁₀	1
161	Tirupati	Satisfactory	66	PM _{2.5}	1
162	Tiruppur	Moderate	102	PM ₁₀	1
163	Udaipur	Moderate	122	PM ₁₀	1
164	Udupi	Satisfactory	79	со	1
165	Varanasi	Moderate	168	PM _{2.5} , PM ₁₀	4
166	Vatva	Moderate	102	PM ₁₀	1
167	Vijayapura	Good	40	PM ₁₀	1
168	Visakhapatnam	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vrindavan	Moderate	110	PM ₁₀	1
170	Yadgir	Good	48	PM _{2.5}	1
171	Yamunanagar	Moderate	176	PM ₁₀	1
172	vellore	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chhapra, Dehradun, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kolar, Manglore, Naharlagun, Narnaul, Pune, Saharsa, Salem, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.