



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Satisfactory	52	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	164	PM <sub>2.5</sub>	7
4	Ajmer	Moderate	110	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	79	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	83	PM <sub>10</sub>	1
7	Ambala	Satisfactory	80	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	64	PM <sub>2.5</sub>	1
9	Anantapur	Good	49	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	150	PM <sub>2.5</sub>	1
11	Araria	Poor	246	PM <sub>2.5</sub>	1
12	Ariyalur	Moderate	120	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	248	PM <sub>2.5</sub>	1
14	Aurangabad (Bihar)	Moderate	189	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Moderate	182	PM <sub>2.5</sub>	1
16	Baddi	Satisfactory	82	PM <sub>10</sub>	1
17	Bagalkot	Good	49	PM <sub>10</sub>	1
18	Baghpat	Moderate	147	PM <sub>10</sub>	1
19	Ballabgarh	Moderate	120	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	91	PM <sub>10</sub>	2
21	Baripada	Moderate	131	PM <sub>10</sub>	1
22	Bathinda	Good	40	PM <sub>10</sub>	1
23	Begusarai	Very Poor	365	PM <sub>2.5</sub>	1
24	Belgaum	Moderate	140	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub>	11
26	Bettiah	Very Poor	322	PM <sub>2.5</sub>	1
27	Bhagalpur	Poor	226	PM <sub>2.5</sub>	2
28	Bharatpur	Moderate	163	PM <sub>10</sub>	1
29	Bhilai	Moderate	110	PM <sub>2.5</sub> , O <sub>3</sub>	2
30	Bhiwadi	Moderate	175	PM <sub>10</sub>	1
31	Bhiwani	Satisfactory	83	PM <sub>10</sub>	1
32	Bhopal	Moderate	141	PM <sub>10</sub>	3
33	Bihar Sharif	Moderate	122	PM <sub>10</sub>	1
34	Bilaspur	Moderate	108	CO	1
35	Bileipada	Moderate	155	PM <sub>10</sub>	1
36	Brajrajnagar	Moderate	136	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	117	PM <sub>10</sub>	1
38	Chamarajanagar	Good	45	PM <sub>10</sub>	1
39	Chandigarh	Moderate	108	PM <sub>2.5</sub>	3
40	Chandrapur	Moderate	148	PM <sub>2.5</sub>	1
41	Charkhi Dadri	Moderate	112	PM <sub>10</sub>	1
42	Chengalpattu	Satisfactory	92	PM <sub>10</sub>	1
43	Chennai	Satisfactory	85	PM <sub>2.5</sub> , CO	8
44	Chhapra	Poor	280	PM <sub>10</sub>	1
45	Chikkaballapur	Satisfactory	56	PM <sub>10</sub>	1
46	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
47	Chittoor	Satisfactory	69	PM <sub>2.5</sub>	1
48	Damoh	Good	38	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Satisfactory	73	PM <sub>10</sub>	1
50	Delhi	Moderate	178	PM <sub>10</sub>	37
51	Dharuhera	Poor	260	PM <sub>2.5</sub>	1
52	Dindigul	Very Poor	324	NO <sub>2</sub>	1
53	Durgapur	Poor	213	PM <sub>2.5</sub>	1
54	Eloor	Satisfactory	71	PM <sub>10</sub>	1
55	Faridabad	Moderate	175	PM <sub>2.5</sub> , CO	4
56	Firozabad	Satisfactory	86	PM <sub>10</sub>	2
57	Gadag	Satisfactory	62	O <sub>3</sub>	1
58	Gandhinagar	Moderate	169	PM <sub>2.5</sub> , PM <sub>10</sub>	3
59	Gangtok	Moderate	101	PM <sub>10</sub>	1
60	Gaya	Moderate	163	PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	162	PM <sub>10</sub>	4
62	Gorakhpur	Moderate	121	PM <sub>10</sub>	1
63	Greater Noida	Moderate	183	PM <sub>10</sub>	2
64	Gummidipoondi	Moderate	172	PM <sub>2.5</sub>	1
65	Gurugram	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	4
66	Guwahati	Moderate	139	PM <sub>10</sub> , PM <sub>2.5</sub>	4
67	Gwalior	Moderate	164	PM <sub>2.5</sub>	3
68	Hajipur	Very Poor	349	PM <sub>10</sub>	1
69	Haldia	Moderate	102	PM <sub>10</sub>	1
70	Hapur	Satisfactory	56	PM <sub>10</sub>	1
71	Hassan	Satisfactory	69	PM <sub>10</sub>	1
72	Haveri	Satisfactory	71	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Moderate	117	PM <sub>2.5</sub>	1
74	Howrah	Moderate	134	PM <sub>10</sub>	3
75	Hubballi	Moderate	117	PM <sub>10</sub>	2
76	Hyderabad	Satisfactory	82	PM <sub>10</sub>	12
77	Imphal	Satisfactory	86	SO <sub>2</sub>	1
78	Indore	Moderate	117	PM <sub>10</sub>	1
79	Jabalpur	Moderate	151	PM <sub>10</sub>	1
80	Jaipur	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	3
81	Jalandhar	Satisfactory	55	PM <sub>10</sub>	1
82	Jhansi	Satisfactory	95	PM <sub>10</sub>	1
83	Jind	Satisfactory	62	CO	1
84	Jodhpur	Moderate	178	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kadapa	Satisfactory	62	PM <sub>2.5</sub>	1
86	Kaithal	Satisfactory	98	PM <sub>10</sub>	1
87	Kalaburgi	Satisfactory	95	PM <sub>10</sub>	1
88	Kalyan	Poor	234	PM <sub>10</sub>	1
89	Kanchipuram	Satisfactory	74	PM <sub>10</sub>	1
90	Kannur	Satisfactory	84	PM <sub>10</sub>	1
91	Kanpur	Moderate	138	PM <sub>10</sub> , PM <sub>2.5</sub>	3
92	Karnal	Satisfactory	78	PM <sub>10</sub>	1
93	Kashipur	Moderate	101	PM <sub>10</sub>	1
94	Katihar	Poor	293	PM <sub>10</sub>	1
95	Katni	Moderate	119	PM <sub>10</sub>	1
96	Keonjhar	Poor	235	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khanna	Good	41	PM <sub>10</sub>	1
98	Kishanganj	Poor	251	PM <sub>2.5</sub>	1
99	Kochi	Moderate	136	PM <sub>2.5</sub>	1
100	Kohima	Moderate	116	PM <sub>2.5</sub>	1
101	Kolar	Moderate	167	SO <sub>2</sub>	1
102	Kolkata	Moderate	113	PM <sub>2.5</sub>	7
103	Kollam	Satisfactory	65	PM <sub>10</sub>	1
104	Koppal	Satisfactory	72	CO	1
105	Korba	Moderate	120	PM <sub>2.5</sub>	1
106	Kota	Moderate	150	PM <sub>2.5</sub>	3
107	Kozhikode	Satisfactory	89	NH <sub>3</sub>	1
108	Kurukshetra	Satisfactory	85	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Moderate	164	PM <sub>2.5</sub>	6
110	Ludhiana	Moderate	120	PM <sub>2.5</sub>	1
111	Madikeri	Good	41	O <sub>3</sub>	1
112	Maihar	Good	48	PM <sub>10</sub>	1
113	Mandi Gobindgarh	Satisfactory	88	PM <sub>2.5</sub>	1
114	Mandideep	Moderate	189	PM <sub>10</sub>	1
115	Mandikhera	Satisfactory	93	PM <sub>10</sub>	1
116	Manesar	Moderate	127	PM <sub>10</sub>	1
117	Mangalore	Moderate	121	PM <sub>10</sub>	1
118	Manguraha	Poor	285	PM <sub>2.5</sub>	1
119	Meerut	Moderate	159	PM <sub>10</sub>	3
120	Moradabad	Satisfactory	89	PM <sub>10</sub>	6

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Moderate	174	PM <sub>2.5</sub> , NO <sub>2</sub>	19
122	Munger	Poor	260	PM <sub>10</sub>	1
123	Muzaffarnagar	Moderate	144	PM <sub>10</sub>	1
124	Muzaffarpur	Poor	300	PM <sub>2.5</sub>	3
125	Mysuru	Good	41	O <sub>3</sub>	1
126	Nagaon	Moderate	130	PM <sub>10</sub>	1
127	Nagpur	Poor	250	PM <sub>2.5</sub>	1
128	Nalbari	Moderate	131	PM <sub>10</sub>	1
129	Nandesari	Moderate	114	PM <sub>2.5</sub>	1
130	Narnaul	Satisfactory	96	PM <sub>10</sub>	1
131	Nashik	Satisfactory	85	PM <sub>10</sub>	1
132	Navi Mumbai	Poor	277	PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nayagarh	Poor	272	PM <sub>10</sub>	1
134	Noida	Moderate	165	PM <sub>10</sub>	4
135	Ooty	Satisfactory	51	PM <sub>2.5</sub>	1
136	Pali	Satisfactory	91	PM <sub>10</sub>	1
137	Palwal	Satisfactory	70	PM <sub>10</sub>	1
138	Panchkula	Satisfactory	52	CO	1
139	Panipat	Moderate	110	PM <sub>10</sub>	1
140	Patiala	Satisfactory	70	PM <sub>10</sub>	1
141	Patna	Poor	276	PM <sub>10</sub> , PM <sub>2.5</sub>	6
142	Pithampur	Moderate	125	PM <sub>10</sub>	1
143	Prayagraj	Moderate	129	PM <sub>10</sub>	3
144	Puducherry	Satisfactory	67	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pune	Moderate	142	PM <sub>2.5</sub>	3
146	Raichur	Satisfactory	93	PM <sub>10</sub>	1
147	Raipur	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	4
148	Rairangpur	Poor	216	PM <sub>2.5</sub>	1
149	Rajamahendravaram	Moderate	153	PM <sub>2.5</sub>	1
150	Rajgir	Moderate	157	PM <sub>10</sub>	1
151	Ramanagara	Satisfactory	81	PM <sub>10</sub>	1
152	Ramanathapuram	Good	47	PM <sub>2.5</sub>	1
153	Ratlam	Moderate	104	PM <sub>10</sub>	1
154	Rishikesh	Good	50	PM <sub>10</sub>	1
155	Rohtak	Satisfactory	60	PM <sub>2.5</sub>	1
156	Rourkela	Moderate	193	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rupnagar	Satisfactory	89	PM <sub>10</sub>	1
158	Sagar	Satisfactory	82	O <sub>3</sub> , CO	2
159	Saharsa	Very Poor	335	PM <sub>2.5</sub>	1
160	Salem	Satisfactory	93	SO <sub>2</sub>	1
161	Samastipur	Very Poor	344	PM <sub>10</sub>	1
162	Sasaram	Moderate	111	PM <sub>10</sub>	1
163	Satna	Satisfactory	63	O <sub>3</sub>	1
164	Shillong	Moderate	136	PM <sub>2.5</sub>	1
165	Shivamogga	Satisfactory	56	O <sub>3</sub>	1
166	Siliguri	Moderate	186	PM <sub>2.5</sub>	1
167	Singrauli	Moderate	181	PM <sub>2.5</sub>	1
168	Sirsa	Satisfactory	65	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sivasagar	Good	49	PM <sub>2.5</sub>	1
170	Siwan	Very Poor	308	PM <sub>2.5</sub>	1
171	Sonipat	Moderate	146	PM <sub>10</sub>	1
172	Srinagar	Good	50	PM <sub>10</sub>	1
173	Suakati	Moderate	196	PM <sub>2.5</sub>	1
174	Surat	Moderate	196	PM <sub>2.5</sub>	1
175	Talcher	Moderate	124	PM <sub>2.5</sub>	1
176	Tensa	Moderate	113	PM <sub>10</sub>	1
177	Thiruvananthapuram	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	2
178	Thoothukudi	Good	42	PM <sub>10</sub>	1
179	Thrissur	Moderate	150	PM <sub>2.5</sub>	1
180	Tirupati	Satisfactory	85	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Mar 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tirupur	Satisfactory	67	PM <sub>10</sub>	1
182	Udaipur	Moderate	123	PM <sub>10</sub>	1
183	Ujjain	Moderate	154	PM <sub>10</sub>	1
184	Varanasi	Satisfactory	66	PM <sub>10</sub>	4
185	Vatva	Moderate	189	PM <sub>2.5</sub>	1
186	Vijayapura	Good	46	PM <sub>10</sub>	1
187	Visakhapatnam	Poor	228	PM <sub>10</sub>	1
188	Vrindavan	Moderate	134	PM <sub>10</sub>	1
189	Yadgir	Moderate	112	PM <sub>10</sub>	1
190	Yamunanagar	Moderate	111	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Arrah,

Bahadurgarh, Banswara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Hisar, Jorapokhar, Khurja, Kunjemura, Milupara, Motihari, Naharlagun, Purnia, Sawai Madhopur, Silchar, Sirohi, Solapur, Thane, Tonk, Tumakuru, Tumidih, Udipi, Vapi, Vijayawada, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.