

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	46	PM ₁₀	2
2	Agra	Satisfactory	90	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	85	PM _{2.5} , NO ₂ , CO	8
4	Aizawl	Good	47	PM ₁₀	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	77	PM ₁₀	1
7	Amaravati	Good	42	O ₃	1
8	Ambala	Very Poor	339	PM _{2.5}	1
9	Ankleshwar	Satisfactory	88	PM _{2.5}	1
10	Arrah	Moderate	141	PM ₁₀	1
11	Asansol	Satisfactory	81	PM ₁₀	1
12	Aurangabad (Bihar)	Poor	205	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Araria, Notes: Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar,

Davanagere, Fatehabad, Gadag, Haveri, Jhansi, Jorapokhar, Kannur, Kishanganj, Kolar, Koppal, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Rupnagar, Samastipur, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Vatva as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	73	PM _{2.5}	1
14	Baddi	Moderate	187	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Moderate	150	PM ₁₀	1
17	Bahadurgarh	Moderate	186	PM ₁₀	1
18	Ballabgarh	Moderate	137	PM _{2.5}	1
19	Bareilly	Moderate	120	PM _{2.5}	1
20	Begusarai	Satisfactory	88	PM _{2.5}	1
21	Bengaluru	Satisfactory	52	PM ₁₀ , O ₃	9
22	Bettiah	Good	44	СО	1
23	Bhagalpur	Moderate	114	PM ₁₀	2
24	Bhiwadi	Moderate	177	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Araria, Notes: Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Davanagere, Fatehabad, Gadag, Haveri, Jhansi, Jorapokhar, Kannur, Kishanganj, Kolar, Koppal, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Rupnagar, Samastipur, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	198	PM _{2.5}	1
26	Bhopal	Satisfactory	90	03	1
27	Bihar Sharif	Poor	244	PM ₁₀	1
28	Bulandshahr	Poor	207	PM ₁₀	1
29	Buxar	Poor	202	PM ₁₀	1
30	Chandigarh	Moderate	185	PM _{2.5} , O ₃ , PM ₁₀	3
31	Chandrapur	Satisfactory	84	PM _{2.5} , PM ₁₀	2
32	Charkhi Dadri	Moderate	174	PM ₁₀	1
33	Chennai	Satisfactory	64	O ₃ , CO, PM ₁₀	5
34	Chhapra	Moderate	104	PM ₁₀	1
35	Chikkaballapur	Good	29	со	1
36	Chikkamagaluru	Good	25	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	23	со	1
38	Damoh	Good	31	PM _{2.5}	1
39	Darbhanga	Satisfactory	61	03	1
40	Dehradun	Moderate	194	PM ₁₀	1
41	Delhi	Moderate	200	PM ₁₀	33
42	Dewas	Satisfactory	81	PM ₁₀	1
43	Dharuhera	Moderate	143	PM ₁₀	1
44	Durgapur	Satisfactory	96	PM ₁₀	1
45	Eloor	Satisfactory	56	PM _{2.5}	1
46	Ernakulam	Good	36	со	1
47	Faridabad	Moderate	167	PM _{2.5} , PM ₁₀	3
48	Firozabad	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	61	PM _{2.5} , PM ₁₀	3
50	Gangtok	Good	44	03	1
51	Gaya	Moderate	152	PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Poor	234	PM ₁₀	4
53	Gorakhpur	Satisfactory	52	03	1
54	Greater Noida	Poor	219	PM ₁₀	2
55	Gummidipoondi	Good	19	PM ₁₀	1
56	Gurugram	Poor	224	PM _{2.5} , PM ₁₀	4
57	Guwahati	Good	35	со	1
58	Gwalior	Moderate	109	PM ₁₀	1
59	Hajipur	Moderate	106	PM _{2.5}	1
60	Haldia	Satisfactory	60	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Araria, Notes: Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Davanagere, Fatehabad, Gadag, Haveri, Jhansi, Jorapokhar, Kannur, Kishanganj, Kolar, Koppal, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Rupnagar, Samastipur, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	285	PM ₁₀	1
62	Hassan	Good	36	NO ₂	1
63	Hisar	Moderate	142	PM ₁₀	1
64	Howrah	Satisfactory	64	PM ₁₀	2
65	Hubballi	Satisfactory	51	со	1
66	Hyderabad	Satisfactory	62	O ₃ , PM _{2.5} , PM ₁₀	13
67	Imphal	Satisfactory	60	PM ₁₀	1
68	Indore	Satisfactory	85	PM ₁₀	1
69	Jabalpur	Satisfactory	93	PM ₁₀	1
70	Jaipur	Moderate	114	PM ₁₀ , PM _{2.5}	3
71	Jalandhar	Moderate	154	PM ₁₀	1
72	Jind	Moderate	174	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Amritsar, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	119	PM ₁₀	1
74	Kaithal	Poor	207	PM ₁₀	1
75	Kalaburgi	Good	34	03	1
76	Kalyan	Satisfactory	81	PM ₁₀	1
77	Kanpur	Moderate	143	PM _{2.5} , PM ₁₀	3
78	Karnal	Moderate	162	PM ₁₀	1
79	Katihar	Moderate	109	PM ₁₀	1
80	Katni	Moderate	114	PM ₁₀	1
81	Khanna	Moderate	131	PM _{2.5}	1
82	Khurja	Moderate	141	PM ₁₀	1
83	Kochi	Good	50	PM ₁₀	1
84	Kohima	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Araria, Notes: Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar,

Davanagere, Fatehabad, Gadag, Haveri, Jhansi, Jorapokhar, Kannur, Kishanganj, Kolar, Koppal, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Rupnagar, Samastipur, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Vatva as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	62	PM ₁₀ , O ₃	5
86	Kollam	Satisfactory	54	PM ₁₀	1
87	Kota	Satisfactory	68	PM _{2.5}	1
88	Kozhikode	Satisfactory	70	PM ₁₀	1
89	Kurukshetra	Very Poor	310	PM _{2.5}	1
90	Lucknow	Poor	246	PM _{2.5} , PM ₁₀	4
91	Ludhiana	Moderate	198	PM ₁₀	1
92	Madikeri	Good	27	03	1
93	Maihar	Satisfactory	53	со	1
94	Mandi Gobindgarh	Moderate	135	PM ₁₀	1
95	Mandideep	Satisfactory	67	03	1
96	Mandikhera	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	144	PM _{2.5}	1
98	Meerut	Very Poor	331	PM ₁₀	1
99	Moradabad	Moderate	149	PM ₁₀	3
100	Mumbai	Satisfactory	56	O ₃ , CO, PM ₁₀	16
101	Munger	Moderate	156	PM ₁₀	1
102	Muzaffarnagar	Very Poor	328	PM ₁₀	1
103	Muzaffarpur	Satisfactory	82	PM ₁₀ , O ₃ , PM _{2.5}	3
104	Mysuru	Good	34	03	1
105	Nagpur	Satisfactory	85	03	1
106	Narnaul	Moderate	108	PM ₁₀	1
107	Nashik	Good	45	PM ₁₀	1
108	Navi Mumbai	Satisfactory	54	СО	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	235	PM ₁₀	4
110	Pali	Satisfactory	82	PM ₁₀	1
111	Palwal	Moderate	109	PM ₁₀	1
112	Panchkula	Moderate	163	PM _{2.5}	1
113	Panipat	Poor	208	PM ₁₀	1
114	Patiala	Moderate	182	PM ₁₀	1
115	Patna	Moderate	133	PM _{2.5} , PM ₁₀	4
116	Pithampur	Moderate	123	PM ₁₀	1
117	Prayagraj	Moderate	134	PM ₁₀	3
118	Puducherry	Good	42	PM ₁₀	1
119	Pune	Satisfactory	72	SO ₂ , CO	4
120	Purnia	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Araria, Notes: Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanag

Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Davanagere, Fatehabad, Gadag, Haveri, Jhansi, Jorapokhar, Kannur, Kishanganj, Kolar, Koppal, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Rupnagar, Samastipur, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Vatva as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Good	49	со	1
122	Rajamahendravaram	Good	37	PM ₁₀	1
123	Rajgir	Moderate	127	PM ₁₀	1
124	Ramanagara	Good	28	SO ₂	1
125	Ratlam	Good	41	PM ₁₀	1
126	Rohtak	Poor	239	PM _{2.5}	1
127	Sagar	Satisfactory	85	NO ₂	1
128	Saharsa	Moderate	113	PM ₁₀	1
129	Sasaram	Moderate	172	PM ₁₀	1
130	Satna	Satisfactory	58	PM ₁₀	1
131	Shillong	Good	33	PM ₁₀	1
132	Shivamogga	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	40	NO ₂	1
134	Singrauli	Moderate	114	PM ₁₀	1
135	Sirsa	Poor	218	PM ₁₀	1
136	Siwan	Moderate	102	PM ₁₀	1
137	Solapur	Satisfactory	91	PM ₁₀	1
138	Sonipat	Moderate	141	PM ₁₀	1
139	Srinagar	Satisfactory	73	PM ₁₀	1
140	Talcher	Satisfactory	53	PM _{2.5}	1
141	Thane	Satisfactory	94	NO ₂	1
142	Thiruvananthapuram	Good	28	со	1
143	Thoothukudi	Good	31	03	1
144	Udaipur	Satisfactory	59	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Araria, Notes: Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Davanagere, Fatehabad, Gadag, Haveri, Jhansi, Jorapokhar, Kannur, Kishanganj, Kolar, Koppal, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Rupnagar, Samastipur, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	103	PM ₁₀	3
146	Vijayapura	Satisfactory	56	PM ₁₀	1
147	Visakhapatnam	Satisfactory	80	PM ₁₀	1
148	Vrindavan	Moderate	114	PM ₁₀	1
149	Yadgir	Good	32	со	1
150	Yamunanagar	Poor	289	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Araria, Notes: Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Davanagere, Fatehabad, Gadag, Haveri, Jhansi, Jorapokhar, Kannur, Kishanganj, Kolar, Koppal, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Rupnagar, Samastipur, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.