

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	280	PM _{2.5}	1
2	Agra	Moderate	113	PM ₁₀	6
3	Ahmedabad	Moderate	162	PM _{2.5} , PM ₁₀	8
4	Aizawl	Moderate	121	PM ₁₀	1
5	Ajmer	Moderate	195	PM ₁₀	1
6	Alwar	Moderate	178	PM ₁₀	1
7	Amaravati	Satisfactory	88	PM ₁₀	1
8	Ambala	Satisfactory	75	PM ₁₀	1
9	Amritsar	Moderate	134	PM _{2.5}	1
10	Anantapur	Satisfactory	65	PM ₁₀	1
11	Ankleshwar	Moderate	130	со	1
12	Ariyalur	Satisfactory	52	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	224	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	134	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	93	PM ₁₀	1
16	Baddi	Satisfactory	98	PM ₁₀	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Bahadurgarh	Moderate	179	PM ₁₀	1
19	Ballabgarh	Poor	267	PM ₁₀	1
20	Banswara	Moderate	129	PM ₁₀	1
21	Bareilly	Moderate	124	PM ₁₀	2
22	Baripada	Moderate	112	PM ₁₀	1
23	Barmer	Moderate	197	PM ₁₀	1
24	Bathinda	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	225	PM _{2.5}	1
26	Belgaum	Satisfactory	62	PM ₁₀	1
27	Bengaluru	Satisfactory	89	PM ₁₀	11
28	Bettiah	Moderate	162	PM _{2.5}	1
29	Bhagalpur	Poor	204	PM ₁₀	2
30	Bharatpur	Poor	225	PM ₁₀	1
31	Bhilai	Satisfactory	70	PM ₁₀	3
32	Bhiwadi	Poor	270	PM ₁₀	1
33	Bhiwani	Moderate	178	PM ₁₀	1
34	Bhopal	Satisfactory	92	PM ₁₀	3
35	Bihar Sharif	Moderate	168	PM ₁₀	1
36	Bikaner	Moderate	162	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Moderate	137	PM ₁₀	1
38	Bileipada	Poor	220	PM ₁₀	1
39	Bulandshahr	Moderate	187	PM ₁₀	1
40	Byrnihat	Poor	279	PM _{2.5}	1
41	Chamarajanagar	Satisfactory	52	со	1
42	Chandigarh	Satisfactory	100	PM ₁₀	3
43	Chandrapur	Moderate	128	PM _{2.5}	1
44	Charkhi Dadri	Poor	288	PM _{2.5}	1
45	Chennai	Satisfactory	75	со	6
46	Chhal	Moderate	110	PM ₁₀	1
47	Chhapra	Poor	248	PM ₁₀	1
48	Chikkaballapur	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	60	PM ₁₀	1
50	Churu	Poor	248	PM ₁₀	1
51	Coimbatore	Moderate	115	PM _{2.5}	1
52	Cuddalore	Good	40	PM _{2.5}	2
53	Damoh	Good	33	PM _{2.5}	1
54	Dausa	Poor	279	PM ₁₀	1
55	Davanagere	Satisfactory	69	PM _{2.5}	1
56	Dehradun	Moderate	113	со	1
57	Delhi	Poor	236	PM ₁₀ , PM _{2.5}	38
58	Dewas	Moderate	127	PM ₁₀	1
59	Dhanbad	Very Poor	383	PM _{2.5}	1
60	Dharuhera	Very Poor	303	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Moderate	108	PM _{2.5}	1
62	Dholpur	Satisfactory	78	со	1
63	Durgapur	Moderate	143	PM ₁₀	1
64	Faridabad	Moderate	184	PM ₁₀ , PM _{2.5}	4
65	Firozabad	Moderate	114	PM ₁₀	2
66	Gadag	Good	35	PM _{2.5}	1
67	Gandhinagar	Moderate	191	PM _{2.5} , PM ₁₀	3
68	Gangtok	Satisfactory	76	PM ₁₀	1
69	Gaya	Moderate	137	PM ₁₀ , PM _{2.5}	3
70	Ghaziabad	Poor	237	PM ₁₀	4
71	Gorakhpur	Satisfactory	95	PM ₁₀	1
72	Greater Noida	Poor	277	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Moderate	103	PM ₁₀	1
74	Gurugram	Poor	282	PM _{2.5}	3
75	Guwahati	Moderate	148	PM ₁₀ , PM _{2.5}	4
76	Gwalior	Moderate	137	PM ₁₀ , PM _{2.5}	3
77	Hajipur	Poor	290	PM ₁₀	1
78	Haldia	Satisfactory	66	PM ₁₀	1
79	Hanumangarh	Moderate	111	PM ₁₀	1
80	Hapur	Moderate	115	PM ₁₀	1
81	Hassan	Satisfactory	90	PM ₁₀	1
82	Haveri	Satisfactory	73	PM ₁₀	1
83	Hosur	Moderate	133	PM _{2.5}	1
84	Howrah	Satisfactory	94	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Moderate	130	PM ₁₀	2
86	Hyderabad	Moderate	107	PM _{2.5} , PM ₁₀	13
87	Imphal	Moderate	123	PM _{2.5} , SO ₂	2
88	Indore	Satisfactory	88	со	2
89	Jabalpur	Moderate	139	PM ₁₀	1
90	Jaipur	Poor	226	PM ₁₀ , PM _{2.5}	4
91	Jalandhar	Moderate	113	PM ₁₀	1
92	Jhalawar	Moderate	124	PM ₁₀	1
93	Jhansi	Satisfactory	71	PM ₁₀	1
94	Jhunjhunu	Poor	233	PM ₁₀	1
95	Jind	Moderate	112	PM ₁₀	1
96	Jodhpur	Very Poor	310	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Arcrig. Assaugal. Baghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kadapa	Satisfactory	75	PM _{2.5}	1
98	Kaithal	Moderate	173	PM _{2.5}	1
99	Kalaburgi	Moderate	132	PM ₁₀	2
100	Kalyan	Moderate	136	PM ₁₀	1
101	Kanchipuram	Satisfactory	60	PM ₁₀	1
102	Kanpur	Moderate	140	PM _{2.5}	4
103	Karauli	Satisfactory	63	PM ₁₀	1
104	Karnal	Moderate	128	PM ₁₀	1
105	Katihar	Moderate	165	PM _{2.5}	1
106	Katni	Moderate	167	PM ₁₀	1
107	Keonjhar	Moderate	125	PM _{2.5}	1
108	Khanna	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Moderate	102	PM _{2.5}	1
110	Kishanganj	Moderate	172	PM ₁₀	1
111	Kochi	Satisfactory	60	со	1
112	Kohima	Moderate	123	PM ₁₀	1
113	Kolkata	Satisfactory	83	PM ₁₀	7
114	Koppal	Satisfactory	72	O ₃	1
115	Korba	Moderate	138	PM ₁₀ , PM _{2.5}	2
116	Kota	Moderate	136	PM ₁₀	3
117	Kurukshetra	Moderate	127	PM _{2.5}	1
118	Lucknow	Moderate	171	PM _{2.5}	6
119	Ludhiana	Moderate	109	PM ₁₀	1
120	Madikeri	Good	49	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Arcrig. Assaugal. Radboot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Good	47	СО	1
122	Mandideep	Satisfactory	96	PM ₁₀	1
123	Mandikhera	Moderate	141	PM ₁₀	1
124	Manesar	Poor	255	PM _{2.5}	1
125	Mangalore	Satisfactory	74	PM ₁₀	1
126	Meerut	Poor	232	PM ₁₀	3
127	Milupara	Satisfactory	57	PM ₁₀	1
128	Moradabad	Moderate	133	PM _{2.5} , PM ₁₀	6
129	Motihari	Moderate	122	PM ₁₀	1
130	Mumbai	Moderate	125	PM _{2.5} , PM ₁₀	17
131	Munger	Poor	269	PM ₁₀	1
132	Muzaffarnagar	Poor	221	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Poor	264	PM _{2.5} , O ₃	3
134	Mysuru	Satisfactory	73	03	1
135	Nagaon	Poor	281	PM _{2.5}	1
136	Naharlagun	Satisfactory	52	PM ₁₀	1
137	Nalbari	Moderate	132	PM ₁₀	1
138	Nandesari	Good	42	со	1
139	Narnaul	Poor	260	PM _{2.5}	1
140	Navi Mumbai	Moderate	184	PM _{2.5} , PM ₁₀	3
141	Noida	Poor	230	PM ₁₀	4
142	Ooty	Satisfactory	87	PM _{2.5}	1
143	Pali	Poor	220	PM ₁₀	1
144	Palkalaiperur	Satisfactory	51	SO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Arcrig. Assaugal. Baghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Moderate	135	PM ₁₀	1
146	Panchkula	Satisfactory	88	PM _{2.5}	1
147	Panipat	Poor	220	PM ₁₀	1
148	Patiala	Moderate	118	PM ₁₀	1
149	Patna	Poor	247	PM ₁₀ , PM _{2.5}	6
150	Pithampur	Moderate	115	PM ₁₀	1
151	Pratapgarh	Moderate	102	PM ₁₀	1
152	Prayagraj	Satisfactory	81	PM ₁₀	3
153	Puducherry	Good	46	PM ₁₀	1
154	Pune	Poor	221	PM _{2.5}	3
155	Raipur	Satisfactory	91	PM ₁₀ , NO ₂	4
156	Rairangpur	Poor	224	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Arcrig. Assaugal. Baghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Satisfactory	77	PM ₁₀	1
158	Rajgir	Moderate	135	PM ₁₀	1
159	Rajsamand	Moderate	107	PM ₁₀	1
160	Ramanagara	Satisfactory	72	PM ₁₀	1
161	Ramanathapuram	Good	33	PM ₁₀	1
162	Ratlam	Satisfactory	93	PM ₁₀	1
163	Rishikesh	Satisfactory	85	PM ₁₀	1
164	Rohtak	Poor	216	PM _{2.5}	1
165	Rourkela	Poor	269	PM _{2.5}	3
166	Rupnagar	Moderate	123	PM ₁₀	1
167	Sagar	Moderate	102	PM ₁₀	1
168	Saharsa	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Arcrig. Assaugal. Radboot

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Samastipur	Poor	237	PM ₁₀	1
170	Sasaram	Moderate	104	O ₃	1
171	Satna	Moderate	114	PM ₁₀	1
172	Shillong	Moderate	108	PM _{2.5}	1
173	Shivamogga	Satisfactory	64	03	1
174	Sikar	Moderate	167	PM _{2.5}	1
175	Silchar	Good	49	PM ₁₀	1
176	Siliguri	Moderate	113	PM ₁₀	1
177	Singrauli	Poor	201	PM _{2.5}	1
178	Sivasagar	Satisfactory	52	PM ₁₀	1
179	Siwan	Poor	228	PM ₁₀	1
180	Solapur	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Srinagar	Good	38	PM ₁₀	1
182	Suakati	Moderate	154	PM _{2.5}	1
183	Talcher	Moderate	139	PM _{2.5}	1
184	Tensa	Moderate	124	PM ₁₀	1
185	Thane	Moderate	174	PM ₁₀	1
186	Thiruvananthapuram	Satisfactory	60	PM ₁₀	2
187	Thoothukudi	Satisfactory	88	PM ₁₀	1
188	Thrissur	Satisfactory	94	PM ₁₀	1
189	Tirupati	Moderate	142	PM _{2.5}	2
190	Tonk	Poor	239	PM ₁₀	1
191	Tumakuru	Satisfactory	79	со	1
192	Tumidih	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Arcrip. Assessed Registration

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Satisfactory	77	PM ₁₀	1
194	Udupi	Satisfactory	73	O ₃	1
195	Vapi	Moderate	178	PM _{2.5}	1
196	Varanasi	Satisfactory	84	PM ₁₀ , PM _{2.5}	4
197	Vatva	Moderate	160	PM ₁₀	1
198	Vijayapura	Good	46	PM ₁₀	1
199	Visakhapatnam	Moderate	166	PM ₁₀	1
200	Vrindavan	Poor	235	PM ₁₀	1
201	Yadgir	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.