

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	91	03	1
2	Ahmedabad	Moderate	189	03	1
3	Aizawl	Good	19	PM ₁₀	1
4	Ajmer	Satisfactory	78	PM ₁₀	1
5	Alwar	Satisfactory	51	PM _{2.5}	1
6	Amaravati	Good	25	03	1
7	Ambala	Satisfactory	85	PM ₁₀	1
8	Amritsar	Satisfactory	96	PM ₁₀	1
9	Ankleshwar	Satisfactory	88	PM ₁₀	1
10	Asansol	Moderate	109	PM _{2.5}	1
11	Aurangabad	Satisfactory	82	PM ₁₀	1
12	Bagalkot	Good	43	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	221	PM ₁₀	1
14	Bahadurgarh	Moderate	133	PM ₁₀	1
15	Ballabgarh	Satisfactory	89	со	1
16	Bathinda	Satisfactory	82	PM _{2.5}	1
17	Bengaluru	Satisfactory	68	CO, PM ₁₀ , PM _{2.5}	8
18	Bhiwadi	Poor	260	PM _{2.5}	1
19	Bhiwani	Moderate	117	PM ₁₀	1
20	Bhopal	Satisfactory	73	O ₃	1
21	Brajrajnagar	Satisfactory	58	со	1
22	Bulandshahr	Moderate	167	O ₃	1
23	Chamarajanagar	Satisfactory	54	PM ₁₀	1
24	Chandigarh	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	57	PM ₁₀	2
26	Charkhi Dadri	Satisfactory	100	PM ₁₀	1
27	Chennai	Good	42	SO ₂ , PM ₁₀ , CO	7
28	Chikkaballapur	Good	47	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	69	03	1
30	Damoh	Good	28	PM _{2.5}	1
31	Delhi	Moderate	175	PM ₁₀ , O ₃	31
32	Dewas	Satisfactory	71	PM ₁₀	1
33	Dharuhera	Moderate	188	PM ₁₀	1
34	Durgapur	Moderate	124	PM ₁₀	1
35	Eloor	Good	47	со	1
36	Ernakulam	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	198	O ₃ , PM _{2.5} , PM ₁₀	4
38	Fatehabad	Moderate	135	PM ₁₀	1
39	Gadag	Satisfactory	80	SO ₂	1
40	Gandhinagar	Satisfactory	52	03	1
41	Gaya	Moderate	175	03	2
42	Ghaziabad	Poor	207	PM ₁₀	3
43	Greater Noida	Moderate	178	PM ₁₀	1
44	Gummidipoondi	Satisfactory	67	PM ₁₀	1
45	Gurugram	Moderate	144	PM ₁₀ , PM _{2.5}	3
46	Guwahati	Satisfactory	74	PM ₁₀ , PM _{2.5}	2
47	Gwalior	Moderate	104	PM ₁₀	1
48	Hajipur	Moderate	106	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	87	PM ₁₀	1
50	Hapur	Satisfactory	95	PM ₁₀	1
51	Hassan	Satisfactory	86	PM ₁₀	1
52	Hisar	Moderate	127	PM ₁₀	1
53	Howrah	Satisfactory	63	PM ₁₀	3
54	Hubballi	Satisfactory	68	03	1
55	Hyderabad	Satisfactory	69	PM ₁₀ , PM _{2.5}	4
56	Indore	Satisfactory	94	PM ₁₀	1
57	Jabalpur	Satisfactory	81	PM ₁₀	1
58	Jaipur	Moderate	106	PM ₁₀	3
59	Jalandhar	Satisfactory	81	PM ₁₀	1
60	Jind	Moderate	180	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	152	PM _{2.5}	1
62	Kaithal	Moderate	126	PM ₁₀	1
63	Kalyan	Satisfactory	95	PM _{2.5}	1
64	Kannur	Moderate	102	PM ₁₀	1
65	Kanpur	Moderate	162	PM _{2.5} , O ₃	2
66	Karnal	Satisfactory	91	PM _{2.5}	1
67	Katni	Satisfactory	99	PM ₁₀	1
68	Khanna	Satisfactory	62	PM ₁₀	1
69	Kochi	Good	45	со	1
70	Kohima	Satisfactory	67	PM ₁₀	1
71	Kolkata	Satisfactory	71	CO, O ₃ , PM ₁₀	6
72	Kollam	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	63	со	1
74	Kota	Satisfactory	76	PM ₁₀	1
75	Kozhikode	Satisfactory	55	PM ₁₀	1
76	Kurukshetra	Moderate	108	PM ₁₀	1
77	Lucknow	Moderate	130	PM _{2.5} , PM ₁₀ , O ₃	4
78	Ludhiana	Satisfactory	89	PM ₁₀	1
79	Mandi Gobindgarh	Satisfactory	79	PM ₁₀	1
80	Mandideep	Good	33	PM _{2.5}	1
81	Mandikhera	Satisfactory	92	PM ₁₀	1
82	Manesar	Moderate	186	PM _{2.5}	1
83	Manglore	Good	49	PM _{2.5}	1
84	Medikeri	Good	31	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	164	PM ₁₀ , PM _{2.5}	3
86	Mumbai	Satisfactory	76	PM ₁₀ , PM _{2.5}	17
87	Muzaffarnagar	Moderate	163	PM ₁₀	1
88	Muzaffarpur	Satisfactory	70	CO, PM _{2.5}	2
89	Mysuru	Satisfactory	54	03	1
90	Nagpur	Satisfactory	69	PM _{2.5}	1
91	Nandesari	Moderate	111	СО	1
92	Narnaul	Moderate	175	PM ₁₀	1
93	Nashik	Satisfactory	74	PM _{2.5}	1
94	Navi Mumbai	Satisfactory	94	PM ₁₀	3
95	Noida	Moderate	171	PM ₁₀	3
96	Pali	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	148	PM ₁₀	1
98	Panchkula	Satisfactory	70	PM _{2.5}	1
99	Panipat	Moderate	196	PM ₁₀	1
100	Patiala	Satisfactory	84	PM ₁₀	1
101	Patna	Moderate	103	PM ₁₀ , O ₃	5
102	Pithampur	Satisfactory	66	PM ₁₀	1
103	Puducherry	Good	39	PM _{2.5}	1
104	Pune	Satisfactory	74	PM _{2.5} , PM ₁₀	7
105	Rajamahendravaram	Good	42	PM ₁₀	1
106	Ratlam	Satisfactory	71	PM ₁₀	1
107	Rohtak	Moderate	154	PM _{2.5}	1
108	Rupnagar	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	59	PM _{2.5}	1
110	Satna	Satisfactory	67	PM ₁₀	1
111	Shivamogga	Satisfactory	52	PM _{2.5}	1
112	Siliguri	Satisfactory	76	PM ₁₀	1
113	Singrauli	Moderate	122	PM ₁₀	1
114	Sirsa	Moderate	123	PM ₁₀	1
115	Solapur	Moderate	104	PM _{2.5}	1
116	Sonipat	Poor	206	PM ₁₀	1
117	Srinagar	Satisfactory	63	PM _{2.5}	1
118	Talcher	Satisfactory	75	СО	1
119	Thane	Very Poor	389	NO ₂	1
120	Thiruvananthapuram	Good	44	PM ₁₀ , CO	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	85	SO ₂	1
122	Tirupati	Good	38	O ₃	1
123	Udaipur	Satisfactory	68	PM ₁₀	1
124	Udupi	Satisfactory	76	со	1
125	Ujjain	Satisfactory	86	PM ₁₀	1
126	Varanasi	Satisfactory	91	PM ₁₀	1
127	Vatva	Moderate	110	PM ₁₀	1
128	Vijayapura	Satisfactory	53	O ₃	1
129	Visakhapatnam	Satisfactory	65	PM ₁₀	1
130	Yadgir	Satisfactory	55	O ₃	1
131	Yamunanagar	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalaburgi, Kolar, Maihar, Moradabad, Naharlagun, Raichur, Ramanagara, Shillong, Thoothukudi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.