

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Moderate	141	PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	104	NO <sub>2</sub>	1
4	Aizawl	Good	24	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	100	PM <sub>10</sub>	1
6	Alwar	Moderate	189	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	127	PM <sub>2.5</sub>	1
8	Ambala	Moderate	167	PM <sub>2.5</sub>	1
9	Amritsar	Poor	203	PM <sub>2.5</sub>	1
10	Anantapur	Moderate	109	PM <sub>2.5</sub>	1
11	Araria	Poor	271	PM <sub>2.5</sub>	1
12	Arrah	Moderate	191	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	248	PM <sub>2.5</sub>	1
14	Aurangabad (Maharashtra)	Moderate	117	PM <sub>2.5</sub>	1
15	Baddi	Poor	238	PM <sub>2.5</sub>	1
16	Bagalkot	Good	39	PM <sub>10</sub>	1
17	Baghpat	Poor	243	PM <sub>2.5</sub>	1
18	Bahadurgarh	Poor	296	PM <sub>2.5</sub>	1
19	Ballabgarh	Poor	277	PM <sub>2.5</sub>	1
20	Bareilly	Moderate	190	PM <sub>2.5</sub>	2
21	Bathinda	Moderate	179	PM <sub>10</sub>	1
22	Begusarai	Very Poor	381	PM <sub>2.5</sub>	1
23	Belgaum	Moderate	146	PM <sub>10</sub>	1
24	Bengaluru	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	7

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Very Poor	395	PM <sub>2.5</sub>	1
26	Bhagalpur	Poor	272	PM <sub>2.5</sub>	2
27	Bhiwadi	Very Poor	323	PM <sub>2.5</sub>	1
28	Bhiwani	Poor	295	PM <sub>2.5</sub>	1
29	Bhopal	Poor	241	PM <sub>2.5</sub>	2
30	Bidar	Satisfactory	75	со	1
31	Bihar Sharif	Poor	230	PM <sub>2.5</sub>	1
32	Bilaspur	Satisfactory	60	PM <sub>10</sub>	1
33	Bulandshahr	Poor	248	PM <sub>2.5</sub>	1
34	Buxar	Very Poor	377	PM <sub>2.5</sub>	1
35	Chamarajanagar	Good	39	PM <sub>10</sub>	1
36	Chandigarh	Poor	202	PM <sub>2.5</sub>	3

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Poor	228	PM <sub>2.5</sub>	1
38	Charkhi Dadri	Very Poor	314	PM <sub>2.5</sub>	1
39	Chennai	Good	46	NO <sub>2</sub>	7
40	Chhapra	Very Poor	313	PM <sub>2.5</sub>	1
41	Chikkaballapur	Moderate	122	PM <sub>10</sub>	1
42	Chikkamagaluru	Satisfactory	61	PM <sub>10</sub>	1
43	Coimbatore	Satisfactory	87	со	1
44	Damoh	Moderate	117	PM <sub>2.5</sub>	1
45	Darbhanga	Very Poor	388	PM <sub>2.5</sub>	1
46	Davanagere	Satisfactory	94	PM <sub>10</sub>	1
47	Delhi	Very Poor	346	PM <sub>2.5</sub> , PM <sub>10</sub>	37
48	Dewas	Moderate	157	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	306	PM <sub>2.5</sub>	1
50	Dindigul	Good	42	SO <sub>2</sub>	1
51	Durgapur	Moderate	119	PM <sub>10</sub>	1
52	Eloor	Satisfactory	56	PM <sub>10</sub>	1
53	Ernakulam	Satisfactory	52	со	1
54	Faridabad	Very Poor	304	PM <sub>2.5</sub>	4
55	Firozabad	Moderate	148	PM <sub>2.5</sub>	2
56	Gadag	Satisfactory	80	PM <sub>10</sub>	1
57	Gandhinagar	Moderate	104	PM <sub>10</sub>	1
58	Gangtok	Good	37	PM <sub>10</sub>	1
59	Gaya	Moderate	192	PM <sub>2.5</sub>	3
60	Ghaziabad	Poor	285	PM <sub>10</sub>	4

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	135	PM <sub>10</sub>	1
62	Greater Noida	Very Poor	311	PM <sub>2.5</sub>	2
63	Gurugram	Very Poor	353	PM <sub>2.5</sub>	4
64	Guwahati	Moderate	127	PM <sub>2.5</sub>	3
65	Gwalior	Very Poor	343	PM <sub>2.5</sub>	2
66	Hajipur	Poor	235	PM <sub>10</sub>	1
67	Haldia	Satisfactory	97	PM <sub>10</sub>	1
68	Hapur	Moderate	183	PM <sub>2.5</sub>	1
69	Hassan	Satisfactory	75	PM <sub>2.5</sub>	1
70	Haveri	Moderate	133	PM <sub>2.5</sub>	1
71	Hisar	Very Poor	314	PM <sub>2.5</sub>	1
72	Hosur	Satisfactory	75	СО	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Hubballi	Moderate	115	PM <sub>2.5</sub>	1
75	Hyderabad	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	14
76	Imphal	Moderate	145	03	2
77	Indore	Moderate	150	PM <sub>10</sub>	1
78	Jabalpur	Moderate	174	PM <sub>2.5</sub>	1
79	Jaipur	Poor	244	PM <sub>2.5</sub> , PM <sub>10</sub>	3
80	Jalandhar	Moderate	194	PM <sub>2.5</sub>	1
81	Jhansi	Moderate	170	PM <sub>2.5</sub>	1
82	Jind	Very Poor	371	PM <sub>2.5</sub>	1
83	Jodhpur	Moderate	165	PM <sub>2.5</sub>	1
84	Kaithal	Poor	284	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Moderate	141	PM <sub>2.5</sub>	1
86	Kalyan	Moderate	157	PM <sub>10</sub>	1
87	Kanchipuram	Satisfactory	56	SO <sub>2</sub>	1
88	Kannur	Satisfactory	76	PM <sub>10</sub>	1
89	Kanpur	Poor	241	PM <sub>2.5</sub>	3
90	Karnal	Poor	281	PM <sub>2.5</sub>	1
91	Katihar	Very Poor	339	PM <sub>2.5</sub>	1
92	Katni	Poor	213	PM <sub>2.5</sub>	1
93	Khanna	Moderate	153	PM <sub>2.5</sub>	1
94	Khurja	Moderate	180	PM <sub>2.5</sub>	1
95	Kishanganj	Moderate	181	PM <sub>10</sub>	1
96	Kochi	Poor	267	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Moderate	118	SO <sub>2</sub>	1
98	Kolar	Moderate	101	PM <sub>10</sub>	1
99	Kolkata	Moderate	137	PM <sub>2.5</sub>	7
100	Kollam	Satisfactory	54	PM <sub>10</sub>	1
101	Koppal	Satisfactory	78	03	1
102	Kota	Poor	259	PM <sub>2.5</sub>	1
103	Kozhikode	Satisfactory	73	PM <sub>10</sub>	1
104	Kurukshetra	Poor	287	PM <sub>2.5</sub>	1
105	Lucknow	Poor	260	PM <sub>2.5</sub>	6
106	Ludhiana	Poor	209	PM <sub>2.5</sub>	1
107	Madikeri	Good	36	PM <sub>2.5</sub>	1
108	Maihar	Satisfactory	80	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Poor	207	PM <sub>2.5</sub>	1
110	Mandideep	Moderate	163	PM <sub>10</sub>	1
111	Mandikhera	Moderate	134	PM <sub>10</sub>	1
112	Manesar	Poor	225	PM <sub>2.5</sub>	1
113	Manguraha	Moderate	123	PM <sub>2.5</sub>	1
114	Meerut	Poor	237	PM <sub>2.5</sub>	3
115	Moradabad	Moderate	165	PM <sub>2.5</sub>	6
116	Motihari	Severe	413	PM <sub>2.5</sub>	1
117	Mumbai	Moderate	158	NO <sub>2</sub> , PM <sub>10</sub>	17
118	Munger	Poor	213	PM <sub>2.5</sub>	1
119	Muzaffarnagar	Moderate	182	PM <sub>2.5</sub>	1
120	Muzaffarpur	Very Poor	311	PM <sub>2.5</sub>	3

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	72	PM <sub>10</sub>	1
122	Nagpur	Poor	211	PM <sub>2.5</sub>	1
123	Narnaul	Poor	251	PM <sub>2.5</sub>	1
124	Nashik	Moderate	112	PM <sub>2.5</sub>	1
125	Navi Mumbai	Poor	227	PM <sub>2.5</sub>	3
126	Noida	Poor	286	PM <sub>2.5</sub>	4
127	Ooty	Satisfactory	51	SO <sub>2</sub>	1
128	Pali	Moderate	130	PM <sub>2.5</sub>	1
129	Palwal	Satisfactory	92	PM <sub>10</sub>	1
130	Panchkula	Moderate	200	PM <sub>2.5</sub>	1
131	Panipat	Poor	211	PM <sub>2.5</sub>	1
132	Patiala	Moderate	141	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Poor	275	PM <sub>2.5</sub>	6
134	Pithampur	Moderate	149	PM <sub>10</sub>	1
135	Prayagraj	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	3
136	Puducherry	Good	41	PM <sub>2.5</sub>	1
137	Purnia	Very Poor	358	PM <sub>2.5</sub>	1
138	Raichur	Moderate	126	PM <sub>10</sub>	1
139	Rajamahendravaram	Moderate	101	PM <sub>10</sub>	1
140	Rajgir	Moderate	180	PM <sub>2.5</sub>	1
141	Ramanagara	Satisfactory	92	PM <sub>2.5</sub>	1
142	Ramanathapuram	Good	40	PM <sub>10</sub>	1
143	Ratlam	Moderate	129	PM <sub>2.5</sub>	1
144	Rohtak	Poor	285	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rupnagar	Moderate	164	PM <sub>2.5</sub>	1
146	Sagar	Satisfactory	94	PM <sub>2.5</sub> , CO	2
147	Saharsa	Very Poor	358	PM <sub>2.5</sub>	1
148	Samastipur	Very Poor	331	PM <sub>2.5</sub>	1
149	Sasaram	Moderate	175	PM <sub>2.5</sub>	1
150	Satna	Satisfactory	64	PM <sub>10</sub>	1
151	Shillong	Satisfactory	54	PM <sub>10</sub> , PM <sub>2.5</sub>	2
152	Shivamogga	Satisfactory	54	PM <sub>10</sub>	1
153	Siliguri	Moderate	127	PM <sub>10</sub>	1
154	Singrauli	Very Poor	305	PM <sub>2.5</sub>	1
155	Sirsa	Very Poor	314	PM <sub>2.5</sub>	1
156	Sivasagar	Good	46	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Severe	406	PM <sub>2.5</sub>	1
158	Solapur	Moderate	110	PM <sub>2.5</sub>	1
159	Sonipat	Poor	267	PM <sub>10</sub>	1
160	Srinagar	Satisfactory	78	PM <sub>2.5</sub>	1
161	Surat	Poor	213	PM <sub>2.5</sub>	1
162	Talcher	Moderate	151	PM <sub>2.5</sub>	1
163	Thane	Moderate	142	PM <sub>10</sub>	1
164	Thiruvananthapuram	Satisfactory	54	со	2
165	Thoothukudi	Good	50	PM <sub>10</sub>	1
166	Thrissur	Satisfactory	57	PM <sub>10</sub>	1
167	Tirupur	Moderate	114	PM <sub>2.5</sub>	1
168	Udaipur	Moderate	180	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## od Minimal Impact

Good	William impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Udupi	Moderate	103	O <sub>3</sub>	1
170	Ujjain	Moderate	143	PM <sub>2.5</sub>	1
171	Varanasi	Moderate	170	PM <sub>2.5</sub>	4
172	Vatva	Moderate	108	PM <sub>2.5</sub>	1
173	Vijayapura	Good	47	PM <sub>10</sub>	1
174	Visakhapatnam	Moderate	106	PM <sub>10</sub>	1
175	Vrindavan	Moderate	147	PM <sub>10</sub>	1
176	Yadgir	Moderate	104	PM <sub>2.5</sub>	1
177	Yamunanagar	Very Poor	304	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Bhilai, Brajrajnagar, Chengalpattu, Dehradun, Fatehabad, Gummidipoondi, Jorapokhar, Korba, Manglore, Naharlagun, Nandesari, Pune, Raipur, Salem, Tirupati, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.