

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|------------------------------|--|
| 1 | Ahmedabad | Moderate | 126 | PM ₁₀ | 1 |
| 2 | Ajmer | Good | 46 | PM ₁₀ | 1 |
| 3 | Alwar | Satisfactory | 83 | PM _{2.5} | 1 |
| 4 | Ambala | Satisfactory | 54 | PM ₁₀ | 1 |
| 5 | Asanol | Good | 29 | PM _{2.5} | 1 |
| 6 | Aurangabad | Satisfactory | 65 | PM ₁₀ | 1 |
| 7 | Baghpat | Good | 48 | OZONE | 1 |
| 8 | Bahadurgarh | Satisfactory | 59 | OZONE | 1 |
| 9 | Ballabgarh | Satisfactory | 57 | со | 1 |
| 10 | Bathinda | Good | 30 | NO ₂ | 1 |
| 11 | Bengaluru | Good | 40 | CO, PM ₁₀ , OZONE | 3 |
| 12 | Bhiwadi | Satisfactory | 85 | PM ₁₀ | 1 |

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * Moters calculated for today's bulletin for Agra, Amaravati,
 Amritsar, Ankleshwar, Bulandshahr, Chikkaballapur, Coimbatore, Haldia,
 Jodhpur, Loni_Dehat, Moradabad, Mysuru, Pali, Panipat, Patna, Ratlam,
 Singrauli, Sirsa, Sonipat, Thane, Visakhapatnam as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------|--------------|-------------|---|--|
| 13 | Bhiwani | Satisfactory | 71 | PM _{2.5} | 1 |
| 14 | Brajrajnagar | Satisfactory | 97 | со | 1 |
| 15 | Chandrapur | Satisfactory | 55 | OZONE | 1 |
| 16 | Chennai | Good | 50 | PM _{2.5} , OZONE, CO | 3 |
| 17 | Damoh | Good | 25 | PM ₁₀ | 1 |
| 18 | Delhi | Satisfactory | 66 | NO ₂ , PM ₁₀ , CO | 33 |
| 19 | Dewas | Good | 43 | OZONE | 1 |
| 20 | Dharuhera | Satisfactory | 97 | со | 1 |
| 21 | Eloor | Good | 22 | со | 1 |
| 22 | Faridabad | Good | 49 | OZONE | 1 |
| 23 | Fatehabad | Satisfactory | 53 | PM ₁₀ | 1 |
| 24 | GandhiNagar | Satisfactory | 52 | PM ₁₀ | 1 |

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * Motest calculated for today's bulletin for Agra, Amaravati,
 Amritsar, Ankleshwar, Bulandshahr, Chikkaballapur, Coimbatore, Haldia,
 Jodhpur, Loni_Dehat, Moradabad, Mysuru, Pali, Panipat, Patna, Ratlam,
 Singrauli, Sirsa, Sonipat, Thane, Visakhapatnam as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 25 | Gaya | Satisfactory | 70 | NO ₂ | 1 |
| 26 | Ghaziabad | Good | 50 | со | 2 |
| 27 | Greater_Noida | Satisfactory | 56 | PM ₁₀ | 2 |
| 28 | Gurugram | Good | 48 | PM _{2.5} | 1 |
| 29 | Guwahati | Good | 35 | PM ₁₀ | 1 |
| 30 | Hisar | Satisfactory | 61 | PM ₁₀ | 1 |
| 31 | Howrah | Good | 44 | OZONE | 2 |
| 32 | Hubballi | Poor | 213 | PM _{2.5} | 1 |
| 33 | Hyderabad | Good | 46 | PM ₁₀ | 5 |
| 34 | Jaipur | Satisfactory | 55 | PM ₁₀ | 3 |
| 35 | Jalandhar | Moderate | 104 | PM ₁₀ | 1 |
| 36 | Jind | Satisfactory | 54 | PM _{2.5} | 1 |

| Good | Minimal Impact | | |
|---|---|--|--|
| Satisfactory | ory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | | |
| Poor | Breathing discomfort to most people on prolonged exposure | | |
| Very Poor Respiratory illness on prolonged exposure | | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | | |

- * Moters calculated for today's bulletin for Agra, Amaravati,
 Amritsar, Ankleshwar, Bulandshahr, Chikkaballapur, Coimbatore, Haldia,
 Jodhpur, Loni_Dehat, Moradabad, Mysuru, Pali, Panipat, Patna, Ratlam,
 Singrauli, Sirsa, Sonipat, Thane, Visakhapatnam as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|--|--|
| 37 | Jorapokhar | Satisfactory | 73 | со | 1 |
| 38 | Kaithal | Good | 40 | PM ₁₀ | 1 |
| 39 | Kalaburagi | Good | 44 | PM ₁₀ | 1 |
| 40 | Kalyan | Satisfactory | 60 | PM ₁₀ | 1 |
| 41 | Kanpur | Good | 35 | OZONE | 1 |
| 42 | Karnal | Good | 40 | PM ₁₀ | 1 |
| 43 | Khanna | Good | 36 | со | 1 |
| 44 | Kolkata | Good | 37 | OZONE, PM ₁₀ , PM _{2.5} | 5 |
| 45 | Kota | Satisfactory | 64 | PM ₁₀ | 1 |
| 46 | Kurukshetra | Good | 40 | PM ₁₀ | 1 |
| 47 | Lucknow | Satisfactory | 60 | PM _{2.5} , CO | 3 |
| 48 | Ludhiana | Satisfactory | 85 | PM ₁₀ | 1 |

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | factory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * Motest calculated for today's bulletin for Agra, Amaravati,
 Amritsar, Ankleshwar, Bulandshahr, Chikkaballapur, Coimbatore, Haldia,
 Jodhpur, Loni_Dehat, Moradabad, Mysuru, Pali, Panipat, Patna, Ratlam,
 Singrauli, Sirsa, Sonipat, Thane, Visakhapatnam as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|----------------------|--|
| 49 | Maihar | Good | 40 | со | 1 |
| 50 | Mandi Gobindgarh | Good | 30 | со | 1 |
| 51 | Mandideep | Good | 41 | PM ₁₀ | 1 |
| 52 | Mandikhera | Satisfactory | 67 | со | 1 |
| 53 | Manesar | Satisfactory | 61 | PM ₁₀ | 1 |
| 54 | Mumbai | Satisfactory | 69 | CO, PM ₁₀ | 6 |
| 55 | Muzaffarnagar | Satisfactory | 53 | со | 1 |
| 56 | Muzaffarpur | Satisfactory | 89 | со | 1 |
| 57 | Nagpur | Good | 29 | PM ₁₀ | 1 |
| 58 | Narnaul | Good | 29 | PM ₁₀ | 1 |
| 59 | Nashik | Good | 44 | PM ₁₀ | 1 |
| 60 | Navi Mumbai | Satisfactory | 65 | CO, PM ₁₀ | 3 |

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * Moters calculated for today's bulletin for Agra, Amaravati,
 Amritsar, Ankleshwar, Bulandshahr, Chikkaballapur, Coimbatore, Haldia,
 Jodhpur, Loni_Dehat, Moradabad, Mysuru, Pali, Panipat, Patna, Ratlam,
 Singrauli, Sirsa, Sonipat, Thane, Visakhapatnam as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|--|--|
| 61 | Noida | Good | 42 | OZONE, PM ₁₀ , PM _{2.5} | 4 |
| 62 | Palwal | Satisfactory | 53 | PM ₁₀ | 1 |
| 63 | Panchkula | Good | 32 | СО | 1 |
| 64 | Patiala | Good | 37 | PM ₁₀ | 1 |
| 65 | Pithampur | Good | 42 | PM ₁₀ | 1 |
| 66 | Pune | Satisfactory | 74 | SO ₂ | 1 |
| 67 | Rajamahendravaram | Satisfactory | 52 | OZONE | 1 |
| 68 | Rohtak | Good | 38 | PM _{2.5} | 1 |
| 69 | Rupnagar | Satisfactory | 81 | PM ₁₀ | 1 |
| 70 | Satna | Good | 47 | СО | 1 |
| 71 | Siliguri | Good | 40 | PM ₁₀ | 1 |
| 72 | Solapur | Moderate | 135 | NO ₂ | 1 |

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * Motest calculated for today's bulletin for Agra, Amaravati,
 Amritsar, Ankleshwar, Bulandshahr, Chikkaballapur, Coimbatore, Haldia,
 Jodhpur, Loni_Dehat, Moradabad, Mysuru, Pali, Panipat, Patna, Ratlam,
 Singrauli, Sirsa, Sonipat, Thane, Visakhapatnam as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 73 | Talcher | Satisfactory | 97 | со | 1 |
| 74 | Thiruvananthapuram | Good | 40 | со | 1 |
| 75 | Tirupati | Good | 32 | PM ₁₀ | 1 |
| 76 | Udaipur | Satisfactory | 65 | со | 1 |
| 77 | Ujjain | Satisfactory | 52 | OZONE | 1 |
| 78 | Vapi | Satisfactory | 59 | PM ₁₀ | 1 |
| 79 | Varanasi | Moderate | 116 | OZONE | 1 |
| 80 | Vatva | Moderate | 103 | NO ₂ | 1 |
| 81 | Vijayawada | Good | 38 | PM ₁₀ | 1 |
| 82 | Yamunanagar | Satisfactory | 59 | PM ₁₀ | 1 |

| Good | Minimal Impact | | |
|--------------|---|--|--|
| Satisfactory | Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | | |
| Poor | Breathing discomfort to most people on prolonged exposure | | |
| Very Poor | Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | | |

- * Motest calculated for today's bulletin for Agra, Amaravati,
 Amritsar, Ankleshwar, Bulandshahr, Chikkaballapur, Coimbatore, Haldia,
 Jodhpur, Loni_Dehat, Moradabad, Mysuru, Pali, Panipat, Patna, Ratlam,
 Singrauli, Sirsa, Sonipat, Thane, Visakhapatnam as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.